

全国がん登録

都道府県版標準集計表 2017

(山梨県)

令和2年6月1日現在

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	3,701	2,557	6,258	100.0	100.0	100.0	918.4	607.4	759.5	429.7	310.4	362.5	305.1	233.7	264.9	36.9	26.0	31.2
口腔・咽頭	C00-C14	69	43	112	1.9	1.7	1.8	17.1	10.2	13.6	10.1	4.9	7.4	7.8	3.6	5.7	0.9	0.4	0.6
食道	C15	133	29	162	3.6	1.1	2.6	33.0	6.9	19.7	15.7	3.5	9.3	11.3	2.5	6.7	1.5	0.3	0.9
胃	C16	495	226	721	13.4	8.8	11.5	122.8	53.7	87.5	55.0	20.4	36.5	38.3	14.3	25.6	4.6	1.6	3.1
大腸（結腸・直腸）	C18-C20	582	386	968	15.7	15.1	15.5	144.4	91.7	117.5	70.1	37.0	52.8	50.5	26.5	38.1	6.0	3.0	4.5
結腸	C18	349	266	615	9.4	10.4	9.8	86.6	63.2	74.6	39.3	25.3	31.8	27.9	18.1	22.7	3.4	2.1	2.7
直腸	C19-C20	233	120	353	6.3	4.7	5.6	57.8	28.5	42.8	30.7	11.6	21.0	22.6	8.4	15.4	2.7	0.9	1.8
肝および肝内胆管	C22	228	109	337	6.2	4.3	5.4	56.6	25.9	40.9	24.0	7.7	15.3	16.3	5.3	10.5	2.0	0.6	1.3
胆のう・胆管	C23-C24	85	64	149	2.3	2.5	2.4	21.1	15.2	18.1	9.4	3.5	6.3	6.4	2.2	4.3	0.7	0.2	0.5
膵臓	C25	141	130	271	3.8	5.1	4.3	35.0	30.9	32.9	16.4	10.1	13.2	11.9	7.0	9.4	1.5	0.8	1.2
喉頭	C32	21	1	22	0.6	0.0	0.4	5.2	0.2	2.7	2.3	0.1	1.1	1.5	0.0	0.7	0.1	0.0	0.1
肺	C33-C34	524	235	759	14.2	9.2	12.1	130.0	55.8	92.1	56.8	24.5	39.3	38.9	17.3	27.3	4.8	2.2	3.5
皮膚	C43-C44	88	52	140	2.4	2.0	2.2	21.8	12.4	17.0	9.6	5.0	7.1	6.7	3.5	5.0	0.7	0.3	0.5
乳房	C50	3	588	591	0.1	23.0	9.4	0.7	139.7	71.7	0.4	92.2	46.5	0.3	71.2	35.8	0.0	7.9	4.0
子宮	C53-C55	-	181	181	-	7.1	2.9	-	43.0	-	-	30.4	-	-	23.5	-	-	2.6	-
子宮頸部	C53	-	57	57	-	2.2	0.9	-	13.5	-	-	10.1	-	-	7.8	-	-	0.8	-
子宮体部	C54	-	120	120	-	4.7	1.9	-	28.5	-	-	20.1	-	-	15.6	-	-	1.8	-
卵巣	C56	-	71	71	-	2.8	1.1	-	16.9	-	-	12.6	-	-	10.0	-	-	1.1	-
前立腺	C61	690	-	690	18.6	-	11.0	171.2	-	-	74.0	-	-	50.6	-	-	6.9	-	-
膀胱	C67	129	36	165	3.5	1.4	2.6	32.0	8.6	20.0	13.5	2.8	7.7	9.5	2.0	5.5	1.1	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	134	69	203	3.6	2.7	3.2	33.3	16.4	24.6	17.8	7.8	12.6	13.0	5.9	9.4	1.6	0.7	1.2
脳・中枢神経系	C70-C72	20	21	41	0.5	0.8	0.7	5.0	5.0	5.0	3.3	3.0	3.1	2.5	2.6	2.5	0.2	0.2	0.2
甲状腺	C73	38	78	116	1.0	3.1	1.9	9.4	18.5	14.1	6.8	15.3	11.0	5.2	12.4	8.7	0.5	1.2	0.9
悪性リンパ腫	C81-C85 C96	115	105	220	3.1	4.1	3.5	28.5	24.9	26.7	14.8	13.6	14.1	11.1	10.0	10.5	1.2	1.2	1.2
多発性骨髄腫	C88-C90	32	22	54	0.9	0.9	0.9	7.9	5.2	6.6	3.7	2.1	2.9	2.7	1.6	2.1	0.3	0.2	0.3
白血病	C91-C95	54	25	79	1.5	1.0	1.3	13.4	5.9	9.6	8.6	4.1	6.3	6.8	3.8	5.3	0.7	0.3	0.5

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	4,046	2,961	7,007	100.0	100.0	100.0	1,004.0	703.3	850.4	473.5	393.6	424.6	336.5	300.3	312.8	40.7	32.3	36.2
食道	C15 D001	146	35	181	3.6	1.2	2.6	36.2	8.3	22.0	17.4	4.1	10.4	12.5	3.0	7.6	1.6	0.4	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	727	463	1,190	18.0	15.6	17.0	180.4	110.0	144.4	90.5	47.1	67.9	65.6	34.0	49.3	7.9	4.0	5.9
結腸 *2	C18 D010	450	315	765	11.1	10.6	10.9	111.7	74.8	92.8	53.7	31.4	41.9	38.6	22.5	30.2	4.7	2.7	3.7
直腸 *2	C19-C20 D011-D012	277	148	425	6.8	5.0	6.1	68.7	35.2	51.6	36.8	15.7	26.0	27.0	11.5	19.1	3.2	1.3	2.2
肺	C33-C34 D021-D022	524	236	760	13.0	8.0	10.8	130.0	56.1	92.2	56.8	24.5	39.3	38.9	17.3	27.3	4.8	2.2	3.5
皮膚	C43-C44 D030-D049	103	72	175	2.5	2.4	2.5	25.6	17.1	21.2	11.2	7.1	8.9	7.8	5.1	6.3	0.8	0.5	0.6
乳房	C50 D05	6	683	689	0.1	23.1	9.8	1.5	162.2	83.6	0.8	110.8	55.9	0.6	85.8	43.1	0.1	9.4	4.7
子宮	C53-C55 D06	-	328	328	-	11.1	4.7	-	77.9	-	-	75.7	-	-	61.3	-	-	5.7	-
子宮頸部	C53 D06	-	204	204	-	6.9	2.9	-	48.5	-	-	55.4	-	-	45.6	-	-	3.9	-
膀胱	C67 D090	258	67	325	6.4	2.3	4.6	64.0	15.9	39.4	28.4	5.6	16.2	19.9	3.9	11.4	2.2	0.5	1.3

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	3,701	0	2	1	3	5	8	10	16	29	68	112	176	323	696	631	618	528	331	117	23	4	0
	口腔・咽頭	C00-C14	69	0	1	0	0	0	0	1	0	1	6	3	8	8	12	11	6	6	5	1	0	0	0
	食道	C15	133	0	0	0	0	0	0	1	0	1	1	3	7	19	25	25	21	15	13	2	0	0	0
	胃	C16	495	0	0	0	0	0	0	1	3	1	3	15	18	56	84	78	79	90	41	25	1	0	0
	大腸（結腸・直腸）	C18-C20	582	0	0	0	0	2	0	1	3	6	19	21	32	55	124	82	92	71	50	21	3	0	0
	結腸	C18	349	0	0	0	0	1	0	1	0	2	10	7	16	29	72	55	55	47	38	14	2	0	0
	直腸	C19-C20	233	0	0	0	0	1	0	0	3	4	9	14	16	26	52	27	37	24	12	7	1	0	0
	肝および肝内胆管	C22	228	0	0	0	0	0	0	0	0	0	3	4	7	16	42	41	47	36	22	9	1	0	0
	胆のう・胆管	C23-C24	85	0	0	0	0	0	0	0	1	1	0	2	5	7	11	14	13	18	6	5	2	0	0
	膵臓	C25	141	0	1	0	0	0	0	0	0	1	2	5	7	8	36	28	20	18	9	4	1	1	0
	喉頭	C32	21	0	0	0	0	0	0	0	0	0	0	3	0	1	1	2	6	6	1	1	0	0	0
	肺	C33-C34	524	0	0	0	0	0	0	0	1	1	8	11	24	34	98	96	94	87	54	12	4	0	0
	皮膚	C43-C44	88	0	0	0	0	0	0	0	0	1	2	5	2	10	8	10	18	12	13	4	3	0	0
	乳房	C50	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0
	前立腺	C61	690	0	0	0	0	0	0	0	0	1	2	10	28	41	146	159	131	92	56	17	5	2	0
	膀胱	C67	129	0	0	0	0	0	0	0	1	1	4	1	4	11	21	17	18	20	26	2	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	134	0	0	0	0	0	0	1	0	2	1	10	12	21	25	19	17	19	7	0	0	0	0
	脳・中枢神経系	C70-C72	20	0	0	0	0	0	1	0	1	2	2	1	0	1	2	2	4	3	1	0	0	0	0
	甲状腺	C73	38	0	0	0	0	0	1	0	3	5	2	5	1	3	4	4	5	3	0	2	0	0	0
	悪性リンパ腫	C81-C85 C96	115	0	0	0	1	0	1	1	0	2	5	7	6	9	25	13	20	9	13	2	1	0	0
	多発性骨髄腫	C88-C90	32	0	0	0	0	0	0	0	0	1	0	1	0	6	5	5	6	3	3	2	0	0	0
	白血病	C91-C95	54	0	0	0	1	1	2	1	2	1	2	2	5	3	9	10	6	5	3	1	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	2,557	3	1	1	4	1	9	17	40	79	138	126	178	216	326	315	322	291	257	164	58	11	0
	口腔・咽頭	C00-C14	43	0	0	0	0	0	0	1	0	0	3	3	5	1	5	3	4	7	6	3	2	0	0
	食道	C15	29	0	0	0	0	0	0	0	0	1	1	1	5	2	2	5	5	2	4	1	0	0	0
	胃	C16	226	0	0	0	0	0	0	0	2	3	2	2	15	21	18	28	38	33	33	23	7	1	0
	大腸（結腸・直腸）	C18-C20	386	0	0	0	0	0	1	1	0	5	9	14	21	26	54	43	57	61	48	34	10	2	0
	結腸	C18	266	0	0	0	0	0	1	1	0	2	5	7	17	17	39	33	41	40	30	25	6	2	0
	直腸	C19-C20	120	0	0	0	0	0	0	0	0	3	4	7	4	9	15	10	16	21	18	9	4	0	0
	肝および肝内胆管	C22	109	0	0	0	0	0	0	0	0	0	0	3	2	5	11	14	17	13	25	14	3	2	0
	胆のう・胆管	C23-C24	64	0	0	0	0	0	0	0	0	0	0	0	1	1	5	5	7	15	16	10	3	1	0
	膵臓	C25	130	0	0	0	0	0	0	0	0	1	1	3	3	6	19	13	22	21	20	14	7	0	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	肺	C33-C34	235	0	0	0	0	0	0	1	1	1	4	8	17	15	41	37	42	37	19	7	4	1	0
	皮膚	C43-C44	52	0	0	0	0	0	0	3	2	0	0	1	1	1	3	5	9	9	8	6	3	1	0
	乳房	C50	588	0	0	0	0	0	1	2	19	37	66	50	45	71	96	59	54	37	24	20	6	1	0
	子宮	C53-C55	181	0	0	0	0	0	1	2	7	10	22	20	18	18	20	25	18	5	9	4	2	0	0
	子宮頸部	C53	57	0	0	0	0	0	0	0	4	6	10	4	3	5	5	8	6	2	1	2	1	0	0
	子宮体部	C54	120	0	0	0	0	0	1	2	3	4	12	16	15	13	15	17	10	2	8	1	1	0	0
	卵巣	C56	71	0	0	0	0	0	2	2	1	5	9	4	10	9	8	8	4	3	3	1	2	0	0
	膀胱	C67	36	0	0	0	0	0	0	0	0	0	2	0	1	1	3	7	3	6	8	3	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	69	0	0	0	1	0	0	0	1	3	1	1	6	5	8	15	7	3	10	6	2	0	0
	脳・中枢神経系	C70-C72	21	0	1	0	0	0	1	0	1	0	0	2	0	0	4	2	6	2	1	0	0	1	0
	甲状腺	C73	78	0	0	0	1	1	2	3	3	8	10	3	7	13	4	10	5	5	2	1	0	0	0
	悪性リンパ腫	C81-C85 C96	105	0	0	0	0	0	1	1	1	2	2	7	14	9	12	16	15	16	6	3	0	0	0
	多発性骨髄腫	C88-C90	22	0	0	0	0	0	0	0	0	0	0	1	1	3	4	3	3	1	5	0	1	0	0
	白血病	C91-C95	25	1	0	0	1	0	0	1	1	1	3	1	1	1	2	4	1	1	5	1	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	6,258	3	3	2	7	6	17	27	56	108	206	238	354	539	1,022	946	940	819	588	281	81	15	0
	口腔・咽頭	C00-C14	112	0	1	0	0	0	0	2	0	1	9	6	13	9	17	14	10	13	11	4	2	0	0
	食道	C15	162	0	0	0	0	0	0	1	0	2	2	4	12	21	27	30	26	17	17	3	0	0	0
	胃	C16	721	0	0	0	0	0	0	1	5	4	5	17	33	77	102	106	117	123	74	48	8	1	0
	大腸（結腸・直腸）	C18-C20	968	0	0	0	0	2	1	2	3	11	28	35	53	81	178	125	149	132	98	55	13	2	0
	結腸	C18	615	0	0	0	0	1	1	2	0	4	15	14	33	46	111	88	96	87	68	39	8	2	0
	直腸	C19-C20	353	0	0	0	0	1	0	0	3	7	13	21	20	35	67	37	53	45	30	16	5	0	0
	肝および肝内胆管	C22	337	0	0	0	0	0	0	0	0	0	3	7	9	21	53	55	64	49	47	23	4	2	0
	胆のう・胆管	C23-C24	149	0	0	0	0	0	0	0	1	1	0	2	6	8	16	19	20	33	22	15	5	1	0
	膵臓	C25	271	0	1	0	0	0	0	0	0	2	3	8	10	14	55	41	42	39	29	18	8	1	0
	喉頭	C32	22	0	0	0	0	0	0	0	0	0	0	3	0	1	1	2	7	6	1	1	0	0	0
	肺	C33-C34	759	0	0	0	0	0	0	1	2	2	12	19	41	49	139	133	136	124	73	19	8	1	0
	皮膚	C43-C44	140	0	0	0	0	0	0	3	2	1	2	6	3	11	11	15	27	21	21	10	6	1	0
	乳房	C50	591	0	0	0	0	0	1	2	19	37	66	50	46	71	97	59	54	38	24	20	6	1	0
	子宮	C53-C55	181	0	0	0	0	0	1	2	7	10	22	20	18	18	20	25	18	5	9	4	2	0	0
	子宮頸部	C53	57	0	0	0	0	0	0	0	4	6	10	4	3	5	5	8	6	2	1	2	1	0	0
	子宮体部	C54	120	0	0	0	0	0	1	2	3	4	12	16	15	13	15	17	10	2	8	1	1	0	0
	卵巣	C56	71	0	0	0	0	0	2	2	1	5	9	4	10	9	8	8	4	3	3	1	2	0	0
	前立腺	C61	690	0	0	0	0	0	0	0	1	2	2	10	28	41	146	159	131	92	56	17	5	2	0
	膀胱	C67	165	0	0	0	0	0	0	0	1	1	6	1	5	12	24	24	21	26	34	5	4	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	203	0	0	0	1	0	0	1	1	5	2	11	18	26	33	34	24	22	17	6	2	0	0
	脳・中枢神経系	C70-C72	41	0	1	0	0	0	2	0	2	2	2	3	0	1	6	4	10	5	2	0	0	1	0
	甲状腺	C73	116	0	0	0	1	1	3	3	6	13	12	8	8	16	8	14	10	8	2	3	0	0	0
	悪性リンパ腫	C81-C85 C96	220	0	0	0	1	0	2	2	1	4	7	14	20	18	37	29	35	25	19	5	1	0	0
	多発性骨髄腫	C88-C90	54	0	0	0	0	0	0	0	0	1	0	2	1	9	9	8	9	4	8	2	1	0	0
	白血病	C91-C95	79	1	0	0	2	1	2	2	3	2	5	3	6	4	11	14	7	6	8	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳		
男	全部位	C00-C96 D00-D09	4,046	0	2	1	3	5	8	10	19	36	79	128	192	375	738	694	678	572	348	131	23	4	0		
	食道	C15 D001	146	0	0	0	0	0	0	1	0	1	2	3	7	23	26	27	25	16	13	2	0	0	0		
	大腸（結腸・直腸）*2	C18-C20 D010-D012	727	0	0	0	0	2	0	1	5	9	23	33	40	84	143	110	116	83	53	22	3	0	0		
	結腸 *2	C18 D010	450	0	0	0	0	1	0	1	2	5	13	14	22	49	86	73	72	55	41	14	2	0	0		
	直腸 *2	C19-C20 D011-D012	277	0	0	0	0	1	0	0	3	4	10	19	18	35	57	37	44	28	12	8	1	0	0		
	肺	C33-C34 D021-D022	524	0	0	0	0	0	0	0	0	1	1	8	11	24	34	98	96	94	87	54	12	4	0	0	
	皮膚	C43-C44 D030-D049	103	0	0	0	0	0	0	0	0	0	1	3	5	2	11	10	13	21	16	13	5	3	0	0	
	乳房	C50 D05	6	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	2	0	0	0	0	0	
	膀胱	C67 D090	258	0	0	0	0	0	0	0	0	2	4	8	4	8	26	36	37	38	44	36	12	2	1	0	
	女	全部位	C00-C96 D00-D09	2,961	3	1	1	4	4	26	44	68	126	178	157	206	241	372	347	358	316	268	170	60	11	0	
食道		C15 D001	35	0	0	0	0	0	0	0	0	1	1	1	5	3	4	6	5	3	4	2	0	0	0	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	463	0	0	0	0	0	1	2	0	5	10	23	28	36	68	56	67	68	53	34	10	2	0	0	
結腸 *2		C18 D010	315	0	0	0	0	0	1	1	0	2	5	12	23	21	52	39	48	44	34	25	6	2	0	0	
直腸 *2		C19-C20 D011-D012	148	0	0	0	0	0	0	1	0	3	5	11	5	15	16	17	19	24	19	9	4	0	0	0	
肺		C33-C34 D021-D022	236	0	0	0	0	0	0	0	1	1	1	4	8	17	15	41	37	42	38	19	7	4	1	0	0
皮膚		C43-C44 D030-D049	72	0	0	0	0	0	1	3	2	0	0	2	3	1	6	6	13	12	11	8	3	1	0	0	
乳房		C50 D05	683	0	0	0	0	0	2	2	23	50	84	57	56	78	114	66	60	39	24	21	6	1	0	0	
子宮		C53-C55 D06	328	0	0	0	0	3	16	27	31	42	41	31	24	20	21	31	20	6	9	4	2	0	0	0	
子宮頸部		C53 D06	204	0	0	0	0	3	15	25	28	38	29	15	9	7	6	14	8	3	1	2	1	0	0	0	
膀胱	C67 D090	67	0	0	0	0	0	0	0	0	0	2	1	1	5	8	10	12	10	11	4	3	0	0	0		
総数 *3	全部位	C00-C96 D00-D09	7,007	3	3	2	7	9	34	54	87	162	257	285	398	616	1,110	1,041	1,036	888	616	301	83	15	0		
	食道	C15 D001	181	0	0	0	0	0	0	1	0	2	3	4	12	26	30	33	30	19	17	4	0	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,190	0	0	0	0	2	1	3	5	14	33	56	68	120	211	166	183	151	106	56	13	2	0	0	
	結腸 *2	C18 D010	765	0	0	0	0	1	1	2	2	7	18	26	45	70	138	112	120	99	75	39	8	2	0	0	
	直腸 *2	C19-C20 D011-D012	425	0	0	0	0	1	0	1	3	7	15	30	23	50	73	54	63	52	31	17	5	0	0	0	
	肺	C33-C34 D021-D022	760	0	0	0	0	0	0	0	1	2	2	12	19	41	49	139	133	136	125	73	19	8	1	0	0
	皮膚	C43-C44 D030-D049	175	0	0	0	0	0	1	3	2	1	3	7	5	12	16	19	34	28	24	13	6	1	0	0	
	乳房	C50 D05	689	0	0	0	0	0	2	2	23	50	85	57	57	78	115	66	61	41	24	21	6	1	0	0	
	子宮	C53-C55 D06	328	0	0	0	0	3	16	27	31	42	41	31	24	20	21	31	20	6	9	4	2	0	0	0	
	子宮頸部	C53 D06	204	0	0	0	0	3	15	25	28	38	29	15	9	7	6	14	8	3	1	2	1	0	0	0	
膀胱	C67 D090	325	0	0	0	0	0	0	0	2	4	10	5	9	31	44	47	50	54	47	16	5	1	0	0		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	918.4	0.0	11.8	5.3	13.6	25.0	42.1	47.6	69.6	103.6	226.7	400.0	651.9	1,153.6	2,109.1	2,524.0	2,942.9	3,520.0	3,392.9	-
	口腔・咽頭	C00-C14	17.1	0.0	5.9	0.0	0.0	0.0	0.0	4.8	0.0	3.6	20.0	10.7	29.6	28.6	36.4	44.0	28.6	40.0	42.9	-
	食道	C15	33.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.6	3.3	10.7	25.9	67.9	75.8	100.0	100.0	100.0	107.1	-
	胃	C16	122.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	13.0	3.6	10.0	53.6	66.7	200.0	254.5	312.0	376.2	600.0	478.6	-
	大腸（結腸・直腸）	C18-C20	144.4	0.0	0.0	0.0	0.0	10.0	0.0	4.8	13.0	21.4	63.3	75.0	118.5	196.4	375.8	328.0	438.1	473.3	528.6	-
	結腸	C18	86.6	0.0	0.0	0.0	0.0	5.0	0.0	4.8	0.0	7.1	33.3	25.0	59.3	103.6	218.2	220.0	261.9	313.3	385.7	-
	直腸	C19-C20	57.8	0.0	0.0	0.0	0.0	5.0	0.0	0.0	13.0	14.3	30.0	50.0	59.3	92.9	157.6	108.0	176.2	160.0	142.9	-
	肝および肝内胆管	C22	56.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	14.3	25.9	57.1	127.3	164.0	223.8	240.0	228.6	-
	胆のう・胆管	C23-C24	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	0.0	7.1	18.5	25.0	33.3	56.0	61.9	120.0	92.9	-
	膵臓	C25	35.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.7	17.9	25.9	28.6	109.1	112.0	95.2	120.0	107.1	-
	喉頭	C32	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	0.0	3.6	3.0	8.0	28.6	40.0	14.3	-
	肺	C33-C34	130.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	26.7	39.3	88.9	121.4	297.0	384.0	447.6	580.0	500.0	-
	皮膚	C43-C44	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.7	17.9	7.4	35.7	24.2	40.0	85.7	80.0	142.9	-
	乳房	C50	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.0	0.0	0.0	6.7	0.0	-
	前立腺	C61	171.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.7	35.7	103.7	146.4	442.4	636.0	623.8	613.3	571.4	-
	膀胱	C67	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	13.3	3.6	14.8	39.3	63.6	68.0	85.7	133.3	221.4	-
	腎・尿路（膀胱除く）	C64-C66 C68	33.3	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	7.1	3.3	35.7	44.4	75.0	75.8	76.0	81.0	126.7	50.0	-
	脳・中枢神経系	C70-C72	5.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	4.3	7.1	6.7	3.6	0.0	3.6	6.1	8.0	19.0	20.0	7.1	-
	甲状腺	C73	9.4	0.0	0.0	0.0	0.0	0.0	5.3	0.0	13.0	17.9	6.7	17.9	3.7	10.7	12.1	16.0	23.8	20.0	14.3	-
	悪性リンパ腫	C81-C85 C96	28.5	0.0	0.0	0.0	4.5	0.0	5.3	4.8	0.0	7.1	16.7	25.0	22.2	32.1	75.8	52.0	95.2	60.0	114.3	-
	多発性骨髄腫	C88-C90	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.6	0.0	21.4	15.2	20.0	28.6	20.0	35.7	-
	白血病	C91-C95	13.4	0.0	0.0	0.0	4.5	5.0	10.5	4.8	8.7	3.6	6.7	7.1	18.5	10.7	27.3	40.0	28.6	33.3	28.6	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	607.4	20.0	6.3	5.6	20.0	5.6	52.9	89.5	181.8	292.6	475.9	466.7	684.6	771.4	958.8	1,166.7	1,288.0	1,322.7	1,633.3	-
	口腔・咽頭	C00-C14	10.2	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	10.3	11.1	19.2	3.6	14.7	11.1	16.0	31.8	36.7	-
	食道	C15	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.4	3.7	19.2	7.1	5.9	18.5	20.0	9.1	16.7	-
	胃	C16	53.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	11.1	6.9	7.4	57.7	75.0	52.9	103.7	152.0	150.0	213.3	-
	大腸（結腸・直腸）	C18-C20	91.7	0.0	0.0	0.0	0.0	0.0	5.9	5.3	0.0	18.5	31.0	51.9	80.8	92.9	158.8	159.3	228.0	277.3	313.3	-
	結腸	C18	63.2	0.0	0.0	0.0	0.0	0.0	5.9	5.3	0.0	7.4	17.2	25.9	65.4	60.7	114.7	122.2	164.0	181.8	210.0	-
	直腸	C19-C20	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	13.8	25.9	15.4	32.1	44.1	37.0	64.0	95.5	103.3	-
	肝および肝内胆管	C22	25.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	7.7	17.9	32.4	51.9	68.0	59.1	146.7	-
	胆のう・胆管	C23-C24	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.6	14.7	18.5	28.0	68.2	100.0	-
	膵臓	C25	30.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.4	11.1	11.5	21.4	55.9	48.1	88.0	95.5	136.7	-
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	-
	肺	C33-C34	55.8	0.0	0.0	0.0	0.0	0.0	0.0	5.3	4.5	3.7	13.8	29.6	65.4	53.6	120.6	137.0	168.0	168.2	103.3	-
	皮膚	C43-C44	12.4	0.0	0.0	0.0	0.0	0.0	0.0	15.8	9.1	0.0	0.0	3.7	3.8	3.6	8.8	18.5	36.0	40.9	60.0	-
	乳房	C50	139.7	0.0	0.0	0.0	0.0	0.0	5.9	10.5	86.4	137.0	227.6	185.2	173.1	253.6	282.4	218.5	216.0	168.2	170.0	-
	子宮	C53-C55	43.0	0.0	0.0	0.0	0.0	0.0	5.9	10.5	31.8	37.0	75.9	74.1	69.2	64.3	58.8	92.6	72.0	22.7	50.0	-
	子宮頸部	C53	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	22.2	34.5	14.8	11.5	17.9	14.7	29.6	24.0	9.1	13.3	-
	子宮体部	C54	28.5	0.0	0.0	0.0	0.0	0.0	5.9	10.5	13.6	14.8	41.4	59.3	57.7	46.4	44.1	63.0	40.0	9.1	33.3	-
	卵巣	C56	16.9	0.0	0.0	0.0	0.0	0.0	11.8	10.5	4.5	18.5	31.0	14.8	38.5	32.1	23.5	29.6	16.0	13.6	20.0	-
	膀胱	C67	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	0.0	3.8	3.6	8.8	25.9	12.0	27.3	43.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	16.4	0.0	0.0	0.0	5.0	0.0	0.0	0.0	4.5	11.1	3.4	3.7	23.1	17.9	23.5	55.6	28.0	13.6	60.0	-
	脳・中枢神経系	C70-C72	5.0	0.0	6.3	0.0	0.0	0.0	5.9	0.0	4.5	0.0	0.0	7.4	0.0	0.0	11.8	7.4	24.0	9.1	6.7	-
	甲状腺	C73	18.5	0.0	0.0	0.0	5.0	5.6	11.8	15.8	13.6	29.6	34.5	11.1	26.9	46.4	11.8	37.0	20.0	22.7	10.0	-
	悪性リンパ腫	C81-C85 C96	24.9	0.0	0.0	0.0	0.0	0.0	5.9	5.3	4.5	7.4	6.9	25.9	53.8	32.1	35.3	59.3	60.0	72.7	30.0	-
	多発性骨髄腫	C88-C90	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.8	10.7	11.8	11.1	12.0	4.5	20.0	-
	白血病	C91-C95	5.9	6.7	0.0	0.0	5.0	0.0	0.0	5.3	4.5	3.7	10.3	3.7	3.8	3.6	5.9	14.8	4.0	4.5	20.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	759.5	10.0	9.1	5.4	16.7	15.8	47.2	67.5	124.4	196.4	349.2	432.7	667.9	962.5	1,525.4	1,819.2	2,043.5	2,213.5	2,193.2	-
	口腔・咽頭	C00-C14	13.6	0.0	3.0	0.0	0.0	0.0	0.0	5.0	0.0	1.8	15.3	10.9	24.5	16.1	25.4	26.9	21.7	35.1	38.6	-
	食道	C15	19.7	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.6	3.4	7.3	22.6	37.5	40.3	57.7	56.5	45.9	45.5	-
	胃	C16	87.5	0.0	0.0	0.0	0.0	0.0	0.0	2.5	11.1	7.3	8.5	30.9	62.3	137.5	152.2	203.8	254.3	332.4	297.7	-
	大腸（結腸・直腸）	C18-C20	117.5	0.0	0.0	0.0	0.0	5.3	2.8	5.0	6.7	20.0	47.5	63.6	100.0	144.6	265.7	240.4	323.9	356.8	381.8	-
	結腸	C18	74.6	0.0	0.0	0.0	0.0	2.6	2.8	5.0	0.0	7.3	25.4	25.5	62.3	82.1	165.7	169.2	208.7	235.1	265.9	-
	直腸	C19-C20	42.8	0.0	0.0	0.0	0.0	2.6	0.0	0.0	6.7	12.7	22.0	38.2	37.7	62.5	100.0	71.2	115.2	121.6	115.9	-
	肝および肝内胆管	C22	40.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	12.7	17.0	37.5	79.1	105.8	139.1	132.4	172.7	-
	胆のう・胆管	C23-C24	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.8	0.0	3.6	11.3	14.3	23.9	36.5	43.5	89.2	97.7	-
	膵臓	C25	32.9	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	5.1	14.5	18.9	25.0	82.1	78.8	91.3	105.4	127.3	-
	喉頭	C32	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	1.8	1.5	3.8	15.2	16.2	4.5	-
	肺	C33-C34	92.1	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.4	3.6	20.3	34.5	77.4	87.5	207.5	255.8	295.7	335.1	229.5	-
	皮膚	C43-C44	17.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	4.4	1.8	3.4	10.9	5.7	19.6	16.4	28.8	58.7	56.8	86.4	-
	乳房	C50	71.7	0.0	0.0	0.0	0.0	0.0	2.8	5.0	42.2	67.3	111.9	90.9	86.8	126.8	144.8	113.5	117.4	102.7	115.9	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.8	10.2	1.8	9.4	21.4	35.8	46.2	45.7	70.3	100.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	24.6	0.0	0.0	0.0	2.4	0.0	0.0	2.5	2.2	9.1	3.4	20.0	34.0	46.4	49.3	65.4	52.2	59.5	56.8	-
	脳・中枢神経系	C70-C72	5.0	0.0	3.0	0.0	0.0	0.0	5.6	0.0	4.4	3.6	3.4	5.5	0.0	1.8	9.0	7.7	21.7	13.5	6.8	-
	甲状腺	C73	14.1	0.0	0.0	0.0	2.4	2.6	8.3	7.5	13.3	23.6	20.3	14.5	15.1	28.6	11.9	26.9	21.7	21.6	11.4	-
	悪性リンパ腫	C81-C85 C96	26.7	0.0	0.0	0.0	2.4	0.0	5.6	5.0	2.2	7.3	11.9	25.5	37.7	32.1	55.2	55.8	76.1	67.6	56.8	-
	多発性骨髄腫	C88-C90	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.6	1.9	16.1	13.4	15.4	19.6	10.8	25.0	-
	白血病	C91-C95	9.6	3.3	0.0	0.0	4.8	2.6	5.6	5.0	6.7	3.6	8.5	5.5	11.3	7.1	16.4	26.9	15.2	16.2	22.7	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,004.0	0.0	11.8	5.3	13.6	25.0	42.1	47.6	82.6	128.6	263.3	457.1	711.1	1,339.3	2,236.4	2,776.0	3,228.6	3,813.3	3,614.3	-	
	食道	C15 D001	36.2	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.6	6.7	10.7	25.9	82.1	78.8	108.0	119.0	106.7	107.1	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	180.4	0.0	0.0	0.0	0.0	10.0	0.0	4.8	21.7	32.1	76.7	117.9	148.1	300.0	433.3	440.0	552.4	553.3	557.1	-	
	結腸 *2	C18 D010	111.7	0.0	0.0	0.0	0.0	5.0	0.0	4.8	8.7	17.9	43.3	50.0	81.5	175.0	260.6	292.0	342.9	366.7	407.1	-	
	直腸 *2	C19-C20 D011-D012	68.7	0.0	0.0	0.0	0.0	5.0	0.0	0.0	13.0	14.3	33.3	67.9	66.7	125.0	172.7	148.0	209.5	186.7	150.0	-	
	肺	C33-C34 D021-D022	130.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	26.7	39.3	88.9	121.4	297.0	384.0	447.6	580.0	500.0	-
	皮膚	C43-C44 D030-D049	25.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	10.0	17.9	7.4	39.3	30.3	52.0	100.0	106.7	150.0	-
	乳房	C50 D05	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.7	0.0	3.0	0.0	4.8	13.3	0.0	-
	膀胱	C67 D090	64.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	14.3	26.7	14.3	29.6	92.9	109.1	148.0	181.0	293.3	364.3	-
女	全部位	C00-C96 D00-D09	703.3	20.0	6.3	5.6	20.0	22.2	152.9	231.6	309.1	466.7	613.8	581.5	792.3	860.7	1,094.1	1,285.2	1,432.0	1,436.4	1,696.7	-	
	食道	C15 D001	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.4	3.7	19.2	10.7	11.8	22.2	20.0	13.6	20.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	110.0	0.0	0.0	0.0	0.0	0.0	5.9	10.5	0.0	18.5	34.5	85.2	107.7	128.6	200.0	207.4	268.0	309.1	330.0	-	
	結腸 *2	C18 D010	74.8	0.0	0.0	0.0	0.0	0.0	5.9	5.3	0.0	7.4	17.2	44.4	88.5	75.0	152.9	144.4	192.0	200.0	223.3	-	
	直腸 *2	C19-C20 D011-D012	35.2	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	11.1	17.2	40.7	19.2	53.6	47.1	63.0	76.0	109.1	106.7	-	
	肺	C33-C34 D021-D022	56.1	0.0	0.0	0.0	0.0	0.0	0.0	5.3	4.5	3.7	13.8	29.6	65.4	53.6	120.6	137.0	168.0	172.7	103.3	-	
	皮膚	C43-C44 D030-D049	17.1	0.0	0.0	0.0	0.0	0.0	5.9	15.8	9.1	0.0	0.0	7.4	11.5	3.6	17.6	22.2	52.0	54.5	76.7	-	
	乳房	C50 D05	162.2	0.0	0.0	0.0	0.0	0.0	11.8	10.5	104.5	185.2	289.7	211.1	215.4	278.6	335.3	244.4	240.0	177.3	173.3	-	
	子宮	C53-C55 D06	77.9	0.0	0.0	0.0	0.0	16.7	94.1	142.1	140.9	155.6	141.4	114.8	92.3	71.4	61.8	114.8	80.0	27.3	50.0	-	
子宮頸部	C53 D06	48.5	0.0	0.0	0.0	0.0	16.7	88.2	131.6	127.3	140.7	100.0	55.6	34.6	25.0	17.6	51.9	32.0	13.6	13.3	-		
膀胱	C67 D090	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	3.7	3.8	17.9	23.5	37.0	48.0	45.5	60.0	-		
総数 *3	全部位	C00-C96 D00-D09	850.4	10.0	9.1	5.4	16.7	23.7	94.4	135.0	193.3	294.5	435.6	518.2	750.9	1,100.0	1,656.7	2,001.9	2,252.2	2,400.0	2,306.8	-	
	食道	C15 D001	22.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.6	5.1	7.3	22.6	46.4	44.8	63.5	65.2	51.4	47.7	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	144.4	0.0	0.0	0.0	0.0	5.3	2.8	7.5	11.1	25.5	55.9	101.8	128.3	214.3	314.9	319.2	397.8	408.1	402.3	-	
	結腸 *2	C18 D010	92.8	0.0	0.0	0.0	0.0	2.6	2.8	5.0	4.4	12.7	30.5	47.3	84.9	125.0	206.0	215.4	260.9	267.6	281.8	-	
	直腸 *2	C19-C20 D011-D012	51.6	0.0	0.0	0.0	0.0	2.6	0.0	2.5	6.7	12.7	25.4	54.5	43.4	89.3	109.0	103.8	137.0	140.5	120.5	-	
	肺	C33-C34 D021-D022	92.2	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.4	3.6	20.3	34.5	77.4	87.5	207.5	255.8	295.7	337.8	229.5	-	
	皮膚	C43-C44 D030-D049	21.2	0.0	0.0	0.0	0.0	0.0	2.8	7.5	4.4	1.8	5.1	12.7	9.4	21.4	23.9	36.5	73.9	75.7	100.0	-	
	乳房	C50 D05	83.6	0.0	0.0	0.0	0.0	0.0	5.6	5.0	51.1	90.9	144.1	103.6	107.5	139.3	171.6	126.9	132.6	110.8	118.2	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	39.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	7.3	16.9	9.1	17.0	55.4	65.7	90.4	108.7	145.9	156.8	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	6,126	20.1	29.6	0.0	47.3	3.0
口腔・咽頭	C00-C14	112	1.8	17.9	0.0	78.6	1.8
食道	C15	158	15.2	35.4	0.0	48.7	0.6
胃	C16	709	24.8	28.3	0.0	44.3	2.5
大腸（結腸・直腸）	C18-C20	949	21.2	25.6	0.0	50.9	2.3
結腸	C18	602	22.3	26.7	0.0	49.0	2.0
直腸	C19-C20	347	19.3	23.6	0.0	54.2	2.9
肝および肝内胆管	C22	322	8.4	49.1	0.0	35.7	6.8
胆のう・胆管	C23-C24	144	11.1	27.8	0.0	61.1	0.0
膵臓	C25	261	13.0	35.6	0.0	50.6	0.8
喉頭	C32	22	4.5	4.5	0.0	90.9	0.0
肺	C33-C34	742	24.3	36.7	0.0	36.3	2.8
皮膚	C43-C44	140	0.0	10.7	0.0	89.3	0.0
乳房	C50	584	32.7	15.1	0.0	48.6	3.6
乳房（女性のみ）	C50	581	32.7	15.1	0.0	48.5	3.6
子宮	C53-C55	180	18.3	13.9	0.0	65.0	2.8
子宮頸部	C53	57	17.5	15.8	0.0	64.9	1.8
子宮体部	C54	119	19.3	12.6	0.0	66.4	1.7
卵巣	C56	68	8.8	26.5	0.0	61.8	2.9
前立腺	C61	674	31.8	37.4	0.0	25.5	5.3
膀胱	C67	163	2.5	26.4	0.0	68.7	2.5
腎・尿路（膀胱除く）	C64-C66 C68	196	24.0	43.4	0.0	29.1	3.6
脳・中枢神経系	C70-C72	41	2.4	14.6	0.0	78.0	4.9
甲状腺	C73	116	30.2	32.8	0.0	32.8	4.3
悪性リンパ腫	C81-C85 C96	217	9.7	27.2	0.0	61.3	1.8
多発性骨髄腫	C88-C90	51	9.8	39.2	0.0	49.0	2.0
白血病	C91-C95	78	5.1	25.6	0.0	64.1	5.1

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	6,875	21.5	29.6	0.0	46.1	2.8
食道	C15 D001	177	15.8	38.4	0.0	45.2	0.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,171	26.0	25.5	0.0	46.6	1.9
結腸 *2	C18 D010	752	27.0	27.0	0.0	44.4	1.6
直腸 *2	C19-C20 D011-D012	419	24.1	22.9	0.0	50.6	2.4
肺	C33-C34 D021-D022	743	24.2	36.7	0.0	36.2	2.8
皮膚	C43-C44 D030-D049	175	0.0	13.1	0.0	86.3	0.6
乳房	C50 D05	682	36.4	15.1	0.0	45.3	3.2
乳房（女性のみ）	C50 D05	676	36.5	15.1	0.0	45.1	3.3
子宮	C53-C55 D06	327	27.2	23.5	0.0	46.2	3.1
子宮頸部	C53 D06	204	32.4	29.9	0.0	34.8	2.9
膀胱	C67 D090	323	6.5	28.5	0.0	63.5	1.5

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,001	47.5	9.4	13.5	17.6	11.9	23.0
口腔・咽頭	C00-C14	112	30.4	15.2	39.3	6.3	8.9	54.5
食道	C15	158	42.4	11.4	25.9	13.3	7.0	37.3
胃	C16	709	55.0	10.7	8.3	16.4	9.6	19.0
大腸（結腸・直腸）	C18-C20	949	44.3	16.5	13.1	16.5	9.6	29.6
結腸	C18	602	44.0	16.3	14.0	17.4	8.3	30.2
直腸	C19-C20	347	44.7	17.0	11.5	15.0	11.8	28.5
肝および肝内胆管	C22	322	53.7	0.9	10.6	11.2	23.6	11.5
胆のう・胆管	C23-C24	144	18.1	2.1	35.4	25.0	19.4	37.5
膵臓	C25	261	13.0	3.4	32.2	42.1	9.2	35.6
喉頭	C32	22	72.7	9.1	13.6	4.5	0.0	22.7
肺	C33-C34	742	37.5	10.2	8.5	33.8	10.0	18.7
皮膚	C43-C44	140	85.7	0.7	5.7	2.1	5.7	6.4
乳房	C50	584	62.8	21.2	4.1	4.8	7.0	25.3
乳房（女性のみ）	C50	581	62.8	21.3	4.1	4.6	7.1	25.5
子宮	C53-C55	180	55.6	4.4	20.0	10.6	9.4	24.4
子宮頸部	C53	57	28.1	10.5	36.8	15.8	8.8	47.4
子宮体部	C54	119	69.7	1.7	12.6	8.4	7.6	14.3
卵巣	C56	68	23.5	2.9	48.5	13.2	11.8	51.5
前立腺	C61	674	63.5	0.7	12.0	10.7	13.1	12.8
膀胱	C67	163	58.3	3.1	12.9	6.7	19.0	16.0
腎・尿路（膀胱除く）	C64-C66 C68	196	59.2	1.0	15.8	11.2	12.8	16.8
脳・中枢神経系	C70-C72	41	61.0	0.0	14.6	0.0	24.4	14.6
甲状腺	C73	116	43.1	34.5	3.4	7.8	11.2	37.9
悪性リンパ腫	C81-C85 C96	217	23.5	0.0	12.0	49.3	15.2	12.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,750	10.4	42.5	8.4	12.0	15.7	10.9	20.4
食道	C15 D001	177	10.2	37.9	10.2	23.2	11.9	6.8	33.3
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,171	18.6	35.9	13.4	10.6	13.4	8.1	24.0
結腸 *3	C18 D010	752	19.8	35.2	13.0	11.2	14.0	6.8	24.2
直腸 *3	C19-C20 D011-D012	419	16.5	37.0	14.1	9.5	12.4	10.5	23.6
肺	C33-C34 D021-D022	743	0.1	37.4	10.2	8.5	33.8	10.0	18.7
皮膚	C43-C44 D030-D049	175	19.4	68.6	0.6	4.6	1.7	5.1	5.1
乳房	C50 D05	682	13.9	53.8	18.2	3.5	4.1	6.5	21.7
乳房（女性のみ）	C50 D05	676	13.6	54.0	18.3	3.6	4.0	6.5	21.9
子宮	C53-C55 D06	327	42.5	30.6	2.4	11.0	5.8	7.6	13.5
子宮頸部	C53 D06	204	68.1	7.8	2.9	10.3	4.4	6.4	13.2
膀胱	C67 D090	323	48.9	29.4	1.5	6.5	3.4	10.2	8.0

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,001	1.0	46.1	6.6	11.5	16.8	17.9	18.2
口腔・咽頭	C00-C14	112	0.9	30.4	14.3	34.8	5.4	14.3	49.1
食道	C15	158	6.3	36.1	10.8	26.6	12.0	8.2	37.3
胃	C16	709	0.6	59.1	8.0	6.8	14.1	11.4	14.8
大腸（結腸・直腸）	C18-C20	949	1.1	41.7	11.0	12.1	16.5	17.6	23.1
結腸	C18	602	1.3	40.7	9.8	13.8	17.1	17.3	23.6
直腸	C19-C20	347	0.6	43.5	13.0	9.2	15.6	18.2	22.2
肝および肝内胆管	C22	322	0.0	52.5	0.9	10.6	10.9	25.2	11.5
胆のう・胆管	C23-C24	144	0.0	20.1	2.1	30.6	23.6	23.6	32.6
膵臓	C25	261	0.0	14.2	3.1	31.0	40.2	11.5	34.1
喉頭	C32	22	0.0	72.7	9.1	4.5	4.5	9.1	13.6
肺	C33-C34	742	0.1	30.2	8.0	8.1	32.2	21.4	16.0
皮膚	C43-C44	140	2.1	71.4	0.7	3.6	2.1	20.0	4.3
乳房	C50	584	3.9	66.6	13.7	3.4	4.6	7.7	17.1
乳房（女性のみ）	C50	581	4.0	66.6	13.8	3.4	4.6	7.6	17.2
子宮	C53-C55	180	3.3	50.0	3.9	13.9	10.0	18.9	17.8
子宮頸部	C53	57	10.5	21.1	7.0	31.6	15.8	14.0	38.6
子宮体部	C54	119	0.0	64.7	2.5	5.9	7.6	19.3	8.4
卵巣	C56	68	0.0	17.6	1.5	26.5	13.2	41.2	27.9
前立腺	C61	674	0.0	66.8	0.7	8.2	10.7	13.6	8.9
膀胱	C67	163	1.8	47.2	2.5	11.0	6.1	31.3	13.5
腎・尿路（膀胱除く）	C64-C66 C68	196	0.5	50.0	1.0	9.2	10.7	28.6	10.2
脳・中枢神経系	C70-C72	41	0.0	63.4	0.0	12.2	0.0	24.4	12.2
甲状腺	C73	116	0.9	50.0	17.2	3.4	7.8	20.7	20.7
悪性リンパ腫	C81-C85 C96	217	0.0	22.1	0.0	11.1	47.9	18.9	11.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,750	7.4	42.3	5.9	10.3	14.9	19.2	16.2
食道	C15 D001	177	13.0	33.3	9.6	23.7	10.7	9.6	33.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,171	10.4	35.4	8.9	9.8	13.4	22.0	18.7
結腸 *3	C18 D010	752	11.3	34.4	7.8	11.0	13.7	21.7	18.9
直腸 *3	C19-C20 D011-D012	419	8.8	37.2	10.7	7.6	12.9	22.7	18.4
肺	C33-C34 D021-D022	743	0.3	30.1	7.9	8.1	32.2	21.4	16.0
皮膚	C43-C44 D030-D049	175	18.3	57.1	0.6	2.9	1.7	19.4	3.4
乳房	C50 D05	682	14.1	60.0	11.7	2.9	4.0	7.3	14.7
乳房 (女性のみ)	C50 D05	676	13.8	60.2	11.8	3.0	4.0	7.2	14.8
子宮	C53-C55 D06	327	41.6	27.5	2.1	7.6	5.5	15.6	9.8
子宮頸部	C53 D06	204	66.7	5.9	2.0	8.8	4.4	12.3	10.8
膀胱	C67 D090	323	19.5	32.2	1.2	5.6	3.1	38.4	6.8

*1 DCO、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	3,642	54.1	11.5	11.5	5.0	17.9	23.0
口腔・咽頭	C00-C14	44	43.2	11.4	15.9	4.5	25.0	27.3
食道	C15	67	71.6	3.0	7.5	4.5	13.4	10.4
胃	C16	550	61.3	11.8	8.2	5.5	13.3	20.0
大腸（結腸・直腸）	C18-C20	808	46.3	18.2	13.5	10.1	11.8	31.7
結腸	C18	533	46.0	17.4	15.0	11.4	10.1	32.5
直腸	C19-C20	275	46.9	19.6	10.5	7.6	14.9	30.2
肝および肝内胆管	C22	137	50.4	0.7	3.6	1.5	43.8	4.4
胆のう・胆管	C23-C24	58	29.3	1.7	55.2	3.4	10.3	56.9
膵臓	C25	92	21.7	4.3	40.2	8.7	25.0	44.6
喉頭	C32	8	62.5	0.0	25.0	0.0	12.5	25.0
肺	C33-C34	367	58.3	11.4	6.0	4.1	20.2	17.4
皮膚	C43-C44	129	85.3	0.0	4.7	0.0	10.1	4.7
乳房	C50	433	69.5	20.3	2.5	0.2	7.4	22.9
乳房（女性のみ）	C50	431	69.6	20.4	2.6	0.0	7.4	23.0
子宮	C53-C55	135	67.4	4.4	12.6	3.7	11.9	17.0
子宮頸部	C53	30	43.3	16.7	20.0	0.0	20.0	36.7
子宮体部	C54	103	75.7	1.0	10.7	4.9	7.8	11.7
卵巣	C56	54	29.6	3.7	44.4	7.4	14.8	48.1
前立腺	C61	195	37.4	0.5	15.4	0.5	46.2	15.9
膀胱	C67	138	58.0	2.2	6.5	3.6	29.0	8.7
腎・尿路（膀胱除く）	C64-C66 C68	154	63.0	0.0	16.9	3.9	16.2	16.9
脳・中枢神経系	C70-C72	28	64.3	0.0	14.3	0.0	21.4	14.3
甲状腺	C73	99	43.4	37.4	3.0	2.0	14.1	40.4
悪性リンパ腫	C81-C85 C96	38	15.8	0.0	5.3	15.8	63.2	5.3
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	4,339	15.2	45.7	9.6	9.7	4.2	15.6	19.3
食道	C15 D001	81	17.3	59.3	2.5	6.2	3.7	11.1	8.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,026	21.0	36.5	14.3	10.6	8.0	9.6	25.0
結腸 *3	C18 D010	680	21.5	36.0	13.7	11.8	9.0	8.1	25.4
直腸 *3	C19-C20 D011-D012	346	19.9	37.3	15.6	8.4	6.1	12.7	24.0
肺	C33-C34 D021-D022	367	0.0	58.3	11.4	6.0	4.1	20.2	17.4
皮膚	C43-C44 D030-D049	159	18.2	69.2	0.0	3.8	0.0	8.8	3.8
乳房	C50 D05	522	16.5	57.7	16.9	2.1	0.2	6.7	19.0
乳房 (女性のみ)	C50 D05	517	16.1	58.0	17.0	2.1	0.0	6.8	19.1
子宮	C53-C55 D06	275	48.4	33.1	2.2	6.2	1.8	8.4	8.4
子宮頸部	C53 D06	170	78.2	7.6	2.9	3.5	0.0	7.6	6.5
膀胱	C67 D090	288	51.4	27.8	1.0	3.1	1.7	14.9	4.2

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	6,126	28.0	17.9	7.9	9.5	28.2	11.7	2.7	24.0
口腔・咽頭	C00-C14	112	35.7	0.0	0.9	47.3	51.8	0.9	0.0	20.5
食道	C15	158	10.8	19.0	28.5	22.8	46.2	0.0	0.6	16.5
胃	C16	709	23.6	20.3	26.8	0.0	20.3	0.0	1.3	24.8
大腸（結腸・直腸）	C18-C20	949	30.9	39.2	12.2	2.4	30.7	0.0	1.6	17.1
結腸	C18	602	34.1	39.4	12.5	0.5	28.1	0.0	1.7	15.6
直腸	C19-C20	347	25.4	38.9	11.8	5.8	35.2	0.0	1.4	19.6
肝および肝内胆管	C22	322	16.8	7.5	0.3	6.8	21.4	0.0	26.1	40.7
胆のう・胆管	C23-C24	144	31.9	3.5	2.8	0.0	26.4	0.0	5.6	43.8
膵臓	C25	261	27.6	1.1	0.8	1.1	46.4	0.0	3.4	39.1
喉頭	C32	22	31.8	0.0	0.0	81.8	31.8	0.0	0.0	9.1
肺	C33-C34	742	6.1	33.7	0.0	13.9	31.1	0.0	0.3	28.4
皮膚	C43-C44	140	86.4	0.0	0.0	2.1	5.0	0.0	2.1	9.3
乳房	C50	584	80.1	0.2	0.0	27.2	36.0	54.3	0.9	8.7
乳房（女性のみ）	C50	581	80.2	0.2	0.0	27.2	36.1	54.2	0.9	8.8
子宮	C53-C55	180	37.8	31.1	0.0	12.2	38.3	0.6	0.0	15.6
子宮頸部	C53	57	26.3	19.3	0.0	35.1	52.6	0.0	0.0	14.0
子宮体部	C54	119	44.5	37.8	0.0	1.7	32.8	0.8	0.0	13.4
卵巣	C56	68	66.2	5.9	0.0	0.0	58.8	0.0	0.0	16.2
前立腺	C61	674	3.6	13.2	0.1	7.6	1.6	54.7	0.7	25.4
膀胱	C67	163	14.7	0.0	72.4	4.9	19.0	9.8	2.5	22.1
腎・尿路（膀胱除く）	C64-C66 C68	196	15.8	51.0	1.0	1.0	11.7	0.0	1.0	26.5
脳・中枢神経系	C70-C72	41	51.2	4.9	0.0	53.7	51.2	0.0	7.3	26.8
甲状腺	C73	116	73.3	0.9	0.0	4.3	2.6	6.0	1.7	21.6
悪性リンパ腫	C81-C85 C96	217	7.4	1.8	0.0	7.8	64.5	0.5	0.9	30.0
多発性骨髄腫	C88-C90	51	0.0	0.0	0.0	5.9	58.8	2.0	0.0	39.2
白血病	C91-C95	78	0.0	0.0	0.0	6.4	62.8	1.3	9.0	34.6

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	6,875	28.9	16.8	12.3	9.0	25.6	10.6	2.8	22.1
食道	C15 D001	177	9.6	16.9	33.9	21.5	41.2	0.0	0.6	16.4
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,171	25.9	33.4	26.4	2.0	24.9	0.0	1.3	14.4
結腸 *2	C18 D010	752	28.1	33.4	27.3	0.4	22.5	0.0	1.3	13.0
直腸 *2	C19-C20 D011-D012	419	22.0	33.4	24.8	4.8	29.1	0.0	1.2	16.9
肺	C33-C34 D021-D022	743	6.1	33.6	0.0	13.9	31.1	0.1	0.3	28.4
皮膚	C43-C44 D030-D049	175	85.7	0.0	0.0	1.7	4.0	0.0	4.0	8.6
乳房	C50 D05	682	81.5	0.1	0.0	27.4	31.2	48.4	0.7	8.2
乳房 (女性のみ)	C50 D05	676	81.5	0.1	0.0	27.5	31.5	48.5	0.7	8.3
子宮	C53-C55 D06	327	57.5	21.1	0.6	6.7	21.1	0.3	0.0	12.2
子宮頸部	C53 D06	204	66.2	11.8	1.0	9.8	14.7	0.0	0.0	9.8
膀胱	C67 D090	323	9.0	0.0	81.1	2.5	15.5	5.3	9.3	13.3

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	3,213	88.3	10.8	0.9
口腔・咽頭	C00-C14	41	80.5	17.1	2.4
食道	C15	88	93.2	6.8	0.0
胃	C16	483	92.8	6.6	0.6
大腸（結腸・直腸）	C18-C20	742	91.6	8.1	0.3
結腸	C18	490	92.7	6.9	0.4
直腸	C19-C20	252	89.7	10.3	0.0
肝および肝内胆管	C22	79	92.4	6.3	1.3
胆のう・胆管	C23-C24	53	88.7	11.3	0.0
膵臓	C25	76	89.5	9.2	1.3
喉頭	C32	7	100.0	0.0	0.0
肺	C33-C34	294	95.6	3.7	0.7
皮膚	C43-C44	121	86.8	10.7	2.5
乳房	C50	469	94.2	4.3	1.5
乳房（女性のみ）	C50	467	94.4	4.1	1.5
子宮	C53-C55	124	91.9	7.3	0.8
子宮頸部	C53	26	92.3	3.8	3.8
子宮体部	C54	98	91.8	8.2	0.0
卵巣	C56	49	71.4	26.5	2.0
前立腺	C61	114	63.2	36.8	0.0
膀胱	C67	125	62.4	37.6	0.0
腎・尿路（膀胱除く）	C64-C66 C68	132	93.2	6.1	0.8
脳・中枢神経系	C70-C72	23	56.5	43.5	0.0
甲状腺	C73	86	87.2	11.6	1.2
悪性リンパ腫	C81-C85 C96	20	35.0	50.0	15.0
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	3,896	89.2	9.7	1.1
食道	C15 D001	103	94.2	5.8	0.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	957	92.6	6.6	0.8
結腸 *2	C18 D010	636	93.2	5.7	1.1
直腸 *2	C19-C20 D011-D012	321	91.3	8.4	0.3
肺	C33-C34 D021-D022	294	95.6	3.7	0.7
皮膚	C43-C44 D030-D049	150	89.3	8.7	2.0
乳房	C50 D05	557	94.8	3.9	1.3
乳房（女性のみ）	C50 D05	552	94.9	3.8	1.3
子宮	C53-C55 D06	259	90.0	8.9	1.2
子宮頸部	C53 D06	161	88.8	9.3	1.9
膀胱	C67 D090	273	78.8	20.9	0.4

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.39	0.40	0.39	4.3	5.7	4.9	1.8	2.5	2.1	84.1	84.4	84.2	81.3	79.9	80.7
口腔・咽頭	C00-C14	0.52	0.33	0.45	0.0	2.3	0.9	0.0	0.0	0.0	97.1	93.0	95.5	97.1	86.0	92.9
食道	C15	0.43	0.38	0.42	3.0	3.4	3.1	2.3	3.4	2.5	96.2	89.7	95.1	96.2	89.7	95.1
胃	C16	0.37	0.47	0.40	4.0	6.6	4.9	0.8	3.5	1.7	94.3	88.1	92.4	94.3	87.6	92.2
大腸（結腸・直腸）	C18-C20	0.31	0.41	0.35	2.9	5.7	4.0	1.7	2.3	2.0	93.3	88.3	91.3	93.3	88.3	91.3
結腸	C18	0.34	0.44	0.39	3.4	7.1	5.0	1.7	2.6	2.1	92.6	88.7	90.9	92.6	88.7	90.9
直腸	C19-C20	0.27	0.36	0.30	2.1	2.5	2.3	1.7	1.7	1.7	94.4	87.5	92.1	94.4	87.5	92.1
肝および肝内胆管	C22	0.65	0.73	0.68	7.9	11.9	9.2	2.6	8.3	4.5	36.0	27.5	33.2	35.5	26.6	32.6
胆のう・胆管	C23-C24	0.78	1.23	0.97	8.2	21.9	14.1	2.4	4.7	3.4	70.6	42.2	58.4	58.8	29.7	46.3
膵臓	C25	0.80	0.85	0.82	8.5	16.9	12.5	2.1	5.4	3.7	58.2	46.2	52.4	53.9	37.7	46.1
喉頭	C32	0.14	1.00	0.18	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0
肺	C33-C34	0.56	0.51	0.55	6.1	5.5	5.9	2.3	2.1	2.2	79.8	85.1	81.4	71.8	74.5	72.6
皮膚	C43-C44	0.08	0.10	0.09	0.0	0.0	0.0	0.0	0.0	0.0	98.9	100.0	99.3	98.9	100.0	99.3
乳房	C50	・	0.15	0.15	0.0	1.2	1.2	0.0	1.2	1.2	100.0	94.9	94.9	100.0	93.9	93.9
子宮	C53-C55	-	0.24	0.24	-	1.7	1.7	-	0.6	0.6	-	94.5	94.5	-	92.3	92.3
子宮頸部	C53	-	0.30	0.30	-	1.8	1.8	-	0.0	0.0	-	94.7	94.7	-	91.2	91.2
子宮体部	C54	-	0.15	0.15	-	0.8	0.8	-	0.8	0.8	-	96.7	96.7	-	95.8	95.8
卵巣	C56	-	0.31	0.31	-	5.6	5.6	-	4.2	4.2	-	88.7	88.7	-	84.5	84.5
前立腺	C61	0.12	-	0.12	2.8	-	2.8	2.3	-	2.3	86.2	-	86.2	86.1	-	86.1
膀胱	C67	0.36	0.42	0.37	1.6	8.3	3.0	0.8	2.8	1.2	87.6	88.9	87.9	85.3	69.4	81.8
腎・尿路（膀胱除く）	C64-C66 C68	0.27	0.29	0.28	4.5	8.7	5.9	3.0	4.3	3.4	81.3	84.1	82.3	79.1	76.8	78.3
脳・中枢神経系	C70-C72	0.45	0.62	0.54	0.0	4.8	2.4	0.0	0.0	0.0	85.0	76.2	80.5	80.0	76.2	78.0
甲状腺	C73	0.13	0.13	0.13	2.6	1.3	1.7	0.0	0.0	0.0	97.4	96.2	96.6	71.1	75.6	74.1
悪性リンパ腫	C81-C85 C96	0.36	0.37	0.36	5.2	4.8	5.0	1.7	1.0	1.4	89.6	94.3	91.8	87.8	92.4	90.0
多発性骨髄腫	C88-C90	0.63	0.55	0.59	6.3	13.6	9.3	3.1	9.1	5.6	90.6	68.2	81.5	78.1	50.0	66.7
白血病	C91-C95	0.63	0.68	0.65	3.7	4.0	3.8	0.0	4.0	1.3	96.3	96.0	96.2	66.7	52.0	62.0

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.35	0.34	0.35	4.0	5.0	4.4	1.7	2.2	1.9	85.5	86.5	85.9	82.9	82.5	82.7
食道	C15 D001	0.39	0.31	0.38	2.7	2.9	2.8	2.1	2.9	2.2	96.6	91.4	95.6	96.6	91.4	95.6
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.25	0.35	0.29	2.3	4.8	3.3	1.4	1.9	1.6	94.6	90.3	92.9	94.6	90.3	92.9
結腸 *2	C18 D010	0.27	0.37	0.31	2.7	6.0	4.1	1.3	2.2	1.7	94.2	90.5	92.7	94.2	90.5	92.7
直腸 *2	C19-C20 D011-D012	0.23	0.29	0.25	1.8	2.0	1.9	1.4	1.4	1.4	95.3	89.9	93.4	95.3	89.9	93.4
肺	C33-C34 D021-D022	0.56	0.51	0.54	6.1	5.9	6.1	2.3	2.1	2.2	79.8	85.2	81.4	71.8	74.2	72.5
皮膚	C43-C44 D030-D049	0.07	0.07	0.07	0.0	0.0	0.0	0.0	0.0	0.0	99.0	100.0	99.4	99.0	100.0	99.4
乳房	C50 D05	-	0.13	0.13	0.0	1.0	1.0	0.0	1.0	1.0	100.0	95.6	95.6	100.0	94.6	94.6
子宮	C53-C55 D06	-	0.13	0.13	-	0.9	0.9	-	0.3	0.3	-	97.0	97.0	-	95.4	95.4
子宮頸部	C53 D06	-	0.08	0.08	-	0.5	0.5	-	0.0	0.0	-	98.5	98.5	-	97.1	97.1
膀胱	C67 D090	0.18	0.22	0.19	0.8	4.5	1.5	0.4	1.5	0.6	93.8	94.0	93.8	92.2	83.6	90.5

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（%）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（%）： 部位別、性別

山梨県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,432	1,020	2,452	100.0	100.0	100.0	359.8	246.4	302.0	138.6	80.6	105.5	94.3	58.2	73.7	10.0	6.0	7.9
口腔・咽頭	C00-C14	36	14	50	2.5	1.4	2.0	9.0	3.4	6.2	4.4	1.3	2.8	3.2	0.9	2.0	0.4	0.1	0.2
食道	C15	57	11	68	4.0	1.1	2.8	14.3	2.7	8.4	5.5	1.0	3.0	3.8	0.8	2.1	0.5	0.1	0.3
胃	C16	181	106	287	12.6	10.4	11.7	45.5	25.6	35.3	17.2	7.9	12.0	11.7	5.7	8.3	1.2	0.5	0.8
大腸（結腸・直腸）	C18-C20	183	160	343	12.8	15.7	14.0	46.0	38.6	42.2	18.5	11.3	14.6	12.6	7.8	10.0	1.4	0.8	1.1
結腸	C18	120	117	237	8.4	11.5	9.7	30.2	28.3	29.2	11.5	7.1	9.1	7.9	4.7	6.2	0.8	0.4	0.6
直腸	C19-C20	63	43	106	4.4	4.2	4.3	15.8	10.4	13.1	6.9	4.2	5.4	4.7	3.2	3.8	0.6	0.4	0.5
肝および肝内胆管	C22	148	80	228	10.3	7.8	9.3	37.2	19.3	28.1	14.6	4.7	9.2	9.9	3.0	6.2	1.2	0.3	0.7
胆のう・胆管	C23-C24	66	79	145	4.6	7.7	5.9	16.6	19.1	17.9	5.5	4.7	5.0	3.4	3.1	3.2	0.3	0.3	0.3
膵臓	C25	113	110	223	7.9	10.8	9.1	28.4	26.6	27.5	11.4	7.0	9.1	7.7	4.8	6.2	0.8	0.5	0.7
喉頭	C32	3	1	4	0.2	0.1	0.2	0.8	0.2	0.5	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	293	121	414	20.5	11.9	16.9	73.6	29.2	51.0	27.7	8.2	16.9	18.6	5.7	11.5	2.0	0.6	1.3
皮膚	C43-C44	7	5	12	0.5	0.5	0.5	1.8	1.2	1.5	0.8	0.4	0.6	0.6	0.3	0.4	0.1	0.0	0.0
乳房	C50	・	88	88	・	8.6	3.6	・	21.3	10.8	・	10.6	5.4	・	8.1	4.1	・	0.9	0.5
子宮	C53-C55	-	43	43	-	4.2	1.8	-	10.4	-	-	6.2	-	-	4.8	-	-	0.5	-
子宮頸部	C53	-	17	17	-	1.7	0.7	-	4.1	-	-	2.4	-	-	1.9	-	-	0.2	-
子宮体部	C54	-	18	18	-	1.8	0.7	-	4.3	-	-	2.6	-	-	2.1	-	-	0.2	-
卵巣	C56	-	22	22	-	2.2	0.9	-	5.3	-	-	3.4	-	-	2.6	-	-	0.3	-
前立腺	C61	84	-	84	5.9	-	3.4	21.1	-	-	6.2	-	-	4.0	-	-	0.3	-	-
膀胱	C67	46	15	61	3.2	1.5	2.5	11.6	3.6	7.5	3.6	0.6	1.9	2.3	0.4	1.2	0.1	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	36	20	56	2.5	2.0	2.3	9.0	4.8	6.9	3.3	0.9	2.0	2.2	0.7	1.3	0.2	0.1	0.1
脳・中枢神経系	C70-C72	9	13	22	0.6	1.3	0.9	2.3	3.1	2.7	1.7	2.2	2.0	1.4	1.9	1.7	0.2	0.2	0.2
甲状腺	C73	5	10	15	0.3	1.0	0.6	1.3	2.4	1.8	0.4	0.8	0.6	0.2	0.6	0.4	0.0	0.1	0.0
悪性リンパ腫	C81-C85 C96	41	39	80	2.9	3.8	3.3	10.3	9.4	9.9	3.5	2.8	3.1	2.5	1.8	2.1	0.2	0.2	0.2
多発性骨髄腫	C88-C90	20	12	32	1.4	1.2	1.3	5.0	2.9	3.9	1.9	0.8	1.3	1.3	0.6	0.9	0.2	0.1	0.1
白血病	C91-C95	34	17	51	2.4	1.7	2.1	8.5	4.1	6.3	3.8	1.4	2.5	2.6	1.0	1.7	0.4	0.1	0.2

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,432	1	0	0	0	1	1	1	3	6	6	21	48	84	175	202	199	282	262	116	21	3	0
	口腔・咽頭	C00-C14	36	0	0	0	0	0	0	0	0	1	1	1	3	4	6	5	5	4	5	1	0	0	0
	食道	C15	57	0	0	0	0	0	0	0	0	0	0	0	1	3	10	14	7	10	9	3	0	0	0
	胃	C16	181	0	0	0	0	0	0	0	0	0	0	3	5	17	23	17	30	36	32	16	2	0	0
	大腸（結腸・直腸）	C18-C20	183	0	0	0	0	0	0	0	0	1	2	2	8	15	25	23	27	37	24	17	2	0	0
	結腸	C18	120	0	0	0	0	0	0	0	0	1	1	2	3	10	15	11	19	23	20	13	2	0	0
	直腸	C19-C20	63	0	0	0	0	0	0	0	0	0	1	0	5	5	10	12	8	14	4	4	0	0	0
	肝および肝内胆管	C22	148	0	0	0	0	0	0	0	0	1	0	5	3	6	24	26	16	32	27	7	1	0	0
	胆のう・胆管	C23-C24	66	0	0	0	0	0	0	0	0	0	0	0	0	2	4	11	11	19	9	9	1	0	0
	膵臓	C25	113	0	0	0	0	0	0	0	0	0	1	2	6	7	14	16	22	18	20	5	1	1	0
	喉頭	C32	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0
	肺	C33-C34	293	0	0	0	0	0	0	0	0	1	0	3	12	17	33	43	44	56	58	21	5	0	0
	皮膚	C43-C44	7	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	1	2	1	0	0	0
	乳房	C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	84	0	0	0	0	0	0	0	0	0	0	0	2	1	5	6	10	19	24	12	3	2	0
	膀胱	C67	46	0	0	0	0	0	0	0	0	0	0	2	0	0	4	2	5	14	13	4	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	36	0	0	0	0	0	0	0	0	1	0	1	1	1	1	6	3	9	10	3	0	0	0
	脳・中枢神経系	C70-C72	9	0	0	0	0	1	0	0	2	0	0	0	0	0	4	1	1	0	0	0	0	0	0
	甲状腺	C73	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2	0	0	0
	悪性リンパ腫	C81-C85 C96	41	0	0	0	0	0	0	0	1	0	0	0	2	0	5	5	3	5	14	4	2	0	0
	多発性骨髄腫	C88-C90	20	0	0	0	0	0	0	0	0	0	0	0	0	1	4	5	4	2	3	1	0	0	0
	白血病	C91-C95	34	0	0	0	0	0	0	0	0	0	0	2	2	1	5	9	4	7	2	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,020	0	2	0	2	0	1	3	7	9	17	20	28	59	94	95	114	166	175	153	65	10	0
	口腔・咽頭	C00-C14	14	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1	1	4	2	3	0	0	0
	食道	C15	11	0	0	0	0	0	0	0	0	0	1	0	0	2	0	2	1	1	2	2	0	0	0
	胃	C16	106	0	0	0	0	0	1	0	1	2	1	2	3	3	8	8	13	16	18	19	9	2	0
	大腸（結腸・直腸）	C18-C20	160	0	0	0	0	0	0	1	1	1	0	3	3	10	10	16	16	31	28	23	15	2	0
	結腸	C18	117	0	0	0	0	0	0	0	0	1	0	0	3	7	3	10	12	27	22	17	13	2	0
	直腸	C19-C20	43	0	0	0	0	0	0	1	1	0	0	3	0	3	7	6	4	4	6	6	2	0	0
	肝および肝内胆管	C22	80	0	0	0	0	0	0	0	0	0	0	2	0	1	4	8	13	17	18	13	4	0	0
	胆のう・胆管	C23-C24	79	0	0	0	0	0	0	0	0	0	0	1	0	2	6	10	10	15	14	14	4	3	0
	膵臓	C25	110	0	0	0	0	0	0	0	0	0	0	2	1	6	9	11	13	20	24	19	5	0	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	肺	C33-C34	121	0	0	0	0	0	0	0	0	0	1	2	2	6	16	10	11	22	30	13	7	1	0
	皮膚	C43-C44	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0	1	0	0	0
	乳房	C50	88	0	0	0	0	0	0	0	2	2	2	4	7	16	14	6	9	7	5	8	5	1	0
	子宮	C53-C55	43	0	0	0	0	0	0	0	2	1	7	2	1	5	5	6	6	0	4	3	1	0	0
	子宮頸部	C53	17	0	0	0	0	0	0	0	1	1	2	0	0	3	1	4	2	0	1	1	1	0	0
	子宮体部	C54	18	0	0	0	0	0	0	0	1	0	3	2	0	2	3	1	2	0	3	1	0	0	0
	卵巣	C56	22	0	0	0	0	0	0	0	1	1	3	1	3	2	1	3	3	0	1	2	1	0	0
	膀胱	C67	15	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	3	5	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	20	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	1	3	7	2	1	0
	脳・中枢神経系	C70-C72	13	0	0	0	2	0	0	0	0	1	1	0	1	1	1	1	2	3	0	0	0	0	0
	甲状腺	C73	10	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	2	2	1	0	0	0
	悪性リンパ腫	C81-C85 C96	39	0	0	0	0	0	0	1	0	0	0	0	1	0	5	4	4	12	6	5	1	0	0
	多発性骨髄腫	C88-C90	12	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	2	3	1	1	0	0
	白血病	C91-C95	17	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	2	4	4	1	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	2,452	1	2	0	2	1	2	4	10	15	23	41	76	143	269	297	313	448	437	269	86	13	0
	口腔・咽頭	C00-C14	50	0	0	0	0	0	0	1	0	1	1	2	3	4	7	6	6	8	7	4	0	0	0
	食道	C15	68	0	0	0	0	0	0	0	0	0	1	0	1	5	10	16	8	11	11	5	0	0	0
	胃	C16	287	0	0	0	0	0	1	0	1	2	1	5	8	20	31	25	43	52	50	35	11	2	0
	大腸（結腸・直腸）	C18-C20	343	0	0	0	0	0	0	1	1	2	2	5	11	25	35	39	43	68	52	40	17	2	0
	結腸	C18	237	0	0	0	0	0	0	0	0	2	1	2	6	17	18	21	31	50	42	30	15	2	0
	直腸	C19-C20	106	0	0	0	0	0	0	1	1	0	1	3	5	8	17	18	12	18	10	10	2	0	0
	肝および肝内胆管	C22	228	0	0	0	0	0	0	0	0	1	0	7	3	7	28	34	29	49	45	20	5	0	0
	胆のう・胆管	C23-C24	145	0	0	0	0	0	0	0	0	0	0	1	0	4	10	21	21	34	23	23	5	3	0
	膵臓	C25	223	0	0	0	0	0	0	0	0	0	1	4	7	13	23	27	35	38	44	24	6	1	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	0	0
	肺	C33-C34	414	0	0	0	0	0	0	0	0	1	1	5	14	23	49	53	55	78	88	34	12	1	0
	皮膚	C43-C44	12	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1	0	3	2	2	0	0	0
	乳房	C50	88	0	0	0	0	0	0	0	2	2	2	4	7	16	14	6	9	7	5	8	5	1	0
	子宮	C53-C55	43	0	0	0	0	0	0	0	2	1	7	2	1	5	5	6	6	0	4	3	1	0	0
	子宮頸部	C53	17	0	0	0	0	0	0	0	1	1	2	0	0	3	1	4	2	0	1	1	1	0	0
	子宮体部	C54	18	0	0	0	0	0	0	0	1	0	3	2	0	2	3	1	2	0	3	1	0	0	0
	卵巣	C56	22	0	0	0	0	0	0	0	1	1	3	1	3	2	1	3	3	0	1	2	1	0	0
	前立腺	C61	84	0	0	0	0	0	0	0	0	0	0	0	2	1	5	6	10	19	24	12	3	2	0
	膀胱	C67	61	0	0	0	0	0	0	0	0	0	0	2	1	0	4	2	6	16	16	9	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	56	0	0	0	0	0	0	0	0	1	0	1	1	1	4	7	5	10	13	10	2	1	0
	脳・中枢神経系	C70-C72	22	0	0	0	2	1	0	0	2	1	1	0	1	1	5	2	3	3	0	0	0	0	0
	甲状腺	C73	15	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	4	2	3	0	0	0
	悪性リンパ腫	C81-C85 C96	80	0	0	0	0	0	0	1	1	0	0	0	3	0	10	9	7	17	20	9	3	0	0
	多発性骨髄腫	C88-C90	32	0	0	0	0	0	0	0	0	0	0	0	0	2	7	5	5	4	6	2	1	0	0
	白血病	C91-C95	51	0	0	0	0	0	0	0	0	0	1	2	3	2	6	11	6	11	6	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C97	359.8	6.7	0.0	0.0	0.0	5.3	5.6	5.0	13.0	21.4	20.0	75.0	184.6	300.0	530.3	841.7	947.6	1,880.0	2,871.4	.	
	口腔・咽頭	C00-C14	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.3	3.6	11.5	14.3	18.2	20.8	23.8	26.7	42.9	.	
	食道	C15	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	10.7	30.3	58.3	33.3	66.7	85.7	.	
	胃	C16	45.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	19.2	60.7	69.7	70.8	142.9	240.0	357.1	.	
	大腸（結腸・直腸）	C18-C20	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.7	7.1	30.8	53.6	75.8	95.8	128.6	246.7	307.1	.	
	結腸	C18	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.3	7.1	11.5	35.7	45.5	45.8	90.5	153.3	250.0	.	
	直腸	C19-C20	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	19.2	17.9	30.3	50.0	38.1	93.3	57.1	.	
	肝および肝内胆管	C22	37.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	17.9	11.5	21.4	72.7	108.3	76.2	213.3	250.0	.	
	胆のう・胆管	C23-C24	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	12.1	45.8	52.4	126.7	135.7	.	
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	7.1	23.1	25.0	42.4	66.7	104.8	120.0	192.9	.	
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	6.7	7.1	.	
	肺	C33-C34	73.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	10.7	46.2	60.7	100.0	179.2	209.5	373.3	600.0	.	
	皮膚	C43-C44	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.8	0.0	0.0	4.2	0.0	6.7	21.4	.	
	乳房	C50
	前立腺	C61	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	3.6	15.2	25.0	47.6	126.7	292.9	.	
	膀胱	C67	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	12.1	8.3	23.8	93.3	135.7	.	
	腎・尿路（膀胱除く）	C64-C66 C68	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.6	3.8	3.6	3.0	25.0	14.3	60.0	92.9	.	
	脳・中枢神経系	C70-C72	2.3	0.0	0.0	0.0	0.0	5.3	0.0	0.0	8.7	0.0	0.0	0.0	0.0	0.0	12.1	4.2	4.8	0.0	0.0	.	
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	13.3	14.3	.	
	悪性リンパ腫	C81-C85 C96	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	7.7	0.0	15.2	20.8	14.3	33.3	142.9	.	
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	12.1	20.8	19.0	13.3	28.6	.	
	白血病	C91-C95	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	7.7	3.6	15.2	37.5	19.0	46.7	28.6	.	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	246.4	0.0	12.5	0.0	10.0	0.0	5.9	15.8	33.3	33.3	60.7	76.9	107.7	210.7	276.5	351.9	456.0	754.5	1,343.3	.
	口腔・咽頭	C00-C14	3.4	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	3.8	0.0	0.0	2.9	3.7	4.0	18.2	16.7	.
	食道	C15	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	7.1	0.0	7.4	4.0	4.5	13.3	.
	胃	C16	25.6	0.0	0.0	0.0	0.0	0.0	5.9	0.0	4.8	7.4	3.6	7.7	11.5	10.7	23.5	29.6	52.0	72.7	160.0	.
	大腸（結腸・直腸）	C18-C20	38.6	0.0	0.0	0.0	0.0	0.0	0.0	5.3	4.8	3.7	0.0	11.5	11.5	35.7	29.4	59.3	64.0	140.9	226.7	.
	結腸	C18	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	11.5	25.0	8.8	37.0	48.0	122.7	180.0	.
	直腸	C19-C20	10.4	0.0	0.0	0.0	0.0	0.0	0.0	5.3	4.8	0.0	0.0	11.5	0.0	10.7	20.6	22.2	16.0	18.2	46.7	.
	肝および肝内胆管	C22	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	3.6	11.8	29.6	52.0	77.3	116.7	.
	胆のう・胆管	C23-C24	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	7.1	17.6	37.0	40.0	68.2	116.7	.
	膵臓	C25	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	3.8	21.4	26.5	40.7	52.0	90.9	160.0	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	.
	肺	C33-C34	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	7.7	7.7	21.4	47.1	37.0	44.0	100.0	170.0	.
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.9	0.0	0.0	9.1	3.3	.
	乳房	C50	21.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	7.4	7.1	15.4	26.9	57.1	41.2	22.2	36.0	31.8	63.3	.
	子宮	C53-C55	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	3.7	25.0	7.7	3.8	17.9	14.7	22.2	24.0	0.0	26.7	.
	子宮頸部	C53	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.7	7.1	0.0	0.0	10.7	2.9	14.8	8.0	0.0	10.0	.
	子宮体部	C54	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	10.7	7.7	0.0	7.1	8.8	3.7	8.0	0.0	13.3	.
	卵巣	C56	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.7	10.7	3.8	11.5	7.1	2.9	11.1	12.0	0.0	13.3	.
	膀胱	C67	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	4.0	9.1	36.7	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	3.7	8.0	4.5	43.3	.
	脳・中枢神経系	C70-C72	3.1	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	3.7	3.6	0.0	3.8	3.6	2.9	3.7	8.0	13.6	0.0	.
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	2.9	3.7	4.0	9.1	10.0	.
	悪性リンパ腫	C81-C85 C96	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	3.8	0.0	14.7	14.8	16.0	54.5	40.0	.
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	8.8	0.0	4.0	9.1	16.7	.
	白血病	C91-C95	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.8	3.6	2.9	7.4	8.0	18.2	16.7	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	302.0	3.4	6.1	0.0	4.8	2.7	5.7	10.3	22.7	27.3	39.7	75.9	146.2	255.4	401.5	582.4	680.4	1,210.8	1,829.5	.
	口腔・咽頭	C00-C14	6.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	1.8	1.7	3.7	5.8	7.1	10.4	11.8	13.0	21.6	25.0	.
	食道	C15	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.9	8.9	14.9	31.4	17.4	29.7	36.4	.
	胃	C16	35.3	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.3	3.6	1.7	9.3	15.4	35.7	46.3	49.0	93.5	140.5	222.7	.
	大腸（結腸・直腸）	C18-C20	42.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	3.6	3.4	9.3	21.2	44.6	52.2	76.5	93.5	183.8	252.3	.
	結腸	C18	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.7	3.7	11.5	30.4	26.9	41.2	67.4	135.1	202.3	.
	直腸	C19-C20	13.1	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	0.0	1.7	5.6	9.6	14.3	25.4	35.3	26.1	48.6	50.0	.
	肝および肝内胆管	C22	28.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	13.0	5.8	12.5	41.8	66.7	63.0	132.4	159.1	.
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	7.1	14.9	41.2	45.7	91.9	122.7	.
	膵臓	C25	27.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	7.4	13.5	23.2	34.3	52.9	76.1	102.7	170.5	.
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	5.4	2.3	.
	肺	C33-C34	51.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.7	9.3	26.9	41.1	73.1	103.9	119.6	210.8	306.8	.
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	3.8	0.0	1.5	2.0	0.0	8.1	9.1	.
	乳房	C50	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.6	3.4	7.4	13.5	28.6	20.9	11.8	19.6	18.9	43.2	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	1.9	0.0	6.0	3.9	13.0	43.2	68.2	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.9	1.9	1.8	6.0	13.7	10.9	27.0	59.1	.
	脳・中枢神経系	C70-C72	2.7	0.0	0.0	0.0	4.8	2.7	0.0	0.0	4.5	1.8	1.7	0.0	1.9	1.8	7.5	3.9	6.5	8.1	0.0	.
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.5	3.9	2.2	10.8	11.4	.
	悪性リンパ腫	C81-C85 C96	9.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	0.0	0.0	0.0	5.8	0.0	14.9	17.6	15.2	45.9	72.7	.
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	10.4	9.8	10.9	10.8	20.5	.
	白血病	C91-C95	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.7	5.8	3.6	9.0	21.6	13.0	29.7	20.5	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2017年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	山梨	3701	0	2	1	3	5	8	10	16	29	68	112	176	323	696	631	618	528	331	117	23	4	0	
	甲府市	818	0	0	0	*	0	*	*	*	*	18	31	34	63	159	126	129	127	76	31	*	*	0	
	富士吉田市	241	0	0	0	0	0	*	*	*	*	*	*	*	27	43	39	54	29	14	*	*	0	0	
	都留市	114	0	0	0	0	*	*	0	*	*	*	0	*	15	32	13	19	13	*	*	0	0	0	
	山梨市	177	0	0	0	0	0	*	0	0	0	*	*	13	16	31	29	27	28	20	*	0	*	0	
	大月市	154	0	0	0	0	0	0	0	0	*	*	*	11	17	31	20	21	28	13	*	*	0	0	
	韮崎市	94	0	0	0	0	0	0	0	*	0	*	*	*	*	16	14	20	16	10	*	*	0	0	
	南アルプス市	305	0	*	0	0	0	0	*	0	*	*	13	13	30	49	54	60	40	23	*	*	0	0	
	北杜市	234	0	0	0	0	0	0	0	0	0	*	*	*	22	53	44	36	33	21	*	0	0	0	
	甲斐市	304	0	*	0	0	*	*	0	*	*	*	*	13	27	60	56	45	44	22	*	0	*	0	
	笛吹市	297	0	0	0	0	0	0	*	0	0	*	*	25	24	51	66	48	39	17	*	*	0	0	
	上野原市	128	0	0	0	0	0	0	0	0	0	*	*	*	16	23	23	19	15	15	*	*	0	0	
	甲州市	156	0	0	*	0	*	0	0	0	*	*	*	*	*	25	19	22	35	20	*	*	*	0	
	中央市	111	0	0	0	0	0	*	0	*	*	*	*	*	11	17	24	17	10	10	*	*	0	0	
	市川三郷町	75	0	0	0	0	0	0	0	0	*	*	*	*	*	18	13	*	*	13	*	0	0	0	
	早川町	12	0	0	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	0	0	0	
	身延町	79	0	0	0	0	0	0	0	0	0	0	0	*	*	16	14	20	15	*	*	*	0	0	
	南部町	46	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	13	*	*	*	0	0	0	
	富士川町	78	0	0	0	0	0	0	0	0	0	*	*	*	11	16	12	12	*	*	*	0	0	0	
	昭和町	46	0	0	0	0	0	0	0	0	0	*	*	*	*	*	11	12	*	*	0	*	0	0	
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0	0
	西桂町	28	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	0	0	0	0
	忍野村	35	0	0	0	*	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	28	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	*	*	*	0	*	0	0
	鳴沢村	17	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	0	*	0	0	0	0	
	富士河口湖町	109	0	0	0	0	0	*	*	*	0	*	*	*	10	15	24	17	18	11	*	0	0	0	
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	0	0	0	0	
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0	0	*	0	0	0	

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2017年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	2557	3	1	1	4	1	9	17	40	79	138	126	178	216	326	315	322	291	257	164	58	11	0
	甲府市	654	0	*	*	*	0	*	*	14	21	33	23	32	44	78	81	101	69	72	56	19	*	0
	富士吉田市	144	0	0	0	0	0	0	*	*	*	*	*	17	*	15	18	21	20	13	*	*	*	0
	都留市	70	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	11	*	*	*	*	0	0
	山梨市	118	0	0	0	0	0	0	*	*	*	*	*	*	*	16	12	12	12	17	13	*	*	0
	大月市	80	0	0	0	0	0	*	*	0	*	*	*	*	*	12	*	*	17	*	*	*	0	0
	韮崎市	75	0	0	0	0	0	0	0	*	*	*	*	*	14	13	*	*	*	*	*	*	0	0
	南アルプス市	211	0	0	0	0	0	*	*	*	*	11	18	19	20	32	18	22	19	17	11	*	*	0
	北杜市	148	0	0	0	0	0	0	*	*	*	*	*	*	13	21	23	19	20	14	12	*	0	0
	甲斐市	203	0	0	0	*	*	*	0	*	*	16	*	16	14	31	34	27	21	15	*	*	0	0
	笛吹市	236	*	0	0	0	0	*	*	*	*	17	12	14	24	32	31	23	25	25	11	*	0	0
	上野原市	64	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0
	甲州市	116	*	0	0	0	0	0	*	*	*	*	12	*	11	12	14	10	15	11	*	*	*	0
	中央市	77	*	0	0	0	0	0	0	*	*	*	*	*	*	*	13	12	*	*	*	*	*	0
	市川三郷町	57	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0
	早川町	*	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	*	*	0	0	0	0
	身延町	56	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	10	*	*	*	0	0
	南部町	17	0	0	0	0	0	0	0	0	*	0	*	0	0	0	*	*	*	*	*	*	0	0
	富士川町	34	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	*	0	0
	昭和町	40	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	*	0	*	0	0	0
	西桂町	16	0	0	0	0	0	0	0	0	*	*	*	*	*	*	0	*	*	0	*	0	0	0
	忍野村	14	0	0	0	0	0	0	0	0	*	*	*	*	0	*	*	*	*	*	*	*	0	0
	山中湖村	18	0	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*	*	0	*	*	0	0
	鳴沢村	17	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	0	0	0	0
	富士河口湖町	71	0	0	0	0	0	*	*	0	*	*	*	*	12	*	*	*	*	*	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2017年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数注2	山梨	6258	3	3	2	7	6	17	27	56	108	206	238	354	539	1022	946	940	819	588	281	81	15	0
	甲府市	1472	0	*	*	*	0	*	*	20	28	51	54	66	107	237	207	230	196	148	87	23	*	0
	富士吉田市	385	0	0	0	0	0	*	*	*	*	*	15	26	36	58	57	75	49	27	12	*	*	0
	都留市	184	0	0	0	0	*	*	*	*	*	10	*	*	16	40	20	30	21	18	*	*	0	0
	山梨市	295	0	0	0	0	0	*	*	*	*	*	10	18	24	47	41	39	40	37	19	*	*	0
	大月市	234	0	0	0	0	0	*	*	0	*	*	*	16	24	43	28	30	45	22	*	*	0	0
	韮崎市	169	0	0	0	0	0	0	0	*	*	*	*	12	20	29	22	25	21	17	*	*	0	0
	南アルプス市	516	0	*	0	0	0	*	*	*	12	17	31	32	50	81	72	82	59	40	19	*	*	0
	北杜市	382	0	0	0	0	0	0	*	*	*	*	11	16	35	74	67	55	53	35	20	*	0	0
	甲斐市	507	0	*	0	*	*	*	0	*	13	25	16	29	41	91	90	72	65	37	11	*	*	0
	笛吹市	533	*	0	0	0	0	*	*	*	*	25	19	39	48	83	97	71	64	42	20	11	0	0
	上野原市	192	0	0	0	0	0	*	0	0	*	*	*	*	22	31	32	26	24	21	*	*	*	0
	甲州市	272	*	0	*	0	*	0	*	*	*	*	17	18	17	37	33	32	50	31	14	*	*	0
	中央市	188	*	0	0	0	0	*	0	*	*	*	*	16	19	25	37	29	16	16	*	*	*	0
	市川三郷町	132	0	0	0	0	0	0	0	*	*	*	*	*	10	25	20	15	13	21	*	*	0	0
	早川町	18	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	身延町	135	0	0	0	0	0	0	0	*	0	*	*	*	10	21	18	29	25	10	*	*	0	0
	南部町	63	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	15	*	10	*	*	0	0
	富士川町	112	0	0	0	0	0	0	0	*	0	*	*	10	14	18	17	18	13	*	*	0	0	0
	昭和町	86	0	0	0	0	0	0	0	*	*	*	*	*	*	14	14	15	*	*	*	*	*	0
	道志村	16	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	0	0	0
	西桂町	44	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	忍野村	49	0	0	0	*	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	山中湖村	46	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0
	鳴沢村	34	0	0	0	0	0	0	0	0	0	*	*	*	*	*	10	*	*	*	0	0	0	
	富士河口湖町	180	0	0	0	0	0	*	*	*	*	*	*	*	*	22	24	32	23	25	17	13	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	*	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2017年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	4046	0	2	1	3	5	8	10	19	36	79	128	192	375	738	694	678	572	348	131	23	4	0
	甲府市	907	0	0	0	*	0	*	*	*	10	21	35	37	79	169	140	146	138	80	35	*	*	0
	富士吉田市	258	0	0	0	0	0	*	*	*	*	*	10	*	31	44	42	57	32	15	*	*	0	0
	都留市	120	0	0	0	0	*	*	0	*	*	*	0	*	15	34	13	20	14	*	*	0	0	0
	山梨市	195	0	0	0	0	0	*	0	0	0	*	*	13	18	32	35	29	31	21	*	0	*	0
	大月市	165	0	0	0	0	0	0	0	0	*	*	*	11	19	33	22	22	30	13	*	*	0	0
	韮崎市	105	0	0	0	0	0	0	0	*	0	*	*	*	*	17	17	22	18	11	*	*	0	0
	南アルプス市	336	0	*	0	0	0	0	*	0	*	*	16	15	38	53	59	66	42	23	*	*	0	0
	北杜市	255	0	0	0	0	0	0	0	0	0	*	*	*	27	57	47	41	34	22	10	0	0	0
	甲斐市	338	0	*	0	0	*	*	0	*	*	11	*	16	30	64	64	51	49	23	*	0	*	0
	笛吹市	329	0	0	0	0	0	0	*	*	0	*	*	26	29	58	70	51	45	19	10	*	0	0
	上野原市	134	0	0	0	0	0	0	0	0	*	*	*	*	16	24	23	21	16	15	*	*	0	0
	甲州市	176	0	0	*	0	*	0	0	0	*	*	*	13	*	25	21	27	38	23	*	*	*	0
	中央市	124	0	0	0	0	0	*	0	*	*	*	*	10	12	18	27	20	10	11	*	*	0	0
	市川三郷町	80	0	0	0	0	0	0	0	0	*	*	*	*	*	18	16	*	*	13	*	0	0	0
	早川町	13	0	0	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	0	0	0
	身延町	82	0	0	0	0	0	0	0	0	0	0	0	*	*	16	15	21	15	*	*	*	0	0
	南部町	54	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	14	*	*	*	0	0	0
	富士川町	80	0	0	0	0	0	0	0	0	0	*	*	*	11	17	13	12	*	*	*	0	0	0
	昭和町	52	0	0	0	0	0	0	0	0	0	*	*	*	*	*	11	13	*	*	0	*	0	0
	道志村	10	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0
	西桂町	28	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	0	0	0
	忍野村	36	0	0	0	*	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	0	0
	山中湖村	28	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	*	*	*	0	*	0
	鳴沢村	19	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	*	*	0	0	0	0
	富士河口湖町	114	0	0	0	0	0	*	*	*	0	*	*	*	10	16	26	17	19	11	*	0	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	0	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2017年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	2961	3	1	1	4	4	26	44	68	126	178	157	206	241	372	347	358	316	268	170	60	11	0
	甲府市	765	0	*	*	*	*	*	12	22	33	44	31	37	53	87	87	114	77	77	58	19	*	0
	富士吉田市	158	0	0	0	0	0	0	*	*	*	*	*	20	*	16	19	22	22	13	*	*	*	0
	都留市	70	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	11	*	*	*	*	0	0
	山梨市	137	0	0	0	0	0	0	*	*	*	*	*	*	11	19	16	14	12	18	13	*	*	0
	大月市	88	0	0	0	0	0	*	*	*	*	*	*	*	*	14	*	10	17	*	*	*	0	0
	韭崎市	88	0	0	0	0	0	*	*	*	*	*	*	*	14	17	11	*	*	*	*	*	0	0
	南アルプス市	257	0	0	0	0	0	*	*	*	15	13	22	22	24	38	20	23	23	17	13	*	*	0
	北杜市	170	0	0	0	0	*	*	*	*	*	*	*	*	14	25	27	20	20	15	13	*	0	0
	甲斐市	258	0	0	0	*	*	*	*	*	14	25	10	20	15	35	37	35	25	16	*	*	0	0
	笛吹市	271	*	0	0	0	0	*	*	*	14	20	17	15	26	36	34	27	26	27	11	*	0	0
	上野原市	82	0	0	0	0	0	*	*	*	*	*	*	*	*	13	10	*	10	*	*	*	*	0
	甲州市	126	*	0	0	0	0	0	*	*	*	*	13	*	11	13	16	11	16	11	*	*	*	0
	中央市	89	*	0	0	0	*	*	*	*	*	*	*	*	*	*	13	14	*	*	*	*	*	0
	市川三郷町	64	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0
	早川町	*	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	*	*	0	0	0	0
	身延町	60	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	10	*	*	*	0	0
	南部町	20	0	0	0	0	0	0	0	0	*	*	*	0	*	0	*	*	*	*	*	*	0	0
	富士川町	42	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	昭和町	47	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	*	0	*	0	0	0
	西桂町	17	0	0	0	0	0	0	0	0	*	*	*	*	*	*	0	*	*	0	*	0	0	0
	忍野村	15	0	0	0	0	0	0	0	0	*	*	*	*	0	*	*	*	*	*	*	*	0	0
	山中湖村	18	0	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*	*	0	*	*	0	0
	鳴沢村	17	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	富士河口湖町	81	0	0	0	0	0	*	*	*	*	*	*	*	12	11	*	*	*	*	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2017年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 注2	山 梨	7007	3	3	2	7	9	34	54	87	162	257	285	398	616	1110	1041	1036	888	616	301	83	15	0
	甲府市	1672	0	*	*	*	*	*	14	28	43	65	66	74	132	256	227	260	215	157	93	23	*	0
	富士吉田市	416	0	0	0	0	0	*	*	*	10	13	17	29	40	60	61	79	54	28	12	*	*	0
	都留市	190	0	0	0	0	*	*	*	*	*	10	*	*	16	42	20	31	22	18	*	*	0	0
	山梨市	332	0	0	0	0	0	*	*	*	*	*	12	19	29	51	51	43	43	39	19	*	*	0
	大月市	253	0	0	0	0	0	*	*	*	*	*	*	16	28	47	30	32	47	22	10	*	0	0
	韮崎市	193	0	0	0	0	0	*	*	*	*	*	*	14	22	34	28	27	23	18	*	*	0	0
	南アルプス市	593	0	*	0	0	0	*	11	*	18	20	38	37	62	91	79	89	65	40	21	*	*	0
	北杜市	425	0	0	0	0	*	*	*	*	*	11	14	17	41	82	74	61	54	37	23	*	0	0
	甲斐市	596	0	*	0	*	*	*	*	*	21	36	19	36	45	99	101	86	74	39	11	*	*	0
	笛吹市	600	*	0	0	0	0	*	*	*	14	29	25	41	55	94	104	78	71	46	21	11	0	0
	上野原市	216	0	0	0	0	0	*	*	*	*	*	*	*	22	37	33	29	26	22	10	*	*	0
	甲州市	302	*	0	*	0	*	0	*	*	*	*	18	22	19	38	37	38	54	34	14	*	*	0
	中央市	213	*	0	0	0	*	*	*	*	*	*	*	19	21	26	40	34	17	17	*	*	*	0
	市川三郷町	144	0	0	0	0	0	0	*	*	*	*	*	*	10	26	24	15	14	21	*	*	0	0
	早川町	19	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	身延町	142	0	0	0	0	0	0	*	*	0	*	*	*	11	21	19	30	25	10	*	*	0	0
	南部町	74	0	0	0	0	0	0	0	0	*	*	*	*	*	*	11	16	*	12	*	*	0	0
	富士川町	122	0	0	0	0	0	0	*	*	*	*	*	10	14	19	18	19	14	*	*	0	0	0
	昭和町	99	0	0	0	0	0	0	0	*	*	*	*	*	*	15	14	16	*	*	*	*	*	0
	道志村	18	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	0	0	0
	西桂町	45	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	忍野村	51	0	0	0	*	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	山中湖村	46	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0
	鳴沢村	36	0	0	0	0	0	0	0	0	0	*	*	*	*	*	10	*	*	*	0	0	0	
	富士河口湖町	195	0	0	0	0	0	*	*	*	*	*	*	10	22	27	35	23	26	17	13	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	0	*	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2017年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	3701	0	2	1	3	5	8	10	16	29	68	112	176	323	696	631	618	528	331	117	23	4	0
	医療圏	中北	1912	0	*	0	*	*	*	*	10	17	42	67	84	161	360	329	319	275	165	56	10	*	0
		峡東	630	0	0	*	0	*	*	*	0	*	11	15	47	46	107	114	97	102	57	22	*	*	0
		峡南	290	0	0	0	0	0	0	0	0	*	*	*	*	20	61	45	55	35	31	17	*	0	0
		富士・東部	869	0	0	0	*	*	*	*	*	*	*	23	36	96	168	143	147	116	78	22	*	0	0
	保健所	峡南	290	0	0	0	0	0	0	0	0	*	*	*	*	20	61	45	55	35	31	17	*	0	0
		中北	1912	0	*	0	*	*	*	*	10	17	42	67	84	161	360	329	319	275	165	56	10	*	0
		峡東	630	0	0	*	0	*	*	*	0	*	11	15	47	46	107	114	97	102	57	22	*	*	0
		富士・東部	869	0	0	0	*	*	*	*	*	*	*	23	36	96	168	143	147	116	78	22	*	0	0
女	都道府県	山梨	2557	3	1	1	4	1	9	17	40	79	138	126	178	216	326	315	322	291	257	164	58	11	0
	医療圏	中北	1408	*	*	*	*	*	*	*	29	43	76	65	91	117	191	180	189	142	136	92	31	*	0
		峡東	470	*	0	0	0	0	*	*	*	15	26	31	28	43	60	57	45	52	53	31	14	*	0
		峡南	170	0	0	0	0	0	0	0	*	*	*	*	14	19	14	18	24	27	21	*	*	0	0
		富士・東部	509	0	0	0	0	0	*	*	*	17	31	23	45	37	61	60	64	70	47	32	*	*	0
	保健所	峡南	170	0	0	0	0	0	0	0	*	*	*	*	14	19	14	18	24	27	21	*	*	0	0
		中北	1408	*	*	*	*	*	*	*	29	43	76	65	91	117	191	180	189	142	136	92	31	*	0
		峡東	470	*	0	0	0	0	*	*	*	15	26	31	28	43	60	57	45	52	53	31	14	*	0
		富士・東部	509	0	0	0	0	0	*	*	*	17	31	23	45	37	61	60	64	70	47	32	*	*	0
総数注2	都道府県	山梨	6258	3	3	2	7	6	17	27	56	108	206	238	354	539	1022	946	940	819	588	281	81	15	0
	医療圏	中北	3320	*	*	*	*	*	*	12	39	60	118	132	175	278	551	509	508	417	301	148	41	*	0
		峡東	1100	*	0	*	0	*	*	*	*	17	37	46	75	89	167	171	142	154	110	53	18	*	0
		峡南	460	0	0	0	0	0	0	0	*	*	11	14	23	39	75	63	79	62	52	26	*	0	0
		富士・東部	1378	0	0	0	*	*	*	11	*	25	40	46	81	133	229	203	211	186	125	54	16	*	0
	保健所	峡南	460	0	0	0	0	0	0	0	*	*	11	14	23	39	75	63	79	62	52	26	*	0	0
		中北	3320	*	*	*	*	*	*	12	39	60	118	132	175	278	551	509	508	417	301	148	41	*	0
		峡東	1100	*	0	*	0	*	*	*	*	17	37	46	75	89	167	171	142	154	110	53	18	*	0
		富士・東部	1378	0	0	0	*	*	*	11	*	25	40	46	81	133	229	203	211	186	125	54	16	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2017年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	4046	0	2	1	3	5	8	10	19	36	79	128	192	375	738	694	678	572	348	131	23	4	0
	医療圏	中北	2117	0	*	0	*	*	*	*	11	21	49	77	93	196	385	365	359	298	173	63	10	*	0
		峡東	700	0	0	*	0	*	*	*	*	*	14	18	52	55	115	126	107	114	63	23	*	*	0
		峡南	309	0	0	0	0	0	0	0	0	*	*	*	10	22	62	53	57	35	33	18	*	0	0
		富士・東部	920	0	0	0	*	*	*	*	*	10	10	25	37	102	176	150	155	125	79	27	*	0	0
	保健所	峡南	309	0	0	0	0	0	0	0	0	*	*	*	10	22	62	53	57	35	33	18	*	0	0
		中北	2117	0	*	0	*	*	*	*	11	21	49	77	93	196	385	365	359	298	173	63	10	*	0
		峡東	700	0	0	*	0	*	*	*	*	*	14	18	52	55	115	126	107	114	63	23	*	*	0
		富士・東部	920	0	0	0	*	*	*	*	*	10	10	25	37	102	176	150	155	125	79	27	*	0	0
女	都道府県	山梨	2961	3	1	1	4	4	26	44	68	126	178	157	206	241	372	347	358	316	268	170	60	11	0
	医療圏	中北	1674	*	*	*	*	*	21	27	46	76	100	84	110	134	218	198	214	159	143	97	31	*	0
		峡東	534	*	0	0	0	0	*	*	11	25	30	37	30	48	68	66	52	54	56	31	14	*	0
		峡南	192	0	0	0	0	0	0	*	*	*	*	*	16	20	15	20	25	29	21	*	*	0	0
		富士・東部	561	0	0	0	0	0	*	*	*	19	39	28	50	39	71	63	67	74	48	33	10	*	0
	保健所	峡南	192	0	0	0	0	0	0	*	*	*	*	*	16	20	15	20	25	29	21	*	*	0	0
		中北	1674	*	*	*	*	*	21	27	46	76	100	84	110	134	218	198	214	159	143	97	31	*	0
		峡東	534	*	0	0	0	0	*	*	11	25	30	37	30	48	68	66	52	54	56	31	14	*	0
		富士・東部	561	0	0	0	0	0	*	*	*	19	39	28	50	39	71	63	67	74	48	33	10	*	0
総数注2	都道府県	山梨	7007	3	3	2	7	9	34	54	87	162	257	285	398	616	1110	1041	1036	888	616	301	83	15	0
	医療圏	中北	3791	*	*	*	*	*	25	31	57	97	149	161	203	330	603	563	573	457	316	160	41	*	0
		峡東	1234	*	0	*	0	*	*	*	12	27	44	55	82	103	183	192	159	168	119	54	18	*	0
		峡南	501	0	0	0	0	0	0	*	*	*	15	16	26	42	77	73	82	64	54	27	*	0	0
		富士・東部	1481	0	0	0	*	*	*	13	13	29	49	53	87	141	247	213	222	199	127	60	17	*	0
	保健所	峡南	501	0	0	0	0	0	0	*	*	*	15	16	26	42	77	73	82	64	54	27	*	0	0
		中北	3791	*	*	*	*	*	25	31	57	97	149	161	203	330	603	563	573	457	316	160	41	*	0
		峡東	1234	*	0	*	0	*	*	*	12	27	44	55	82	103	183	192	159	168	119	54	18	*	0
		富士・東部	1481	0	0	0	*	*	*	13	13	29	49	53	87	141	247	213	222	199	127	60	17	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

山梨県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C96 000-D47	4,138	3,080	7,218	100.0	100.0	100.0	1,026.8	731.6	876.0	486.5	412.4	440.3	346.4	316.0	325.5	41.8	33.8	37.5
全部位	000-C96	3,701	2,557	6,258	89.4	83.0	86.7	918.4	607.4	759.5	429.7	310.4	362.5	305.1	233.7	264.9	36.9	26.0	31.2
口唇	000	0	2	2	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	2	1	3	0.0	0.0	0.0	0.5	0.2	0.4	0.4	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0
その他および部位不明の舌	002	11	14	25	0.3	0.5	0.3	2.7	3.3	3.0	1.9	1.7	1.8	1.5	1.2	1.4	0.2	0.1	0.2
歯肉	003	5	9	14	0.1	0.3	0.2	1.2	2.1	1.7	0.5	1.0	0.8	0.4	0.7	0.6	0.1	0.1	0.1
口腔底	004	1	3	4	0.0	0.1	0.1	0.2	0.7	0.5	0.2	0.3	0.3	0.1	0.2	0.2	0.0	0.0	0.0
口蓋	005	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	2	4	6	0.0	0.1	0.1	0.5	1.0	0.7	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
耳下腺	007	3	1	4	0.1	0.0	0.1	0.7	0.2	0.5	0.4	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	0	4	4	0.0	0.1	0.1	0.0	1.0	0.5	0.0	0.4	0.2	0.0	0.3	0.1	0.0	0.0	0.0
扁桃	009	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
中咽頭	C10	5	3	8	0.1	0.1	0.1	1.2	0.7	1.0	0.5	0.5	0.5	0.3	0.4	0.3	0.1	0.0	0.1
鼻<上>咽頭	C11	7	0	7	0.2	0.0	0.1	1.7	0.0	0.8	1.7	0.0	0.9	1.6	0.0	0.8	0.1	0.0	0.1
梨状陥凹<洞>	C12	14	0	14	0.3	0.0	0.2	3.5	0.0	1.7	2.1	0.0	1.1	1.7	0.0	0.8	0.2	0.0	0.1
下咽頭	C13	15	2	17	0.4	0.1	0.2	3.7	0.5	2.1	1.6	0.4	1.0	1.1	0.3	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	133	29	162	3.2	0.9	2.2	33.0	6.9	19.7	15.7	3.5	9.3	11.3	2.5	6.7	1.5	0.3	0.9
胃	C16	495	226	721	12.0	7.3	10.0	122.8	53.7	87.5	55.0	20.4	36.5	38.3	14.3	25.6	4.6	1.6	3.1
小腸	C17	13	15	28	0.3	0.5	0.4	3.2	3.6	3.4	1.3	1.2	1.2	0.9	0.8	0.8	0.1	0.1	0.1
結腸	C18	349	266	615	8.4	8.6	8.5	86.6	63.2	74.6	39.3	25.3	31.8	27.9	18.1	22.7	3.4	2.1	2.7
直腸S状結腸移行部	C19	51	19	70	1.2	0.6	1.0	12.7	4.5	8.5	7.1	2.9	4.9	5.4	2.2	3.8	0.7	0.2	0.5
直腸	C20	182	101	283	4.4	3.3	3.9	45.2	24.0	34.3	23.7	8.8	16.1	17.2	6.2	11.6	2.0	0.7	1.3
肛門および肛門管	C21	3	3	6	0.1	0.1	0.1	0.7	0.7	0.7	0.4	0.3	0.4	0.3	0.2	0.3	0.0	0.1	0.0
肝および肝内胆管	C22	228	109	337	5.5	3.5	4.7	56.6	25.9	40.9	24.0	7.7	15.3	16.3	5.3	10.5	2.0	0.6	1.3
胆のう	C23	24	28	52	0.6	0.9	0.7	6.0	6.7	6.3	2.6	1.8	2.2	1.8	1.2	1.5	0.2	0.1	0.2
その他および部位不明の胆道	C24	61	36	97	1.5	1.2	1.3	15.1	8.6	11.8	6.8	1.6	4.1	4.6	1.0	2.7	0.5	0.1	0.3
膵臓	C25	141	130	271	3.4	4.2	3.8	35.0	30.9	32.9	16.4	10.1	13.2	11.9	7.0	9.4	1.5	0.8	1.2
その他および部位不明の消化器	C26	3	2	5	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
鼻腔および中耳	C30	3	1	4	0.1	0.0	0.1	0.7	0.2	0.5	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
副鼻腔	C31	7	2	9	0.2	0.1	0.1	1.7	0.5	1.1	1.0	0.0	0.5	0.7	0.0	0.4	0.1	0.0	0.0
喉頭	C32	21	1	22	0.5	0.0	0.3	5.2	0.2	2.7	2.3	0.1	1.1	1.5	0.0	0.7	0.1	0.0	0.1
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	524	235	759	12.7	7.6	10.5	130.0	55.8	92.1	56.8	24.5	39.3	38.9	17.3	27.3	4.8	2.2	3.5
胸腺	C37	3	2	5	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0
心臓、縦隔および胸膜	C38	4	5	9	0.1	0.2	0.1	1.0	1.2	1.1	0.4	1.2	0.8	0.3	1.3	0.8	0.0	0.1	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	2	6	8	0.0	0.2	0.1	0.5	1.4	1.0	0.4	1.4	0.9	0.4	1.5	0.9	0.0	0.1	0.1
皮膚の悪性黒色腫	C43	8	6	14	0.2	0.2	0.2	2.0	1.4	1.7	1.2	1.4	1.3	1.0	1.1	1.0	0.1	0.1	0.1
皮膚のその他	C44	80	46	126	1.9	1.5	1.7	19.9	10.9	15.3	8.4	3.6	5.8	5.8	2.4	4.0	0.6	0.2	0.4
中皮腫	C45	14	1	15	0.3	0.0	0.2	3.5	0.2	1.8	1.6	0.1	0.8	1.1	0.1	0.5	0.1	0.0	0.1
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	4	5	9	0.1	0.2	0.1	1.0	1.2	1.1	0.6	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.1
その他の結合組織および軟部組織	C49	14	10	24	0.3	0.3	0.3	3.5	2.4	2.9	2.0	1.3	1.6	1.6	1.0	1.3	0.2	0.1	0.1
乳房	C50	3	588	591	0.1	19.1	8.2	0.7	139.7	71.7	0.4	92.2	46.5	0.3	71.2	35.8	0.0	7.9	4.0
外陰	C51	-	5	5	-	0.2	0.1	-	1.2	-	-	0.2	-	-	0.1	-	-	0.0	-
陰	C52	-	2	2	-	0.1	0.0	-	0.5	-	-	0.2	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	57	57	-	1.9	0.8	-	13.5	-	-	10.1	-	-	7.8	-	-	0.8	-
子宮体部	C54	-	120	120	-	3.9	1.7	-	28.5	-	-	20.1	-	-	15.6	-	-	1.8	-
子宮部位不明	C55	-	4	4	-	0.1	0.1	-	1.0	-	-	0.2	-	-	0.1	-	-	0.0	-
卵巣	C56	-	71	71	-	2.3	1.0	-	16.9	-	-	12.6	-	-	10.0	-	-	1.1	-
その他および部位不明の女性性器	C57	-	3	3	-	0.1	0.0	-	0.7	-	-	0.6	-	-	0.5	-	-	0.1	-
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	5	-	5	0.1	-	0.1	1.2	-	-	0.4	-	-	0.3	-	-	0.0	-	-
前立腺	C61	690	-	690	16.7	-	9.6	171.2	-	-	74.0	-	-	50.6	-	-	6.9	-	-
精巣	C62	14	-	14	0.3	-	0.2	3.5	-	-	4.1	-	-	3.6	-	-	0.3	-	-
その他および部位不明の男性性器	C63	2	-	2	0.0	-	0.0	0.5	-	-	0.3	-	-	0.2	-	-	0.0	-	-
腎盂を除く腎	C64	104	44	148	2.5	1.4	2.1	25.8	10.5	18.0	14.4	5.9	10.0	10.6	4.6	7.5	1.3	0.5	0.9
腎盂	C65	14	14	28	0.3	0.5	0.4	3.5	3.3	3.4	1.5	0.9	1.2	1.0	0.6	0.8	0.1	0.1	0.1
尿管	C66	16	9	25	0.4	0.3	0.3	4.0	2.1	3.0	1.9	0.7	1.3	1.3	0.4	0.9	0.1	0.1	0.1
膀胱	C67	129	36	165	3.1	1.2	2.3	32.0	8.6	20.0	13.5	2.8	7.7	9.5	2.0	5.5	1.1	0.2	0.6
その他および部位不明の泌尿器	C68	0	2	2	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.0
眼および付属器	C69	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.5	0.2	0.0	0.8	0.4	0.0	0.0	0.0
髄膜	C70	3	1	4	0.1	0.0	0.1	0.7	0.2	0.5	0.5	0.1	0.3	0.3	0.				

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

山梨県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	345	404	749	8.3	13.1	10.4	85.6	96.0	90.9	43.7	83.3	62.1	31.4	66.6	47.9	3.8	6.3	5.0
口腔、食道および胃	D00	18	6	24	0.4	0.2	0.3	4.5	1.4	2.9	2.3	0.6	1.4	1.6	0.4	1.0	0.2	0.1	0.1
食道	D001	13	6	19	0.3	0.2	0.3	3.2	1.4	2.3	1.7	0.6	1.1	1.2	0.4	0.8	0.1	0.1	0.1
その他および部位不明の消化器	D01	162	96	258	3.9	3.1	3.6	40.2	22.8	31.3	22.7	12.6	17.5	16.7	9.3	12.9	2.1	1.1	1.6
結腸	D010	101	49	150	2.4	1.6	2.1	25.1	11.6	18.2	14.4	6.0	10.1	10.7	4.4	7.5	1.3	0.6	0.9
直腸S状結腸移行部	D011	6	8	14	0.1	0.3	0.2	1.5	1.9	1.7	0.7	1.3	1.0	0.5	1.0	0.8	0.1	0.1	0.1
直腸	D012	38	20	58	0.9	0.6	0.8	9.4	4.8	7.0	5.3	2.8	4.0	3.9	2.1	3.0	0.5	0.3	0.4
中耳および呼吸器系	D02	2	2	4	0.0	0.1	0.1	0.5	0.5	0.5	0.2	0.5	0.3	0.1	0.3	0.2	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	4	4	0.0	0.1	0.1	0.0	1.0	0.5	0.0	0.8	0.4	0.0	0.8	0.4	0.0	0.1	0.0
皮膚のその他	D04	15	16	31	0.4	0.5	0.4	3.7	3.8	3.8	1.6	1.3	1.5	1.1	0.9	1.0	0.1	0.1	0.1
乳房	D05	3	95	98	0.1	3.1	1.4	0.7	22.6	11.9	0.4	18.5	9.4	0.3	14.6	7.4	0.0	1.5	0.8
子宮頸部	D06	-	147	147	-	4.8	2.0	-	34.9	-	-	45.3	-	-	37.8	-	-	3.1	-
その他および部位不明の性器	D07	2	3	5	0.0	0.1	0.1	0.5	0.7	0.6	0.2	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
その他および部位不明	D09	143	35	178	3.5	1.1	2.5	35.5	8.3	21.6	16.3	3.1	9.3	11.5	2.1	6.6	1.3	0.2	0.8
膀胱	D090	129	31	160	3.1	1.0	2.2	32.0	7.4	19.4	14.8	2.8	8.5	10.4	2.0	6.0	1.2	0.2	0.7
良性腫瘍	D32-D35	34	70	104	0.8	2.3	1.4	8.4	16.6	12.6	5.2	12.1	8.6	3.8	10.2	7.0	0.4	1.0	0.7
髄膜	D32	16	44	60	0.4	1.4	0.8	4.0	10.5	7.3	1.8	5.9	3.8	1.2	4.4	2.8	0.1	0.6	0.3
脳および中枢神経系	D33	7	12	19	0.2	0.4	0.3	1.7	2.9	2.3	1.4	2.5	1.9	1.0	2.2	1.6	0.1	0.2	0.1
下垂体	D352	11	14	25	0.3	0.5	0.3	2.7	3.3	3.0	2.0	3.8	2.8	1.6	3.6	2.5	0.2	0.3	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	54	42	96	1.3	1.4	1.3	13.4	10.0	11.7	7.2	5.2	6.1	5.6	4.4	5.0	0.6	0.4	0.5
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	6	11	17	0.1	0.4	0.2	1.5	2.6	2.1	1.1	1.6	1.4	1.0	1.7	1.4	0.1	0.1	0.1
下垂体	D443	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.4	0.2	0.0	0.5	0.3	0.0	0.0	0.0
頭蓋咽頭管	D444	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D46	6	6	12	0.1	0.2	0.2	1.5	1.4	1.5	0.9	0.6	0.8	0.7	0.4	0.6	0.1	0.0	0.1
骨髄異形成症候群	D46	30	9	39	0.7	0.3	0.5	7.4	2.1	4.7	3.5	0.8	2.1	2.6	0.6	1.5	0.3	0.0	0.2
慢性骨髄増殖性疾患	D471	5	4	9	0.1	0.1	0.1	1.2	1.0	1.1	1.0	0.6	0.8	0.9	0.4	0.6	0.1	0.0	0.1
本態性（出血性）血小板血症	D473	5	10	15	0.1	0.3	0.2	1.2	2.4	1.8	0.5	1.1	0.8	0.3	0.7	0.5	0.0	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

山梨県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口					
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 000-D47	1,478	1,065	2,543	100.0	100.0	100.0	371.4	257.2	313.2	142.8	83.1	108.8	97.1	60.0	75.9	10.3	6.1	8.1
全部位	000-C97	1,432	1,020	2,452	96.9	95.8	96.4	359.8	246.4	302.0	138.6	80.6	105.5	94.3	58.2	73.7	10.0	6.0	7.9
口唇	000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
舌根<基底>部	001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の舌	002	9	4	13	0.6	0.4	0.5	2.3	1.0	1.6	1.4	0.5	0.9	1.1	0.4	0.7	0.1	0.1	0.1
歯肉	003	-	5	5	-	0.5	0.2	-	1.2	0.6	-	0.6	0.3	-	0.4	0.2	-	0.0	0.0
口腔底	004	1	-	1	0.1	-	0.0	0.3	-	0.1	0.1	-	0.1	0.1	-	0.0	0.0	-	0.0
口蓋	005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の口腔	006	3	4	7	0.2	0.4	0.3	0.8	1.0	0.9	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
耳下腺	007	1	-	1	0.1	-	0.0	0.3	-	0.1	0.2	-	0.1	0.2	-	0.1	0.0	-	0.0
その他および部位不明の大唾液腺	008	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
扁桃	009	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
中咽頭	010	5	-	5	0.3	-	0.2	1.3	-	0.6	0.6	-	0.3	0.4	-	0.2	0.1	-	0.0
鼻<上>咽頭	011	1	-	1	0.1	-	0.0	0.3	-	0.1	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0
梨状陥凹<洞>	012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
下咽頭	013	14	1	15	0.9	0.1	0.6	3.5	0.2	1.8	1.5	0.0	0.7	1.0	0.0	0.5	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	2	-	2	0.1	-	0.1	0.5	-	0.2	0.2	-	0.1	0.1	-	0.1	0.0	-	0.0
食道	015	57	11	68	3.9	1.0	2.7	14.3	2.7	8.4	5.5	1.0	3.0	3.8	0.8	2.1	0.5	0.1	0.3
胃	016	181	106	287	12.2	10.0	11.3	45.5	25.6	35.3	17.2	7.9	12.0	11.7	5.7	8.3	1.2	0.5	0.8
小腸	017	8	5	13	0.5	0.5	0.5	2.0	1.2	1.6	0.7	0.1	0.4	0.4	0.1	0.2	0.0	0.0	0.0
結腸	018	120	117	237	8.1	11.0	9.3	30.2	28.3	29.2	11.5	7.1	9.1	7.9	4.7	6.2	0.8	0.4	0.6
直腸S状結腸移行部	019	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸	020	63	43	106	4.3	4.0	4.2	15.8	10.4	13.1	6.9	4.2	5.4	4.7	3.2	3.8	0.6	0.4	0.5
肛門および肛門管	021	1	2	3	0.1	0.2	0.1	0.3	0.5	0.4	0.1	0.4	0.2	0.0	0.3	0.2	0.0	0.0	0.0
肝および肝内胆管	022	148	80	228	10.0	7.5	9.0	37.2	19.3	28.1	14.6	4.7	9.2	9.9	3.0	6.2	1.2	0.3	0.7
胆のう	023	15	27	42	1.0	2.5	1.7	3.8	6.5	5.2	1.1	1.9	1.5	0.7	1.3	1.0	0.1	0.2	0.1
その他および部位不明の胆道	024	51	52	103	3.5	4.9	4.1	12.8	12.6	12.7	4.4	2.8	3.5	2.7	1.8	2.2	0.3	0.1	0.2
膵臓	025	113	110	223	7.6	10.3	8.8	28.4	26.6	27.5	11.4	7.0	9.1	7.7	4.8	6.2	0.8	0.5	0.7
その他および部位不明の消化器	026	2	4	6	0.1	0.4	0.2	0.5	1.0	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
鼻腔および中耳	030	1	-	1	0.1	-	0.0	0.3	-	0.1	0.2	-	0.1	0.2	-	0.1	0.0	-	0.0
副鼻腔	031	6	4	10	0.4	0.4	0.4	1.5	1.0	1.2	0.7	0.2	0.5	0.5	0.1	0.3	0.1	0.0	0.1
喉頭	032	3	1	4	0.2	0.1	0.2	0.8	0.2	0.5	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
気管	033	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.2	0.1	-	0.1	0.1	-	0.0	0.0
気管支および肺	034	293	120	413	19.8	11.3	16.2	73.6	29.0	50.9	27.7	8.0	16.8	18.6	5.6	11.4	2.0	0.6	1.3
胸腺	037	1	-	1	0.1	-	0.0	0.3	-	0.1	0.1	-	0.1	0.1	-	0.0	0.0	-	0.0
心臓、縦隔および胸腺	038	3	1	4	0.2	0.1	0.2	0.8	0.2	0.5	0.6	0.1	0.4	0.5	0.0	0.3	0.1	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(四) 肢の骨および関節軟骨	040	1	-	1	0.1	-	0.0	0.3	-	0.1	0.4	-	0.2	0.4	-	0.2	0.0	-	0.0
その他および部位不明の骨および関節軟骨	041	1	-	1	0.1	-	0.0	0.3	-	0.1	0.5	-	0.2	0.8	-	0.4	0.0	-	0.0
皮膚の悪性黒色腫	043	5	3	8	0.3	0.3	0.3	1.3	0.7	1.0	0.7	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.0
皮膚のその他	044	2	2	4	0.1	0.2	0.2	0.5	0.5	0.5	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
中皮腫	045	12	2	14	0.8	0.2	0.6	3.0	0.5	1.7	1.3	0.2	0.7	1.0	0.1	0.5	0.1	0.0	0.1
カボジ肉腫	046	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
末梢神経および自律神経系の悪性新生物	047	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.2	0.1	-	0.2	0.1	-	0.0	0.0
後腹膜および腹膜	048	1	4	5	0.1	0.4	0.2	0.3	1.0	0.6	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.1	0.0
その他の結合組織および軟部組織	049	3	5	8	0.2	0.5	0.3	0.8	1.2	1.0	0.3	0.5	0.4	0.2	0.7	0.4	0.0	0.0	0.0
乳房	050	-	88	88	-	8.3	3.5	-	21.3	10.8	-	10.6	5.4	-	8.1	4.1	-	0.9	0.5
外陰	051	-	1	1	-	0.1	0.0	-	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-
陰	052	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	053	-	17	17	-	1.6	0.7	-	4.1	-	-	2.4	-	-	1.9	-	-	0.2	-
子宮体部	054	-	18	18	-	1.7	0.7	-	4.3	-	-	2.6	-	-	2.1	-	-	0.2	-
子宮部位不明	055	-	8	8	-	0.8	0.3	-	1.9	-	-	1.1	-	-	0.8	-	-	0.1	-
卵巣	056	-	22	22	-	2.1	0.9	-	5.3	-	-	3.4	-	-	2.6	-	-	0.3	-
その他および部位不明の女性性器	057	-	3	3	-	0.3	0.1	-	0.7	-	-	0.2	-	-	0.1	-	-	0.0	-
胎盤	058	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
陰茎	060	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
前立腺	061	84	-	84	5.7	-	3.3	21.1	-	-	6.2	-	-	4.0	-	-	0.3	-	-
精巣	062	1	-	1	0.1	-	0.0	0.3	-	-	0.3	-	-	0.2	-	-	0.0	-	-
その他および部位不明の男性性器	063	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
腎盂を除く腎	064	17	8	25	1.2	0.8	1.0	4.3	1.9	3.1	1.9	0.4	1.1	1.3	0.2	0.7	0.1	0.0	0.1
腎盂	065	10	9	19	0.7	0.8	0.7	2.5	2.2	2.3	0.7	0.5	0.6	0.5	0.4	0.4	0.0	0.0	0.0
尿管	066	8	3	11	0.5	0.3	0.4	2.0	0.7	1.4	0.7	0.1	0.4	0.4	0.1	0.2	0.1	0.0	0.0
膀胱	067	46	15	61	3.1	1.4	2.4	11.6	3.6	7.5	3.6	0.6	1.9	2.3	0.4	1.2	0.1	0.0	0.1
その他および部位不明の泌尿器	068	1	-	1	0.1	-	0.0	0.3	-	0.1	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0
眼および付属器	069	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
髄膜	070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳	071	9	13	22	0.6	1.2	0.9	2.3	3.1	2.7	1.7	2.2	2.0	1.4	1.9	1.7	0.2	0.2	0.2
脊髄、脳神経および中枢神経系のその他の部位	072	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
甲状腺	073	5	10	15	0.3	0.9	0.6	1.3	2.4	1.8	0.4	0.8	0.6	0.2	0.6	0.4	0.0	0.1	0.0
副腎	074	1	1	2	0.1	0.1	0.1	0.3	0.2	0.2	0.1	0.4	0.2	0.0	0.6	0.3	0.0	0.0	0.0
その他の内分泌腺および関連組織	075	2	-	2	0.1	-	0.1	0.5	-	0.2	0.2	-	0.1	0.1	-	0.1	0.0	-	0.0

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

山梨県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
口腔、食道および胃	D00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
食道	D001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の消化器	D01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
結腸	D010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸S状結腸移行部	D011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸	D012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
中耳および呼吸器系	D02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管	D021	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	D022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
上皮内黒色腫	D03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
皮膚のその他	D04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
乳房	D05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の性器	D07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明	D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
膀胱	D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
良性腫瘍	D32-D35	1	-	1	0.1	-	0.0	0.3	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0
髄膜	D32	1	-	1	0.1	-	0.0	0.3	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0
脳および中枢神経系	D33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
下垂体	D352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
性状不詳	D42-D47	35	29	64	2.4	2.7	2.5	8.8	7.0	7.9	3.3	1.8	2.5	2.2	1.3	1.7	0.2	0.1	0.1
髄膜	D42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳および中枢神経系	D43	9	15	24	0.6	1.4	0.9	2.3	3.6	3.0	0.9	1.0	1.0	0.7	0.8	0.7	0.1	0.1	0.1
下垂体	D443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D444	1	-	1	0.1	-	0.0	0.3	-	0.1	0.1	-	0.1	0.1	-	0.0	0.0	-	0.0
松果体	D445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
真正赤血球増加症	D45	2	-	2	0.1	-	0.1	0.5	-	0.2	0.2	-	0.1	0.2	-	0.1	0.0	-	0.0
骨髄異形成症候群	D46	19	13	32	1.3	1.2	1.3	4.8	3.1	3.9	1.7	0.7	1.1	1.0	0.5	0.7	0.1	0.0	0.0
慢性骨髄増殖性疾患	D471	2	-	2	0.1	-	0.1	0.5	-	0.2	0.1	-	0.0	0.1	-	0.0	0.0	-	0.0
本態性(出血性)血小板血症	D473	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

山梨県

2017年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96	6,126	26.2	5.9	0.8	2.4	15.7	3.1	0.8	0.8	15.4	0.2	3.1	1.7	24.0
口腔・咽頭	C00-C14	112	21.4	0.9	0.0	1.8	8.9	32.1	0.0	3.6	0.9	0.0	9.8	0.0	20.5
食道	C15	158	7.0	24.1	1.3	4.4	8.9	13.9	0.0	0.0	19.0	0.0	4.4	0.6	16.5
胃	C16	709	27.4	24.5	2.1	0.0	5.8	0.0	0.4	0.0	14.1	0.0	0.0	0.8	24.8
大腸（結腸・直腸）	C18-C20	949	40.6	8.6	2.2	0.0	2.8	0.9	0.4	0.2	24.7	0.1	1.3	1.1	17.1
結腸	C18	602	44.9	8.6	2.0	0.0	2.0	0.2	0.3	0.2	24.8	0.2	0.2	1.2	15.6
直腸	C19-C20	347	33.1	8.6	2.6	0.0	4.3	2.3	0.6	0.3	24.5	0.0	3.2	0.9	19.6
肝および肝内胆管	C22	322	20.8	0.3	0.0	2.8	5.6	1.9	9.3	0.0	1.9	0.9	0.0	15.8	40.7
胆のう・胆管	C23-C24	144	22.2	1.4	0.7	0.0	14.6	0.0	0.0	0.0	11.8	0.7	0.0	4.9	43.8
膵臓	C25	261	11.5	0.0	0.0	0.8	27.2	0.4	1.1	0.0	17.6	0.0	0.0	2.3	39.1
喉頭	C32	22	9.1	0.0	0.0	31.8	0.0	27.3	0.0	18.2	0.0	0.0	4.5	0.0	9.1
肺	C33-C34	742	31.8	0.0	0.0	8.2	18.2	5.3	0.0	0.1	7.4	0.0	0.3	0.3	28.4
皮膚	C43-C44	140	82.9	0.0	0.0	0.7	2.1	0.7	0.0	0.0	1.4	1.4	0.7	0.7	9.3
乳房	C50	584	9.6	0.0	0.0	1.9	7.7	1.0	0.0	2.7	46.1	0.2	21.4	0.7	8.7
乳房（女性のみ）	C50	581	9.6	0.0	0.0	1.9	7.6	1.0	0.0	2.6	46.1	0.2	21.5	0.7	8.8
子宮	C53-C55	180	42.8	0.0	0.0	2.8	5.0	7.8	0.0	0.0	24.4	0.0	1.7	0.0	15.6
子宮頸部	C53	57	26.3	0.0	0.0	7.0	8.8	24.6	0.0	0.0	15.8	0.0	3.5	0.0	14.0
子宮体部	C54	119	52.1	0.0	0.0	0.8	3.4	0.0	0.0	0.0	29.4	0.0	0.8	0.0	13.4
卵巣	C56	68	25.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	47.1	0.0	0.0	0.0	16.2
前立腺	C61	674	14.8	0.1	0.0	3.4	49.7	3.9	0.1	0.1	1.6	0.0	0.1	0.6	25.4
膀胱	C67	163	3.1	36.8	4.9	0.0	0.6	0.6	0.0	1.8	25.2	2.5	2.5	0.0	22.1
腎・尿路（膀胱除く）	C64-C66 C68	196	59.2	0.5	0.5	1.0	4.1	0.0	0.5	0.0	7.1	0.0	0.0	0.5	26.5
脳・中枢神経系	C70-C72	41	9.8	0.0	0.0	2.4	0.0	9.8	0.0	4.9	4.9	0.0	34.1	7.3	26.8
甲状腺	C73	116	63.8	0.0	0.0	0.9	1.7	0.0	0.0	3.4	6.9	0.0	0.0	1.7	21.6
悪性リンパ腫	C81-C85 C96	217	2.8	0.0	0.0	2.3	53.0	4.6	0.5	0.0	5.5	0.0	0.9	0.5	30.0
多発性骨髄腫	C88-C90	51	0.0	0.0	0.0	2.0	54.9	3.9	0.0	0.0	0.0	0.0	0.0	0.0	39.2
白血病	C91-C95	78	0.0	0.0	0.0	0.0	53.8	2.6	3.8	0.0	0.0	0.0	0.0	5.1	34.6

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

山梨県

2017年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96 D00-D09	6,875	27.4	9.8	0.8	2.2	14.1	2.8	0.7	1.0	14.2	0.4	2.8	1.7	22.1
食道	C15 D001	177	6.2	29.4	1.1	4.5	7.9	12.4	0.0	0.6	16.9	0.0	4.0	0.6	16.4
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,171	34.8	22.9	2.4	0.0	2.3	0.8	0.3	0.2	20.0	0.1	1.0	0.9	14.4
結腸 *4	C18 D010	752	38.0	23.7	2.1	0.0	1.6	0.1	0.3	0.1	19.8	0.1	0.1	0.9	13.0
直腸 *4	C19-C20 D011-D012	419	28.9	21.5	2.9	0.0	3.6	1.9	0.5	0.2	20.3	0.0	2.6	0.7	16.9
肺	C33-C34 D021-D022	743	31.8	0.0	0.0	8.2	18.3	5.2	0.0	0.1	7.4	0.0	0.3	0.3	28.4
皮膚	C43-C44 D030-D049	175	82.9	0.0	0.0	0.6	1.7	0.6	0.0	0.0	1.1	1.1	0.6	2.9	8.6
乳房	C50 D05	682	16.1	0.0	0.0	2.2	6.7	0.9	0.0	5.1	40.9	0.1	19.1	0.6	8.2
乳房 (女性のみ)	C50 D05	676	15.8	0.0	0.0	2.2	6.7	0.9	0.0	5.0	41.1	0.1	19.2	0.6	8.3
子宮	C53-C55 D06	327	64.2	0.6	0.0	1.5	2.8	4.3	0.0	0.0	13.5	0.0	0.9	0.0	12.2
子宮頸部	C53 D06	204	72.5	1.0	0.0	2.0	2.5	6.9	0.0	0.0	4.4	0.0	1.0	0.0	9.8
膀胱	C67 D090	323	2.8	51.1	2.8	0.0	0.3	0.3	0.0	0.9	18.0	6.8	1.2	2.5	13.3

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

*4 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

山梨県 2017年

医療圏／保健所	全部位		胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺 C33-C34			乳房 C50			子宮	子宮頸部	子宮体部	前立腺	
	C00-C96		C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55	C53	C54	C61	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男
山梨県	3,701	2,557	6,258	495	226	721	582	386	968	349	266	615	233	120	353	228	109	337	524	235	759	3	588	591	181	57	120	690
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
中北	1,912	1,408	3,320	255	123	378	321	206	527	196	141	337	125	65	190	113	66	179	291	125	416	0	308	308	113	36	74	338
峡東	630	470	1,100	88	46	134	114	83	197	67	62	129	47	21	68	36	12	48	76	46	122	*	112	115	26	*	18	122
峡南	290	170	460	36	14	50	30	17	47	19	14	33	11	*	14	19	*	25	44	22	66	0	40	40	14	*	*	59
富士・東部	869	509	1,378	116	43	159	117	80	197	67	49	116	50	31	81	60	25	85	113	42	155	0	128	128	28	*	19	171
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
峡南	290	170	460	36	14	50	30	17	47	19	14	33	11	*	14	19	*	25	44	22	66	0	40	40	14	*	*	59
中北	1,912	1,408	3,320	255	123	378	321	206	527	196	141	337	125	65	190	113	66	179	291	125	416	0	308	308	113	36	74	338
峡東	630	470	1,100	88	46	134	114	83	197	67	62	129	47	21	68	36	12	48	76	46	122	*	112	115	26	*	18	122
富士・東部	869	509	1,378	116	43	159	117	80	197	67	49	116	50	31	81	60	25	85	113	42	155	0	128	128	28	*	19	171

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表4. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

山梨県

2017年

医療圏／保健所	全部位			大腸(直腸・結腸)*1			結腸 *1			直腸*1			肺 C33-C34			乳房 C50			子宮		子宮頸部			
	C00-C96		D00-D09	C18-C20		D010-D012	C18		D010	C19-C20		D011-D012	C33-C34		D021-D022	C50		D05	C53-C55		D06	C53		D06
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	女		
山梨県	4,046	2,961	7,007	727	463	1,190	450	315	765	277	148	425	524	236	760	6	683	689	328			204		
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
中北	2,117	1,674	3,791	405	258	663	253	175	428	152	83	235	291	125	416	*	367	369	220			143		
峡東	700	534	1,234	151	100	251	95	72	167	56	28	84	76	46	122	*	127	131	44			25		
峡南	309	192	501	38	19	57	26	16	42	12	*	15	44	23	67	0	44	44	24			15		
富士・東部	920	561	1,481	133	86	219	76	52	128	57	34	91	113	42	155	0	145	145	40			21		
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
峡南	309	192	501	38	19	57	26	16	42	12	*	15	44	23	67	0	44	44	24			15		
中北	2,117	1,674	3,791	405	258	663	253	175	428	152	83	235	291	125	416	*	367	369	220			143		
峡東	700	534	1,234	151	100	251	95	72	167	56	28	84	76	46	122	*	127	131	44			25		
富士・東部	920	561	1,481	133	86	219	76	52	128	57	34	91	113	42	155	0	145	145	40			21		

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

市区町村	山梨県																											2017年	
	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮		子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55		C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
山梨県	3,701	2,557	6,258	495	226	721	582	386	968	349	266	615	233	120	353	228	109	337	524	235	759	3	588	591	181	57	120	690	
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
甲府市	818	654	1,472	114	64	178	152	105	257	88	70	158	64	35	99	56	25	81	130	56	186	0	139	139	46	16	29	122	
富士吉田市	241	144	385	31	14	45	37	21	58	22	15	37	15	*	21	18	*	22	33	12	45	0	33	33	12	*	*	47	
都留市	114	70	184	11	*	15	12	12	24	*	*	11	*	*	13	12	*	18	19	*	25	0	15	15	*	*	*	25	
山梨市	177	118	295	29	13	42	28	25	53	17	21	38	11	*	15	11	*	13	17	14	31	*	29	30	*	0	*	41	
大月市	154	80	234	21	*	25	20	18	38	13	*	22	*	*	16	*	*	14	24	*	29	0	19	19	*	*	*	30	
韭崎市	94	75	169	13	*	16	12	16	28	*	13	19	*	*	*	*	*	10	16	*	20	0	16	16	10	*	*	11	
南アルプス市	305	211	516	37	11	48	47	23	70	31	13	44	16	10	26	15	13	28	46	25	71	0	43	43	21	*	15	65	
北杜市	234	148	382	37	19	56	30	18	48	20	12	32	10	*	16	*	*	16	28	13	41	0	28	28	12	*	*	65	
甲斐市	304	203	507	36	16	52	56	28	84	36	22	58	20	*	26	17	14	31	47	16	63	0	53	53	14	*	11	53	
笛吹市	297	236	533	38	19	57	58	37	95	36	25	61	22	12	34	17	*	22	38	24	62	*	66	68	13	*	*	49	
上野原市	128	64	192	20	*	27	22	*	30	15	*	21	*	*	*	*	*	*	13	*	16	0	22	22	*	*	*	23	
甲州市	156	116	272	21	14	35	28	21	49	14	16	30	14	*	19	*	*	13	21	*	29	0	17	17	*	*	*	32	
中央市	111	77	188	13	10	23	18	10	28	12	*	18	*	*	10	*	*	*	16	*	23	0	13	13	*	*	*	12	
市川三郷町	75	57	132	*	*	11	10	*	15	*	*	11	*	0	*	*	*	*	14	10	24	0	16	16	*	*	*	13	
早川町	12	*	18	0	*	*	*	0	*	*	0	*	0	0	0	*	*	*	*	*	*	0	0	0	0	0	0	*	
身延町	79	56	135	14	*	19	*	*	15	*	*	12	*	0	*	*	*	*	10	*	15	0	12	12	*	*	*	14	
南部町	46	17	63	*	*	*	*	*	*	*	0	*	*	*	*	*	0	*	*	*	*	0	*	*	*	*	*	*	14
富士川町	78	34	112	*	*	11	*	*	10	*	*	*	0	*	*	*	0	*	14	*	19	0	10	10	*	*	*	17	
昭和町	46	40	86	*	0	*	*	*	12	*	*	*	*	*	*	*	*	*	*	*	12	0	16	16	*	0	*	10	
道志村	*	*	16	*	0	*	0	*	*	0	*	*	0	*	*	0	0	0	*	*	*	0	*	*	0	0	0	*	
西桂町	28	16	44	*	*	*	*	*	*	0	*	*	*	0	*	*	*	*	*	*	*	0	*	*	*	0	0	*	*
忍野村	35	14	49	*	*	*	*	*	11	*	*	*	*	*	*	0	*	*	*	*	*	0	*	*	0	0	0	*	
山中湖村	28	18	46	*	*	*	*	*	*	*	*	*	*	0	*	*	*	*	*	*	*	0	*	*	*	0	0	*	*
鳴沢村	17	17	34	*	*	*	*	*	*	0	*	*	*	0	*	*	0	*	*	*	*	0	*	*	0	0	0	*	*
富士河口湖町	109	71	180	23	*	28	*	12	21	*	*	11	*	*	10	*	*	12	*	*	16	0	18	18	*	0	*	26	
小菅村	*	*	*	0	*	*	0	0	0	0	0	0	0	0	0	*	0	*	*	0	*	0	0	0	0	0	0	*	
丹波山村	*	*	*	0	0	0	0	*	*	0	*	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

総数は年齢不詳を含む男女および性別不詳の合計
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

市区町村	山梨県																			2017年
	全部位			大腸(直腸・結腸) *1			結腸 *1			直腸 *1			肺			乳房			子宮	子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-012			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	
山梨県	4,046	2,961	7,007	727	463	1,190	450	315	765	277	148	425	524	236	760	6	683	689	328	204
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
甲府市	907	765	1,672	192	130	322	118	86	204	74	44	118	130	56	186	*	166	167	87	57
富士吉田市	258	158	416	41	22	63	24	15	39	17	*	24	33	12	45	0	39	39	15	*
都留市	120	70	190	13	12	25	*	*	11	*	*	14	19	*	25	0	15	15	*	*
山梨市	195	137	332	40	29	69	24	23	47	16	*	22	17	14	31	*	34	35	*	*
大月市	165	88	253	23	19	42	15	*	24	*	10	18	24	*	29	0	22	22	*	*
韮崎市	105	88	193	15	20	35	*	16	23	*	*	12	16	*	20	0	20	20	13	*
南アルプス市	336	257	593	60	30	90	38	17	55	22	13	35	46	25	71	0	54	54	40	24
北杜市	255	170	425	36	21	57	24	14	38	12	*	19	28	13	41	0	32	32	22	14
甲斐市	338	258	596	73	37	110	47	29	76	26	*	34	47	16	63	*	65	66	38	27
笛吹市	329	271	600	72	47	119	47	31	78	25	16	41	38	24	62	*	74	77	23	14
上野原市	134	82	216	26	10	36	17	*	25	*	*	11	13	*	16	0	27	27	*	*
甲州市	176	126	302	39	24	63	24	18	42	15	*	21	21	*	29	0	19	19	12	*
中央市	124	89	213	23	14	37	16	*	24	*	*	13	16	*	23	0	13	13	13	*
市川三郷町	80	64	144	14	*	19	*	*	14	*	0	*	14	11	25	0	18	18	*	*
早川町	13	*	19	*	0	*	*	0	*	0	0	0	*	*	*	0	0	0	0	0
身延町	82	60	142	*	*	17	*	*	14	*	0	*	10	*	15	0	12	12	*	*
南部町	54	20	74	*	*	*	*	*	*	*	*	*	*	*	*	0	*	*	*	*
富士川町	80	42	122	*	*	11	*	*	*	0	*	*	14	*	19	0	11	11	10	*
昭和町	52	47	99	*	*	12	*	*	*	*	*	*	*	*	12	0	17	17	*	*
道志村	10	*	18	*	*	*	0	*	*	*	*	*	*	*	*	0	*	*	0	0
西桂町	28	17	45	*	*	*	0	*	*	*	*	*	*	*	*	0	*	*	*	0
忍野村	36	15	51	*	*	11	*	*	*	*	*	*	*	*	*	0	*	*	0	0
山中湖村	28	18	46	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	*	0
鳴沢村	19	17	36	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	0	0
富士河口湖町	114	81	195	11	13	24	*	*	14	*	*	10	*	*	16	0	21	21	*	*
小菅村	*	*	*	0	0	0	0	0	0	0	0	0	*	0	*	0	0	0	0	0
丹波山村	*	*	*	0	*	*	0	*	*	0	0	0	0	0	0	0	0	0	0	0

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)