

公共用水域水質測定結果表

水域 富士川

調査担当機関 山梨県

| 地点名(地点統一番号) | | | 国 界 橋 (001-51) | | | | | | | | | | | |
|-------------|---------|-------------------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | | [AA-I] | | | | | | | | | | | |
| 区分 | 月 日 | | 4/20 | 4/20 | 5/ 9 | 5/ 9 | 6/16 | 6/16 | 7/ 4 | 7/ 4 | 8/ 8 | 8/ 8 | 9/ 5 | 9/ 5 |
| | 採取時刻 | | 11:50 | 12:53 | 11:55 | 13:00 | 12:00 | 13:00 | 11:35 | 12:45 | 12:10 | 13:10 | 11:45 | 12:45 |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 | 曇 | 晴 | 晴 | 晴 | 小雨 | 小雨 |
| | 気 温 | ℃ | 22.2 | 23.1 | 17.3 | 17.5 | 23.8 | 24.0 | 23.3 | 25.5 | 28.0 | 28.5 | 20.0 | 21.0 |
| | 水 温 | ℃ | 13.0 | 14.0 | 14.1 | 15.0 | 18.0 | 18.0 | 14.5 | 14.8 | 22.0 | 22.1 | 17.5 | 18.0 |
| | 外 観 | - | 180 | 180 | 180 | 231 | 231 | 231 | 081 | 081 | 001 | 001 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | | | | | | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | 26.6 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| 健康項目 | 沼 透 明 度 | m | | | | | | | | | | | | |
| | カドミウム | mg/l | | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | シアン | mg/l | | | N.D. | | | | N.D. | | | | N.D. | |
| | 有機燐 | mg/l | | | | | | | | | | | | |
| | 鉛 | mg/l | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| | クロム(6価) | mg/l | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| | 砒素 | mg/l | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| | 総水銀 | mg/l | | | <.0005 | | | | <.0005 | | | | <.0005 | |
| | アキ水銀 | mg/l | | | | | | | | | | | | |
| | P C B | mg/l | | | | | | | | | | | | |
| 生活環境項目 | P H | - | 7.8 | 8.2 | 8.1 | 8.2 | 8.6 | 8.6 | 8.0 | 7.9 | 8.4 | 8.4 | 8.2 | 8.3 |
| | D O | mg/l | 9.1 | 8.8 | 9.3 | 9.1 | 8.5 | 8.5 | 9.0 | 10.6 | 8.5 | 8.1 | 8.0 | 8.3 |
| | B O D | mg/l | 0.9 | 0.5 | 1.2 | 0.7 | 0.8 | 1.0 | 0.6 | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| | C O D | mg/l | 2.0 | 2.0 | 2.8 | 2.6 | 2.2 | 2.4 | 4.0 | 3.4 | 1.3 | 1.4 | 1.6 | 1.4 |
| | S S | mg/l | 9 | 7 | 9 | 24 | 3 | 3 | 5 | 3 | 6 | 2 | 3 | 2 |
| | 大腸菌群数 | MPN/100ml | 2.2E04 | 2.2E04 | 3.3E02 | 3.3E02 | 9.2E03 | 9.2E03 | 1.6E04 | 1.6E04 | 3.3E03 | 3.3E03 | 3.3E03 | 3.3E03 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全 燐 | mg/l | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | mg/l | | | | | | | | | | | |
| 銅 | | mg/l | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| 亜鉛 | | mg/l | | | <0.01 | | | | <0.01 | | | | 0.01 | |
| 鉄(溶解性) | | mg/l | | | 0.1 | | | | <0.1 | | | | <0.1 | |
| マンガン(溶解性) | | mg/l | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| クロム | | mg/l | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| フッ素 | | mg/l | | | <0.15 | | | | <0.15 | | | | <0.15 | |
| アセチル性窒素 | | mg/l | | | | | | | | | | | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 項目 | 磷酸態燐 | mg/l | | | | | | | | | | | | |
| | A B S | mg/l | | | 0.02 | | | | <0.02 | | | | <0.02 | |
| | 導電率 | μS/cm | 152 | 151 | 163 | 159 | 164 | 165 | 156 | 159 | 183 | 185 | 180 | 184 |
| | 濁 度 | mg/l | <5 | | 5 | | <5 | | <5 | | <5 | | <5 | |
| | 塩素イオン | mg/l | 4.6 | | 5.0 | | 5.5 | | 3.6 | | 3.7 | | 3.9 | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 山梨県

| 地点名(地点統一番号) | | 国 界 橋 (001-51) | | | | | | | | | | | | | |
|-------------|-----------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| [類型名] | | [AAイ] | | | | | | | | | | | | | |
| 区分 | 測定項目 | 月 日 | 10/ 3 | 10/ 3 | 11/ 7 | 11/ 7 | 12/ 5 | 12/ 5 | 1/ 9 | 1/ 9 | 2/ 6 | 2/ 6 | 3/27 | 3/27 | |
| | | 採取時刻 | 13:00 | 13:20 | 12:15 | 13:15 | 11:40 | 12:45 | 12:15 | 13:05 | 12:07 | 12:45 | 11:58 | 12:48 | |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 | 曇 | 晴 | 晴 | 小雨 | 曇 | |
| | 気 温 | ℃ | 20.4 | 20.5 | 12.5 | 13.0 | 9.0 | 8.0 | 8.0 | 7.1 | 3.2 | 3.2 | 8.2 | 8.0 | |
| | 水 温 | ℃ | 15.1 | 15.1 | 9.8 | 9.9 | 7.9 | 8.0 | 6.1 | 6.1 | 3.5 | 4.0 | 7.0 | 7.1 | |
| | 外 観 | - | 060 | 060 | 001 | 001 | 001 | 001 | 001 | 001 | 180 | 180 | 050 | 050 | |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | |
| | 河 流 量 | m ³ /S | | | | | | | | | | | | | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 22.8 | >30.0 | >30.0 |
| | 採 取 水 深 | m | | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | | |
| 沼 透 明 度 | m | | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/L | | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/L | | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/L | | | | | | | | | | | | | |
| | 鉛 | mg/L | | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/L | | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/L | | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/L | | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | メチル水銀 | mg/L | | | | | | | | | | | | | |
| | P C B | mg/L | | | | | | | | | | | | | |
| | P | mg/L | 8.0 | 8.1 | 8.6 | 8.6 | 9.1 | 9.3 | 8.0 | 8.3 | 7.9 | 8.1 | 9.0 | 8.9 | |
| 生活環境項目 | D O | mg/L | 8.6 | 9.2 | 9.7 | 9.9 | 10.3 | 10.2 | 9.7 | 10.8 | 11.9 | 11.7 | 9.8 | 9.8 | |
| | B O D | mg/L | <0.5 | <0.5 | 0.8 | 0.7 | 0.9 | 0.9 | 1.7 | 1.8 | <0.5 | <0.5 | 0.7 | 1.6 | |
| | C O D | mg/L | 1.4 | 1.4 | 1.3 | 1.3 | 1.8 | 1.8 | 2.8 | 2.8 | 1.8 | 3.3 | 1.4 | 2.0 | |
| | S S | mg/L | 8 | 8 | 1 | 2 | 2 | 2 | 6 | 7 | 18 | 25 | 5 | 5 | |
| | 大腸菌群数 | MPN/100mL | 1.6E04 | 1.6E04 | 7.9E02 | 7.9E02 | 2.4E03 | 1.7E03 | 3.3E03 | 3.3E03 | 2.4E03 | 2.4E03 | 4.9E02 | 4.9E02 | |
| 特殊項目 | n-Hex | mg/L | | | | | | | | | | | | | |
| | 全窒素 | mg/L | | | | | | | | | | | | | |
| | 全燐 | mg/L | | | | | | | | | | | | | |
| | フェノール類 | mg/L | | | | | | | | | | | | | |
| | 銅 | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 鉄(溶解性) | mg/L | | | <0.1 | | | | 0.1 | | | | <0.1 | | |
| | マンガン(溶解性) | mg/L | | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | mg/L | | | <0.15 | | | | <0.15 | | | | <0.15 | | |
| 特殊項目 | アモニア性窒素 | mg/L | | | | | | | | | | | | | |
| | 亜硝酸性窒素 | mg/L | | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/L | | | | | | | | | | | | | |
| | 磷酸態燐 | mg/L | | | | | | | | | | | | | |
| | A B S | mg/L | | | 0.03 | | | | <0.02 | | | | <0.02 | | |
| | 導電率 | μS/cm | 156 | 163 | 161 | 164 | 160 | 162 | 169 | 169 | 166 | 172 | 166 | 170 | |
| | 濁度 | mg/L | 6 | | <5 | | <5 | | 6 | | 13 | | 5 | | |
| 塩素イオン | mg/L | 3.4 | | 3.1 | | 4.8 | | 4.9 | | 6.0 | | 3.9 | | | |

公共用水域水質測定結果表

水域 塩川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 塩川橋 (202-02) | | | | | | | | | | | |
|-------------|-----------|-------------------|----------------|--------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|
| [類型名] | | | [-] | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 4/27 | 4/27 | 5/24 | 5/24 | 6/21 | 6/21 | 7/19 | 7/19 | 8/23 | 8/23 | 9/20 | 9/20 |
| | | 採取時刻 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 |
| 一般項目 | 天候 | - | 曇 | 晴 | 晴 | 晴 | 曇 | 小雨 | 曇 | 晴 | 晴 | 晴 | 曇 | 曇 |
| | 気温 | ℃ | 14.0 | 21.7 | 12.1 | 20.0 | 22.8 | 20.9 | 25.0 | 29.0 | 27.5 | 32.0 | 22.5 | 21.0 |
| | 水温 | ℃ | 10.5 | 14.2 | 12.5 | 17.0 | 19.0 | 20.0 | 19.0 | 24.0 | 21.5 | 26.0 | 19.5 | 20.5 |
| | 外観 | - | 320 | 320 | 320 | 320 | 320 | 030 | 001 | 001 | 320 | 320 | 001 | 001 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m ³ /S | | | | | | | | 9.24 | | 8.19 | | 9.34 |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透視度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 採取水深 | m | | | | | | | | | | | | |
| | 全水深 | m | | | | | | | | | | | | |
| | 沼透明度 | m | | | | | | | | | | | | |
| | 健康項目 | カドミウム | mg/L | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | | シアン | mg/L | | N.D. | | | | N.D. | | | | N.D. | |
| | | 有機燐 | mg/L | | | | | | | | | | | |
| 鉛 | | mg/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム(6価) | | mg/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 砒素 | | mg/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 総水銀 | | mg/L | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| メチル水銀 | | mg/L | | | | | | | | | | | | |
| P C B | | mg/L | | | | | | | | | | | | |
| P H | | - | 7.8 | 8.5 | 7.5 | 7.6 | 7.6 | 7.4 | 7.7 | 7.8 | 7.5 | 7.7 | 7.8 | 7.8 |
| 生活環境項目 | D O | mg/L | 10.9 | 10.2 | 10.3 | 9.5 | 8.9 | 8.5 | 9.4 | 9.0 | 8.8 | 8.1 | 8.4 | 8.4 |
| | B O D | mg/L | 1.6 | 1.6 | 1.4 | 1.4 | 1.0 | 1.5 | 0.6 | <0.5 | 0.7 | 0.8 | 0.5 | 0.6 |
| | C O D | mg/L | 2.1 | 1.9 | 4.5 | 4.4 | 2.6 | 3.8 | 2.6 | 2.1 | 1.8 | 2.3 | 1.8 | 2.4 |
| | S S | mg/L | 7 | 10 | 47 | 57 | 8 | 29 | 7 | 6 | 4 | 10 | 4 | 6 |
| | 大腸菌群数 | MPN/100mL | | 7.0E03 | | 1.7E04 | | 7.0E04 | | 2.3E04 | | 1.7E04 | | 2.4E04 |
| | n-Hex | mg/L | | | | | | | | | | | | |
| 特殊項目 | 全窒素 | mg/L | | | | | | | | | | | | |
| | 全燐 | mg/L | | | | | | | | | | | | |
| | フェノール類 | mg/L | | | | | | | | | | | | |
| | 銅 | mg/L | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/L | | 0.01 | | | | 0.01 | | | | <0.01 | | |
| | 鉄(溶解性) | mg/L | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/L | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/L | | <0.01 | | | | 0.01 | | | | <0.01 | | |
| | フッ素 | mg/L | | | | | | | | | | | | |
| | アモニア性窒素 | mg/L | | 0.04 | | | | 0.08 | | | | <0.01 | | |
| | 亜硝酸性窒素 | mg/L | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/L | | | | | | | | | | | | |
| | 磷酸態燐 | mg/L | | 0.020 | | | | 0.050 | | | | 0.010 | | |
| | A B S | mg/L | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 導電率 | μS/cm | | 125 | | | | 180 | | | | 160 | | | |
| 濁度 | mg/L | | 7 | | | | 14 | | | | <5 | | | |
| 塩素イオン | mg/L | | 16.0 | | | | 18.0 | | | | 12.0 | | | |

公共用水域水質測定結果表

水域 塩川

調査担当機関 建設省

| 地点名(地点統一番号) | | 塩川橋 (202-02) | | | | | | | | | | | | |
|-------------|-----------|-------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| [類型名] | | [-] | | | | | | | | | | | | |
| 区分 | 月日 | 10/25 | 10/25 | 11/22 | 11/22 | 12/20 | 12/20 | 1/30 | 1/30 | 2/21 | 2/21 | 3/14 | 3/14 | |
| | 測定項目 | 採取時刻 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 | 8:30 | 13:30 |
| 一般項目 | 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 晴 |
| | 気温 | ℃ | 14.0 | 19.0 | 4.5 | 13.0 | 2.0 | 13.0 | 0.0 | 10.5 | 12.0 | 11.0 | 8.0 | 17.0 |
| | 水温 | ℃ | 12.4 | 15.3 | 6.0 | 10.5 | 4.1 | 5.9 | 1.2 | 5.2 | 6.0 | 8.0 | 8.0 | 11.5 |
| | 外観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m ³ /S | 11.43 | | 5.34 | | 4.67 | | | | 13.26 | | 13.66 | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川透視度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 湖採取水深 | m | | | | | | | | | | | | |
| | 全水深 | m | | | | | | | | | | | | |
| 沼透明度 | m | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/l | | | | | | | | | | | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | アルキル水銀 | mg/l | | | | | | | | | | | | |
| 生活環境項目 | P | mg/l | 7.6 | 7.6 | 7.1 | 7.4 | 7.3 | 7.6 | 7.2 | 7.3 | 7.5 | 7.5 | 7.6 | 7.7 |
| | D O | mg/l | 9.7 | 9.7 | 11.8 | 11.1 | 12.4 | 12.0 | 13.5 | 12.5 | 11.7 | 11.4 | 11.8 | 10.7 |
| | B O D | mg/l | <0.5 | <0.5 | 0.5 | 0.6 | 1.0 | 1.3 | 0.5 | 0.7 | 0.8 | 1.0 | 0.6 | 0.7 |
| | C O D | mg/l | 1.6 | 2.1 | 1.4 | 1.8 | 2.6 | 2.1 | 1.7 | 1.9 | 2.6 | 3.0 | 2.4 | 2.7 |
| | S S | mg/l | 1 | 2 | 1 | 1 | <1 | 1 | 2 | 1 | 4 | 4 | 6 | 2 |
| | 大腸菌群数 | MPN/100ml | | 7.9E03 | | 3.3E02 | | 4.9E03 | | 7.9E02 | | 1.1E03 | | 3.3E03 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| 特殊項目 | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全燐 | mg/l | | | | | | | | | | | | |
| | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/l | | <0.01 | | | | <0.01 | | | | 0.01 | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| | アンモニア性窒素 | mg/l | | 0.01 | | | | <0.01 | | | | | | |
| | 亜硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/l | | | | | | | | | | | | |
| 磷酸態燐 | mg/l | | 0.035 | | | | 0.009 | | | | 0.010 | | | |
| A B S | mg/l | | <0.02 | | | | <0.02 | | | | 0.02 | | | |
| 導電率 | μS/cm | | 118 | | | | 119 | | | | 98.0 | | | |
| 濁度 | mg/l | | <5 | | | | <5 | | | | <5 | | | |
| 塩素イオン | mg/l | | 14.0 | | | | 19.0 | | | | 14.0 | | | |

公 共 用 水 域 水 質 測 定 結 果 表

水域 黒 沢 川

調査担当機関 山 梨 県

| 地点名(地点統一番号) | | | 黒 沢 川 流 末 (201-01) | | | | | | | | | | | |
|----------------------------|------------------|-------------------|----------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | | [-] | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 4/20 | 4/20 | 5/ 9 | 5/ 9 | 6/16 | 6/16 | 7/ 4 | 7/ 4 | 8/ 8 | 8/ 8 | 9/ 5 | 9/ 5 |
| | | 採取時刻 | 11:00 | 13:55 | 11:05 | 13:50 | 11:05 | 13:40 | 10:45 | 13:50 | 11:10 | 13:55 | 10:50 | 13:45 |
| 一 般 項 目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 薄曇 | 曇 | 曇 | 晴 | 晴 | 晴 | 小雨 | 曇 |
| | 気 温 | ℃ | 21.5 | 27.0 | 16.0 | 20.0 | 28.0 | 27.9 | 26.2 | 30.0 | 32.8 | 33.0 | 22.8 | 24.2 |
| | 水 温 | ℃ | 17.2 | 19.3 | 16.0 | 17.8 | 21.5 | 22.5 | 20.0 | 24.0 | 25.5 | 27.0 | 21.1 | 21.8 |
| | 外 観 | - | 140 | 140 | 140 | 181 | 181 | 181 | 001 | 140 | 020 | 020 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | 0.24 | | 0.52 | | 0.82 | | 1.01 | | 0.88 | | 0.76 | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | >30.0 | >30.0 | 28.2 | >30.0 | 24.6 | 25.2 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 湖 採取水深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| | 沼 透 明 度 | m | | | | | | | | | | | | |
| | 健 康 項 目 | カドミウム | mg/L | | | <0.005 | | | | <0.005 | | | | <0.005 |
| | | シアン | mg/L | | | N.D. | | | | N.D. | | | | N.D. |
| | | 有機 燐 | mg/L | | | | | | | | | | | |
| 鉛 | | mg/L | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| クロム(6価) | | mg/L | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| 砒 素 | | mg/L | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| 総 水 銀 | | mg/L | | | <.0005 | | | | <.0005 | | | | <.0005 | |
| メチル水銀 | | mg/L | | | | | | | | | | | | |
| P C B | | mg/L | | | | | | | | | | | | |
| P H | | - | 8.1 | 8.4 | 8.1 | 8.0 | 7.9 | 7.9 | 7.7 | 8.1 | 8.3 | 8.4 | 8.6 | 8.6 |
| 生 活 環 境 項 目 | D O | mg/L | 10.1 | 8.9 | 10.3 | 9.6 | 8.2 | 7.4 | 9.2 | 8.2 | 8.7 | 8.6 | 9.6 | 9.7 |
| | B O D | mg/L | 7.2 | 6.4 | 4.6 | 3.8 | 3.2 | 3.4 | 1.8 | 1.9 | 1.3 | 1.2 | 1.6 | 1.0 |
| | C O D | mg/L | 6.1 | 5.7 | 5.8 | 5.8 | 7.2 | 6.6 | 3.8 | 3.9 | 3.3 | 3.3 | 3.2 | 3.6 |
| | S S | mg/L | 8 | 8 | 19 | 18 | 41 | 28 | 8 | 7 | 6 | 7 | 5 | 9 |
| | 大腸菌群数 | MPN/100mL | 9.2E04 | 9.2E04 | 1.6E05 | 1.6E05 | 1.6E05 | 1.6E05 | 3.5E04 | 3.5E04 | 2.4E05 | 2.4E05 | 3.5E04 | 3.5E04 |
| | n-Hex | mg/L | | | | | | | | | | | | |
| | 全 窒 素 | mg/L | | | | | | | | | | | | |
| | 全 燐 | mg/L | | | | | | | | | | | | |
| | 特 殊 項 目 | フェノール類 | mg/L | | | | | | | | | | | |
| | | 銅 | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 |
| 亜 鉛 | | mg/L | | | 0.01 | | | | <0.01 | | | | <0.01 | |
| 鉄(溶解性) | | mg/L | | | 0.1 | | | | <0.1 | | | | <0.1 | |
| マンガン(溶解性) | | mg/L | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| クロム | | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| フッ素 | | mg/L | | | <0.15 | | | | <0.15 | | | | <0.15 | |
| アモニア性窒素 | | mg/L | | | | | | | | | | | | |
| 亜硝酸性窒素 | | mg/L | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/L | | | | | | | | | | | | |
| 磷酸態燐 | | mg/L | | | | | | | | | | | | |
| A B S | | mg/L | | | 0.47 | | | | 0.09 | | | | 0.06 | |
| 導 電 率 | | μS/cm | 202 | 201 | 180 | 177 | 200 | 199 | 411 | 214 | 216 | 208 | 220 | 208 |
| 濁 度 | | mg/L | 6 | | 10 | | 14 | | 6 | | <5 | | <5 | |
| 塩素イオン | mg/L | 13.3 | | 13.0 | | 14.3 | | 66.3 | | 13.1 | | 12.0 | | |

公共用水域水質測定結果表

水域 黒沢川

調査担当機関 山梨県

| 地点名(地点統一番号) | | 黒沢川流末 (201-01) | | | | | | | | | | | | |
|-------------|---------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | [-] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月日 | 10/3 | 10/3 | 11/7 | 11/7 | 12/5 | 12/5 | 1/9 | 1/9 | 2/6 | 2/6 | 3/27 | 3/27 |
| | | 採取時刻 | 11:10 | 14:20 | 11:20 | 14:05 | 10:50 | 14:25 | 11:20 | 14:00 | 11:15 | 13:31 | 11:05 | 13:17 |
| 一般項目 | 天候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 | 晴 | 晴 | 曇 | 曇 |
| | 気温 | ℃ | 24.5 | 25.0 | 18.0 | 19.5 | 9.5 | 13.0 | 11.1 | 9.5 | 7.0 | 10.0 | 12.0 | 12.3 |
| | 水温 | ℃ | 21.0 | 21.0 | 13.8 | 14.0 | 12.0 | 12.2 | 9.1 | 9.1 | 8.9 | 10.0 | 15.0 | 13.1 |
| | 外観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 140 | 180 | 180 | 180 |
| | 臭気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河流量 | m ³ /S | 0.64 | | 0.54 | | 0.43 | | 0.50 | | 0.38 | | 0.38 | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透視度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 20.8 | 20.0 |
| | 採取水深 | m | | | | | | | | | | | | |
| | 全水深 | m | | | | | | | | | | | | |
| 健康項目 | 透明度 | m | | | | | | | | | | | | |
| | カドミウム | mg/l | | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | シアン | mg/l | | | N.D. | | | | N.D. | | | | N.D. | |
| | 有機燐 | mg/l | | | | | | | | | | | | |
| | 鉛 | mg/l | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| | クロム(6価) | mg/l | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| | 砒素 | mg/l | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| | 総水銀 | mg/l | | | <.0005 | | | | <.0005 | | | | <.0005 | |
| | アルキル水銀 | mg/l | | | | | | | | | | | | |
| | P C B | mg/l | | | | | | | | | | | | |
| 生活環境項目 | P | mg/l | 8.1 | 8.1 | 8.5 | 8.6 | 8.2 | 8.3 | 7.6 | 7.7 | 7.8 | 7.8 | 8.7 | 9.2 |
| | D O | mg/l | 9.7 | 8.6 | 9.9 | 8.8 | 10.5 | 9.1 | 8.5 | 8.0 | 9.9 | 9.1 | 11.3 | 11.7 |
| | B O D | mg/l | 2.1 | 1.5 | 4.3 | 3.4 | 4.4 | 3.9 | 3.9 | 3.6 | 7.1 | 8.3 | 8.6 | 7.7 |
| | C O D | mg/l | 3.6 | 3.6 | 4.2 | 4.4 | 4.6 | 4.6 | 4.3 | 4.1 | 6.4 | 6.8 | 7.3 | 7.3 |
| | S S | mg/l | 3 | 2 | 3 | 5 | 5 | 5 | 4 | 2 | 9 | 11 | 14 | 12 |
| | 大腸菌群数 | MPN/100ml | 5.4E04 | 2.4E04 | 9.2E04 | 9.2E04 | 9.2E04 | 9.2E04 | 5.4E04 | 5.4E04 | 1.6E05 | 2.4E05 | 9.2E04 | 1.6E05 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全燐 | mg/l | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | mg/l | | | | | | | | | | | |
| 銅 | | mg/l | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| 亜鉛 | | mg/l | | | <0.01 | | | | <0.01 | | | | 0.04 | |
| 鉄(溶解性) | | mg/l | | | <0.1 | | | | <0.1 | | | | 0.1 | |
| マンガン(溶解性) | | mg/l | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| クロム | | mg/l | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| フッ素 | | mg/l | | | <0.15 | | | | <0.15 | | | | <0.15 | |
| アンモニア性窒素 | | mg/l | | | | | | | | | | | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 特殊項目 | 磷酸態燐 | mg/l | | | | | | | | | | | | |
| | A B S | mg/l | | | 0.60 | | | | 0.39 | | | | 0.33 | |
| | 導電率 | μS/cm | 505 | 318 | 252 | 230 | 273 | 236 | 215 | 209 | 257 | 734 | 440 | 318 |
| | 濁度 | mg/l | <5 | | <5 | | 5 | | <5 | | 9 | | 11 | |
| | 塩素イオン | mg/l | 80.3 | | 18.0 | | 23.2 | | 16.0 | | 14.4 | | 56.4 | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 船 山 橋 (001-01) | | | | | | | | | | | |
|-------------|-----------|-------------------|------------------|--------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|
| [類型名] | | | [AAイ] | | | | | | | | | | | |
| 区分 | 測定項目 | 月 日 | 4/27 | 4/27 | 5/24 | 5/24 | 6/21 | 6/21 | 7/19 | 7/19 | 8/23 | 8/23 | 9/20 | 9/20 |
| | | 採取時刻 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 |
| 一般項目 | 天 候 | - | 曇 | 曇 | 晴 | 晴 | 曇 | 小雨 | 曇 | 晴 | 晴 | 晴 | 曇 | 曇 |
| | 気 温 | ℃ | 13.8 | 22.7 | 12.5 | 21.8 | 23.4 | 21.6 | 23.0 | 29.0 | 26.8 | 32.0 | 22.5 | 21.0 |
| | 水 温 | ℃ | 9.8 | 12.8 | 11.0 | 15.5 | 18.0 | 19.0 | 19.0 | 21.0 | 21.0 | 25.0 | 19.2 | 20.0 |
| | 外 観 | - | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | | 17.32 | | 12.45 | | 9.84 |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 湖 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| | 沼 透 明 度 | m | | | | | | | | | | | | |
| | 健康項目 | カドミウム | mg/l | | <0.005 | | | | | <0.005 | | | <0.005 | |
| | | シアン | mg/l | | N.D. | | | | | N.D. | | | N.D. | |
| | | 有機燐 | mg/l | | | | | | | | | | N.D. | |
| | | 鉛 | mg/l | | <0.05 | | | | | <0.05 | | | <0.05 | |
| クロム(6価) | | mg/l | | <0.02 | | | | | <0.02 | | | <0.02 | | |
| 砒素 | | mg/l | | <0.02 | | | | | <0.02 | | | <0.02 | | |
| 総水銀 | | mg/l | | <.0005 | | | | | <.0005 | | | <.0005 | | |
| アルキル水銀 | | mg/l | | | | | | | | | | | | |
| P C B | | mg/l | | | | | | | | | | N.D. | | |
| P H | | - | 7.6 | 8.3 | 7.7 | 7.8 | 8.0 | 7.7 | 7.6 | 8.0 | 7.7 | 7.8 | 7.9 | 8.0 |
| 生活環境項目 | D O | mg/l | 11.6 | 10.6 | 10.8 | 9.8 | 9.2 | 8.6 | 9.6 | 9.6 | 9.1 | 8.6 | 8.9 | 8.8 |
| | B O D | mg/l | 0.5 | 0.6 | 1.1 | 1.1 | 0.5 | 0.9 | 0.9 | 0.9 | 0.7 | 0.6 | 0.7 | 0.7 |
| | C O D | mg/l | 1.0 | 1.0 | 2.7 | 2.3 | 1.4 | 2.7 | 2.8 | 2.3 | 1.0 | 1.4 | 1.1 | 1.5 |
| | S S | mg/l | 5 | 7 | 18 | 16 | 5 | 3 | 26 | 12 | 6 | 7 | 3 | 3 |
| | 大腸菌群数 | MPN/100ml | | 1.3E03 | | 2.2E03 | | 2.2E04 | | 1.4E04 | | 1.7E04 | | 1.4E04 |
| 特殊項目 | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全 磷 | mg/l | | | | | | | | | | | | |
| | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | | <0.01 | | | <0.01 | | |
| | 亜鉛 | mg/l | | 0.01 | | | | | 0.01 | | | 0.01 | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | | <0.05 | | | <0.05 | | |
| | クロム | mg/l | | <0.01 | | | | | <0.01 | | | <0.01 | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| | アモニア性窒素 | mg/l | | 0.05 | | | | | 0.02 | | | 0.03 | | |
| | 亜硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 磷酸態磷 | mg/l | | 0.020 | | | | | 0.020 | | | 0.010 | | |
| | A B S | mg/l | | <0.02 | | | | | <0.02 | | | <0.02 | | |
| 導電率 | μS/cm | | 112 | | | | | 152 | | | 158 | | | |
| 濁 度 | mg/l | | <5 | | | | | <5 | | | <5 | | | |
| 塩素イオン | mg/l | | 6.0 | | | | | 9.0 | | | 6.0 | | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | 船 山 橋 (001-01) | | | | | | | | | | | | |
|-------------|-----------|-------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| [類型名] | | [AAイ] | | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 10/25 | 10/25 | 11/22 | 11/22 | 12/20 | 12/20 | 1/30 | 1/30 | 2/21 | 2/21 | 3/14 | 3/14 |
| | | 採取時刻 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 | 7:50 | 12:50 |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 雨 |
| | 気 温 | ℃ | 11.9 | 22.0 | 3.0 | 13.0 | 1.5 | 9.0 | -1.0 | 7.9 | 9.0 | 11.0 | 7.0 | 15.0 |
| | 水 温 | ℃ | 11.7 | 14.5 | 5.5 | 10.5 | 3.0 | 7.2 | 0.0 | 4.0 | 7.0 | 8.0 | 7.0 | 11.5 |
| | 外 観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 320 | 320 | 320 | 320 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | 14.90 | | 9.94 | | 7.60 | | | | 18.44 | | 17.90 | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 湖 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| 沼 透 明 度 | m | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/l | | | | | | | | | | N.D. | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | アルキル水銀 | mg/l | | | | | | | | | | | | |
| 生活環境項目 | P | mg/l | 7.7 | 7.8 | 7.3 | 8.0 | 7.4 | 8.4 | 7.1 | 7.3 | 7.7 | 7.7 | 7.7 | 7.8 |
| | D O | mg/l | 10.4 | 10.1 | 12.6 | 11.9 | 13.2 | 12.7 | 14.0 | 12.7 | 11.8 | 11.5 | 11.9 | 10.7 |
| | B O D | mg/l | 0.5 | 0.5 | 0.9 | 0.7 | 0.6 | 1.0 | 0.8 | 0.8 | 0.8 | 0.9 | 0.6 | 0.6 |
| | C O D | mg/l | 1.7 | 2.0 | 1.5 | 1.4 | 1.5 | 1.8 | 1.3 | 1.3 | 2.2 | 1.5 | 1.9 | 1.9 |
| | S | mg/l | 4 | 11 | 3 | 3 | 7 | 6 | 7 | 5 | 6 | 21 | 16 | 9 |
| | 大腸菌群数 | MPN/100ml | | 1.1E03 | | 4.9E02 | | 2.3E03 | | 1.4E03 | | 4.9E03 | | 4.9E02 |
| 特殊項目 | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全燐 | mg/l | | | | | | | | | | | | |
| | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/l | | 0.01 | | | | 0.01 | | | | 0.01 | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| | 活性窒素 | mg/l | | 0.06 | | | | 0.01 | | | | | | |
| | 亜硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 磷酸態燐 | mg/l | | 0.020 | | | | 0.010 | | | | 0.021 | | |
| A B S | mg/l | | 0.02 | | | | <0.02 | | | | 0.03 | | | |
| 導電率 | μS/cm | | 116 | | | | 105 | | | | 105 | | | |
| 濁度 | mg/l | | <5 | | | | <5 | | | | 15 | | | |
| 塩素イオン | mg/l | | 7.0 | | | | 8.0 | | | | 8.0 | | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | 信 玄 橋 (002-51) | | | | | | | | | | | | |
|-------------|-----------|-------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| [類型名] | | [A I] | | | | | | | | | | | | |
| 区分 | 月 日 | 4/27 | 4/27 | 5/24 | 5/24 | 6/21 | 6/21 | 7/19 | 7/19 | 8/23 | 8/23 | 9/20 | 9/20 | |
| | 測定項目 | 採取時刻 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 |
| 一般項目 | 天 候 | - | 曇 | 晴 | 晴 | 晴 | 曇 | 小雨 | 晴 | 晴 | 晴 | 曇 | 曇 | 雨 |
| | 気 温 | ℃ | 14.2 | 21.3 | 15.0 | 19.5 | 22.4 | 20.0 | 25.5 | 29.0 | 28.0 | 31.2 | 25.0 | 21.0 |
| | 水 温 | ℃ | 10.5 | 14.5 | 12.8 | 16.5 | 19.0 | 20.0 | 19.0 | 23.6 | 23.0 | 26.0 | 20.0 | 21.0 |
| | 外 観 | - | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | | | | | | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 湖 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| 沼 透 明 度 | m | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/l | | | | | | | | | | | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | アルキル水銀 | mg/l | | | | | | | | | | | | |
| 生活環境項目 | P C B | mg/l | | | | | | | | | | | | |
| | P H | - | 7.9 | 8.7 | 7.7 | 7.9 | 8.0 | 8.2 | 7.9 | 8.2 | 8.0 | 8.3 | 8.2 | 8.1 |
| | D O | mg/l | 11.0 | 10.4 | 10.8 | 9.9 | 9.6 | 8.9 | 9.6 | 9.6 | 9.0 | 8.5 | 9.0 | 8.8 |
| | B O D | mg/l | 0.6 | 1.1 | 1.2 | 1.1 | 1.0 | 1.2 | 0.7 | 0.6 | 0.9 | 1.1 | 0.6 | 0.9 |
| | C O D | mg/l | 1.5 | 1.7 | 3.1 | 3.0 | 2.3 | 1.9 | 2.8 | 2.9 | 1.5 | 1.4 | 1.6 | 1.5 |
| | S S | mg/l | 12 | 14 | 23 | 20 | 6 | 7 | 20 | 11 | 6 | 8 | 4 | 5 |
| | 大腸菌群数 | MPN/100ml | | 3.5E03 | | 1.7E04 | | 7.9E04 | | 4.9E04 | | 1.1E04 | | 2.2E05 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| 特殊項目 | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全燐 | mg/l | | | | | | | | | | | | |
| | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/l | | 0.01 | | | | 0.01 | | | | <0.01 | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| | アンモニア性窒素 | mg/l | | 0.05 | | | | 0.10 | | | | 0.03 | | |
| | 亜硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/l | | | | | | | | | | | | |
| 磷酸態燐 | mg/l | | 0.030 | | | | 0.050 | | | | 0.020 | | | |
| A B S | mg/l | | <0.02 | | | | 0.02 | | | | <0.02 | | | |
| 導電率 | μS/cm | | 134 | | | | 178 | | | | 142 | | | |
| 濁度 | mg/l | | <5 | | | | <5 | | | | <5 | | | |
| 塩素イオン | mg/l | | 11.0 | | | | 13.0 | | | | 9.0 | | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | 信 玄 橋 (002-51) | | | | | | | | | | | | |
|-------------|--------------------|-------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| [類型名] | | [A-I] | | | | | | | | | | | | |
| 区分 | 測定項目 | 月 日 | 10/25 | 10/25 | 11/22 | 11/22 | 12/20 | 12/20 | 1/30 | 1/30 | 2/21 | 2/21 | 3/14 | 3/14 |
| | | 採取時刻 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 | 9:15 | 14:15 |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 晴 |
| | 気 温 | ℃ | 14.0 | 17.8 | 5.5 | 14.0 | 3.0 | 11.0 | 3.0 | 7.0 | 13.0 | 9.0 | 12.5 | 16.0 |
| | 水 温 | ℃ | 12.3 | 15.7 | 6.0 | 9.9 | 3.4 | 7.0 | 1.0 | 5.0 | 8.0 | 9.0 | 9.0 | 11.5 |
| | 外 観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 320 | 320 | 320 | 320 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | | | | | | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| 沼 透 明 度 | m | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機磷 | mg/l | | | | | | | | | | | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | メチル水銀 | mg/l | | | | | | | | | | | | |
| | PCB | mg/l | | | | | | | | | | | | |
| | P _{tot} | mg/l | | 7.8 | 8.1 | 7.3 | 7.9 | 7.7 | 8.6 | 7.2 | 7.3 | 7.6 | 7.7 | 7.7 |
| 生活環境項目 | D _{total} | mg/l | 10.6 | 10.1 | 12.5 | 11.7 | 13.5 | 12.8 | 14.0 | 12.7 | 11.7 | 11.6 | 11.5 | 10.5 |
| | BOD | mg/l | 0.7 | 0.9 | 0.7 | 1.0 | 0.7 | 1.3 | 0.7 | 0.8 | 0.9 | 0.8 | 0.5 | 0.8 |
| | COD | mg/l | 1.3 | 1.8 | 1.3 | 1.6 | 1.8 | 2.3 | 1.4 | 1.5 | 1.9 | 1.9 | 1.6 | 1.7 |
| | SS | mg/l | 5 | 3 | 3 | 2 | 4 | 5 | 6 | 6 | 13 | 21 | 22 | 11 |
| | 大腸菌群数 | MPN/100ml | | 2.2E03 | | 7.9E02 | | 7.9E03 | | 7.9E03 | | 3.3E03 | | 1.4E04 |
| 特殊項目 | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全磷 | mg/l | | | | | | | | | | | | |
| | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | 亜鉛 | mg/l | | 0.01 | | | | <0.01 | | | | 0.02 | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| 特殊項目 | アンモニア性窒素 | mg/l | | 0.04 | | | | 0.06 | | | | | | |
| | 亜硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 磷酸態磷 | mg/l | | 0.023 | | | | 0.023 | | | | 0.020 | | |
| | AB ₅ | mg/l | | <0.02 | | | | 0.02 | | | | 0.03 | | |
| | 導電率 | μS/cm | | 123 | | | | 118 | | | | 108 | | |
| | 濁度 | mg/l | | <5 | | | | <5 | | | | 20 | | |
| 塩素イオン | mg/l | | 9.0 | | | | 13.0 | | | | 9.0 | | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 三 郡 西 橋 (002-01) | | | | | | | | | | | |
|----------------------------|------------------|-------------------|--------------------|--------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|
| [類型名] | | | [A1] | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 4/27 | 4/27 | 5/24 | 5/24 | 6/21 | 6/21 | 7/19 | 7/19 | 8/23 | 8/23 | 9/20 | 9/20 |
| | | 採取時刻 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 |
| 一 般 項 目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 曇 | 小雨 | 晴 | 晴 | 晴 | 小雨 | 雨 | 雨 |
| | 気 温 | ℃ | 14.0 | 20.3 | 20.6 | 21.0 | 23.8 | 18.7 | 30.0 | 26.0 | 29.0 | 27.5 | 21.0 | 21.5 |
| | 水 温 | ℃ | 12.0 | 15.5 | 14.2 | 18.0 | 21.0 | 20.8 | 22.0 | 25.0 | 24.5 | 27.0 | 20.0 | 21.5 |
| | 外 観 | - | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | 27.43 | | 20.54 | | 14.04 | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | >30.0 | >30.0 | 23.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 湖 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| | 沼 透 明 度 | m | | | | | | | | | | | | |
| | 健 康 項 目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | |
| | | 有機燐 | mg/l | | | | | | | | | | N.D. | |
| | | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | |
| クロム(6価) | | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 砒素 | | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 総水銀 | | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| アキバ水銀 | | mg/l | | | | | | | | | | | | |
| P C B | | mg/l | | | | | | | | | | N.D. | | |
| P H | | - | 8.2 | 8.8 | 7.7 | 8.0 | 8.0 | 8.3 | 8.0 | 8.4 | 7.8 | 8.0 | 8.3 | 8.5 |
| 生 活 環 境 項 目 | D O | mg/l | 11.4 | 11.1 | 10.3 | 9.8 | 8.9 | 8.9 | 9.5 | 9.3 | 8.8 | 7.9 | 9.1 | 8.8 |
| | B O D | mg/l | 1.6 | 1.6 | 2.2 | 1.8 | 1.1 | 1.3 | 0.9 | 0.6 | 0.8 | 0.9 | 0.8 | 1.3 |
| | C O D | mg/l | 1.9 | 2.0 | 4.3 | 3.6 | 2.4 | 2.8 | 2.9 | 3.0 | 1.3 | 1.4 | 1.9 | 2.2 |
| | S S | mg/l | 15 | 16 | 41 | 32 | 7 | 6 | 40 | 16 | 11 | 10 | 5 | 7 |
| | 大腸菌群数 | MPN/100ml | | 7.9E02 | | 2.2E03 | | 1.4E04 | | 2.2E04 | | 1.7E04 | | 1.7E04 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全燐 | mg/l | | | | | | | | | | | | |
| | 特 殊 項 目 | フェノール類 | mg/l | | | | | | | | | | | |
| | | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | |
| 亜鉛 | | mg/l | | 0.01 | | | | 0.01 | | | | <0.01 | | |
| 鉄(溶解性) | | mg/l | | | | | | | | | | | | |
| マンガン(溶解性) | | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム | | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| フッ素 | | mg/l | | | | | | | | | | | | |
| アンモニア性窒素 | | mg/l | | 0.11 | | | | 0.11 | | | | 0.06 | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 特 殊 項 目 | 磷酸態燐 | mg/l | | 0.040 | | | | 0.100 | | | | 0.020 | | |
| | A B S | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 導電率 | μS/cm | | 138 | | | | 224 | | | | 174 | | |
| | 濁度 | mg/l | | <5 | | | | <5 | | | | 6 | | |
| | 塩素イオン | mg/l | | 11.0 | | | | 21.0 | | | | 10.0 | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 三 郡 西 橋 (002-01) | | | | | | | | | | | | |
|-------------|---------|-------------------|--------------------|--------|-------|--------|-------|--------|-------|--------|--------|--------|-------|--------|-------|
| [類型名] | | | [A イ] | | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 10/25 | 10/25 | 11/22 | 11/22 | 12/20 | 12/20 | 1/30 | 1/30 | 2/21 | 2/21 | 3/14 | 3/14 | |
| | | 採取時刻 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 | 10:00 | 15:00 | |
| 一般項目 | 天 候 | - | 晴 | 曇 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 曇 | |
| | 気 温 | ℃ | 16.0 | 19.2 | 6.0 | 12.9 | 2.5 | 15.0 | 3.0 | 6.8 | 14.0 | 10.0 | 13.0 | 17.8 | |
| | 水 温 | ℃ | 13.5 | 16.1 | 8.0 | 11.0 | 3.0 | 8.5 | 2.0 | 7.0 | 10.0 | 9.0 | 10.0 | 13.0 | |
| | 外 観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 320 | 320 | 320 | 320 | |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | |
| | 河 流 量 | m ³ /S | 18.50 | | 9.52 | | 7.94 | | | | 33.92 | | 29.41 | | |
| | 採取位置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 25.0 | 26.0 | >30.0 | >30.0 |
| | 採取水深 | m | | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | | |
| 沼 透 明 度 | m | | | | | | | | | | | | | | |
| 健康項目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | <0.005 | | | | |
| | シ ン ク | mg/l | | N.D. | | | | N.D. | | | N.D. | | | | |
| | 有 機 燐 | mg/l | | | | | | | | | N.D. | | | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | <0.05 | | | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | <0.02 | | | | |
| | 砒 素 | mg/l | | <0.02 | | | | <0.02 | | | <0.02 | | | | |
| | 総 水 銀 | mg/l | | <.0005 | | | | <.0005 | | | <.0005 | | | | |
| | アルキル水銀 | mg/l | | | | | | | | | | | | | |
| | P C B | mg/l | | | | | | | | | N.D. | | | | |
| | P | mg/l | 7.8 | 8.5 | 7.6 | 8.4 | 7.6 | 8.5 | 7.1 | 7.3 | 7.7 | 7.7 | 7.7 | 7.8 | |
| 生活環境項目 | D O | mg/l | 10.7 | 10.4 | 12.9 | 12.5 | 13.6 | 13.3 | 13.6 | 12.4 | 11.4 | 11.2 | 11.4 | 10.5 | |
| | B O D | mg/l | 0.9 | 0.7 | 0.9 | 1.1 | 1.0 | 1.4 | 1.0 | 0.8 | 1.0 | 1.1 | 0.8 | 1.0 | |
| | C O D | mg/l | 1.7 | 1.7 | 1.6 | 2.1 | 2.4 | 2.8 | 2.1 | 1.7 | 2.2 | 2.2 | 2.0 | 2.1 | |
| | S S | mg/l | 4 | 5 | 3 | 4 | 9 | 7 | 14 | 8 | 32 | 11 | 14 | 12 | |
| | 大腸菌群数 | MPN/100ml | | 1.7E03 | | 4.9E02 | | 1.3E03 | | 1.3E03 | | 1.3E04 | | 2.2E03 | |
| | n-Hex | mg/l | | | | | | | | | | | | | |
| | 全 窒 素 | mg/l | | | | | | | | | | | | | |
| | 全 燐 | mg/l | | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | mg/l | | | | | | | | | | | | |
| | | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| 亜 鉛 | | mg/l | | <0.01 | | | | 0.01 | | | | 0.01 | | | |
| 鉄(溶解性) | | mg/l | | | | | | | | | | | | | |
| マンガン(溶解性) | | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム | | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| フッ素 | | mg/l | | | | | | | | | | | | | |
| アンモニア性窒素 | | mg/l | | 0.05 | | | | 0.20 | | | | | | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | | |
| 磷酸態燐 | mg/l | | 0.040 | | | | 0.074 | | | | 0.038 | | | | |
| A B S | mg/l | | <0.02 | | | | <0.02 | | | | <0.03 | | | | |
| 導 電 率 | μS/cm | | 138 | | | | 145 | | | | 117 | | | | |
| 濁 度 | mg/l | | <5 | | | | <5 | | | | 23 | | | | |
| 塩素イオン | mg/l | | 11.0 | | | | 17.0 | | | | 12.0 | | | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 富 士 橋 (003-01) | | | | | | | | | | | |
|-------------|-----------|-------------------|------------------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| [類型名] | | | [A/B] | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 4/27 | 4/27 | 5/24 | 5/24 | 6/21 | 6/21 | 7/19 | 7/19 | 8/23 | 8/23 | 9/20 | 9/20 |
| | | 採取時刻 | 11:00 | 16:00 | 11:00 | 16:00 | 11:00 | 16:00 | 11:00 | 16:00 | 11:00 | 16:00 | 11:30 | 16:00 |
| 一 般 項 目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 曇 | 小雨 | 晴 | 晴 | 晴 | 曇 | 雨 | 雨 |
| | 気 温 | ℃ | 18.5 | 20.5 | 24.0 | 17.6 | 24.0 | 19.0 | 28.5 | 25.5 | 30.0 | 27.0 | 23.5 | 22.0 |
| | 水 温 | ℃ | 14.2 | 17.5 | 15.5 | 17.5 | 21.5 | 21.0 | 23.0 | 26.5 | 24.0 | 25.0 | 21.0 | 21.0 |
| | 外 観 | - | 320 | 320 | 020 | 020 | 320 | 320 | 320 | 320 | 320 | 320 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | 56.25 | | 72.87 | | 61.38 | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 川 透 視 度 | cm | >30.0 | >30.0 | 22.3 | 24.7 | >30.0 | 25.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 湖 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| 沼 透 明 度 | m | | | | | | | | | | | | | |
| 健 康 項 目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | 有機燐 | mg/l | | | | | | | | | | N.D. | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 砒素 | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 総水銀 | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| | アルキル水銀 | mg/l | | | | | | | | | | | | |
| | P C B | mg/l | | | | | | | | | | N.D. | | |
| | P H | - | 7.4 | 7.5 | 7.2 | 7.3 | 7.5 | 7.3 | 7.3 | 7.4 | 7.3 | 7.4 | 7.4 | 7.4 |
| 生 活 環 境 項 目 | D O | mg/l | 8.5 | 8.8 | 8.4 | 8.4 | 7.2 | 6.3 | 7.9 | 8.1 | 7.5 | 7.4 | 7.1 | 7.3 |
| | B O D | mg/l | 2.8 | 2.4 | 2.5 | 2.0 | 1.8 | 2.0 | 1.6 | 1.5 | 1.6 | 1.7 | 1.5 | 1.4 |
| | C O D | mg/l | 4.2 | 4.0 | 6.3 | 4.9 | 4.4 | 5.4 | 4.5 | 4.5 | 2.9 | 2.6 | 2.9 | 3.2 |
| | S | mg/l | 18 | 17 | 57 | 46 | 16 | 24 | 22 | 18 | 23 | 16 | 17 | 15 |
| | 大腸菌群数 | MPN/100ml | | 1.3E04 | | 4.9E04 | | 7.9E04 | | 2.2E04 | | 2.2E04 | | 3.3E04 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全燐 | mg/l | | | | | | | | | | | | |
| | 特 殊 項 目 | フェノール類 | mg/l | | | | | | | | | | | |
| | | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | |
| 亜鉛 | | mg/l | | 0.01 | | | | 0.01 | | | | 0.03 | | |
| 鉄(溶解性) | | mg/l | | | | | | | | | | | | |
| マンガン(溶解性) | | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム | | mg/l | | <0.01 | | | | 0.01 | | | | <0.01 | | |
| フッ素 | | mg/l | | | | | | | | | | | | |
| アモニウム性窒素 | | mg/l | | 0.29 | | | | 0.30 | | | | 0.07 | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 目 | 磷酸態燐 | mg/l | | 0.140 | | | | 0.170 | | | | 0.050 | | |
| | A B S | mg/l | | 0.04 | | | | 0.03 | | | | <0.02 | | |
| | 導電率 | μS/cm | | 197 | | | | 225 | | | | 178 | | |
| | 濁度 | mg/l | | 8 | | | | 15 | | | | <5 | | |
| | 塩素イオン | mg/l | | 17.0 | | | | 18.0 | | | | 10.0 | | |

公 共 用 水 域 水 質 測 定 結 果 表

水域 富士川

調査担当機関 山梨県

| 地点名(地点統一番号) | | | 富 士 橋 (003-01) | | | | | | | | | | | |
|-------------|-----------|-------------------|------------------|--------|-------|--------|-------|--------|-------|--------|--------|--------|-------|--------|
| [類型名] | | | [A/B] | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 10/25 | 10/25 | 11/22 | 11/22 | 12/20 | 12/20 | 1/30 | 1/30 | 2/21 | 2/21 | 3/14 | 3/14 |
| | | 採取時刻 | 11:00 | 16:00 | 11:00 | 16:00 | 11:00 | 16:00 | 11:00 | 16:00 | 11:00 | 16:00 | 11:00 | 16:00 |
| 一 般 項 目 | 天 候 | - | 晴 | 曇 | 晴 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 晴 | 晴 |
| | 気 温 | ℃ | 17.5 | 16.0 | 8.0 | 8.0 | 8.2 | 13.0 | 3.0 | 9.5 | 12.0 | 9.0 | 16.0 | 17.0 |
| | 水 温 | ℃ | 14.5 | 16.0 | 9.6 | 11.9 | 6.8 | 9.8 | 4.5 | 9.5 | 11.0 | 11.0 | 12.5 | 14.5 |
| | 外 観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 320 | 320 | 320 | 320 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | 59.46 | | 37.07 | | 29.99 | | | | 71.48 | | 72.75 | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| 沼 透 明 度 | m | | | | | | | | | | | | | |
| 健 康 項 目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | <0.005 | | | |
| | シアン | mg/l | | N.D. | | | | N.D. | | | N.D. | | | |
| | 有機燐 | mg/l | | | | | | | | | N.D. | | | |
| | 鉛 | mg/l | | <0.05 | | | | <0.05 | | | <0.05 | | | |
| | クロム(6価) | mg/l | | <0.02 | | | | <0.02 | | | <0.02 | | | |
| | 砒 素 | mg/l | | <0.02 | | | | <0.02 | | | <0.02 | | | |
| | 総 水 銀 | mg/l | | <.0005 | | | | <.0005 | | | <.0005 | | | |
| | メチル水銀 | mg/l | | | | | | | | | | | | |
| | P C B | mg/l | | | | | | | | | | N.D. | | |
| | P H | - | 7.3 | 7.3 | 7.1 | 7.0 | 7.1 | 7.2 | 7.0 | 7.0 | 7.3 | 7.3 | 7.3 | 7.3 |
| 生 活 環 境 項 目 | D O | mg/l | 9.0 | 8.1 | 9.9 | 9.7 | 10.2 | 10.2 | 10.5 | 10.1 | 9.5 | 9.5 | 9.5 | 9.1 |
| | B O D | mg/l | 1.7 | 1.6 | 1.8 | 1.7 | 3.1 | 2.9 | 2.7 | 2.5 | 3.7 | 3.0 | 2.3 | 2.1 |
| | C O D | mg/l | 3.4 | 3.3 | 4.1 | 3.7 | 4.7 | 4.1 | 3.4 | 3.8 | 4.0 | 3.7 | 4.1 | 3.8 |
| | S S | mg/l | 14 | 15 | 14 | 10 | 11 | 11 | 19 | 13 | 20 | 30 | 28 | 32 |
| | 大腸菌群数 | MPN/100ml | | 3.3E04 | | 7.9E03 | | 2.2E04 | | 7.9E03 | | 7.0E03 | | 1.1E04 |
| 特 殊 項 目 | n-Hex | mg/l | | | | | | | | | | | | |
| | 全 窒 素 | mg/l | | | | | | | | | | | | |
| | 全 燐 | mg/l | | | | | | | | | | | | |
| | フェノール類 | mg/l | | | | | | | | | | | | |
| | 銅 | mg/l | | <0.01 | | | | <0.01 | | | <0.01 | | | |
| | 亜鉛 | mg/l | | <0.01 | | | | 0.01 | | | 0.01 | | | |
| | 鉄(溶解性) | mg/l | | | | | | | | | | | | |
| | マンガン(溶解性) | mg/l | | <0.05 | | | | <0.05 | | | <0.05 | | | |
| | クロム | mg/l | | <0.01 | | | | <0.01 | | | <0.01 | | | |
| | フッ素 | mg/l | | | | | | | | | | | | |
| 特 殊 項 目 | 活性窒素 | mg/l | | 0.13 | | | | 0.55 | | | | | | |
| | 亜硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 硝酸性窒素 | mg/l | | | | | | | | | | | | |
| | 磷酸態燐 | mg/l | | 0.076 | | | | 0.123 | | | 0.068 | | | |
| | A B S | mg/l | | <0.02 | | | | 0.06 | | | 0.05 | | | |
| | 導 電 率 | μS/cm | | 168 | | | | 157 | | | 143 | | | |
| | 濁 度 | mg/l | | <5 | | | | <5 | | | 16 | | | |
| 塩素イオン | mg/l | | 14.0 | | | | 19.0 | | | 15.0 | | | | |

公共用水域水質測定結果表

水域 富士川

調査担当機関 建設省

| 地点名(地点統一番号) | | | 南 部 橋 (015-01) | | | | | | | | | | | |
|-------------|-----------|-------------------|------------------|--------|--------|--------|-------|--------|--------|--------|------|--------|--------|--------|
| 区 分 | [類型名] | | [A口] | | | | | | | | | | | |
| | 月 日 | 採取時刻 | 4/27 | 4/27 | 5/24 | 5/24 | 6/21 | 6/21 | 7/19 | 7/19 | 8/23 | 8/23 | 9/20 | 9/20 |
| 一 般 項 目 | 天 候 | - | 曇 | 曇 | 晴 | 曇 | 曇 | 小雨 | 曇 | 曇 | 晴 | 曇 | 雨 | 雨 |
| | 気 温 | ℃ | 15.6 | 19.4 | 21.0 | 19.5 | 22.5 | 23.4 | 23.0 | 25.3 | 26.5 | 32.3 | 21.5 | 22.5 |
| | 水 温 | ℃ | 13.0 | 16.4 | 14.0 | 17.0 | 19.0 | 20.5 | 21.0 | 24.0 | 23.0 | 24.5 | 20.7 | 21.3 |
| | 外 観 | - | 320 | 320 | 020 | 020 | 320 | 320 | 320 | 320 | 320 | 320 | 001 | 001 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | 58.37 | | | | | 44.07 |
| | 採 取 位 置 | - | 流心 | 流心 | 右岸 | 右岸 | 流心 | 流心 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 |
| | 川 透 視 度 | cm | >30.0 | >30.0 | 11.0 | 15.0 | >30.0 | >30.0 | >30.0 | >30.0 | 28.6 | 30.0 | >30.0 | >30.0 |
| | 湖 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| | 沼 透 明 度 | m | | | | | | | | | | | | |
| | 健 康 項 目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | |
| | | 有機燐 | mg/l | | | | | | | | | | N.D. | |
| 鉛 | | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム(6価) | | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 砒素 | | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| 総水銀 | | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | |
| メチル水銀 | | mg/l | | | | | | | | | | | | |
| P C B | | mg/l | | | | | | | | | | N.D. | | |
| P H | | - | 7.9 | 7.9 | 7.5 | 7.7 | 7.9 | 8.5 | 8.0 | 8.2 | 7.9 | 7.8 | 8.0 | 8.1 |
| 生 活 環 境 項 目 | D O | mg/l | 10.3 | 10.1 | 9.8 | 9.2 | 9.4 | 9.8 | 9.6 | 9.2 | 8.8 | 8.6 | 8.6 | 8.6 |
| | B O D | mg/l | 0.6 | 0.7 | 2.9 | 2.1 | 0.6 | 0.5 | 0.7 | 0.6 | 0.9 | 0.8 | 0.8 | 0.6 |
| | C O D | mg/l | 1.3 | 1.6 | 5.4 | 4.9 | 1.7 | 1.6 | 2.6 | 2.5 | 1.8 | 1.6 | 2.1 | 2.2 |
| | S S | mg/l | 8 | 7 | 108 | 79 | 6 | 4 | 18 | 14 | 26 | 27 | 13 | 14 |
| | 大腸菌群数 | MPN/100ml | | 4.9E02 | | 2.2E05 | | 7.9E02 | | 1.1E04 | | 1.3E04 | | 1.7E04 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | |
| | 全燐 | mg/l | | | | | | | | | | | | |
| | 特 殊 項 目 | フェノール類 | mg/l | | | | | | | | | | | |
| | | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | |
| 亜鉛 | | mg/l | | 0.01 | | | | <0.01 | | | | 0.01 | | |
| 鉄(溶解性) | | mg/l | | | | | | | | | | | | |
| マンガン(溶解性) | | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | |
| クロム | | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| フッ素 | | mg/l | | | | | | | | | | | | |
| アモニア性窒素 | | mg/l | | 0.03 | | | | <0.01 | | | | 0.01 | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 目 | 磷酸態燐 | mg/l | | 0.060 | | | | 0.040 | | | | 0.040 | | |
| | A B S | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | |
| | 導電率 | μS/cm | | 196 | | | | 228 | | | | 208 | | |
| | 濁度 | mg/l | | 5 | | | | <5 | | | | 13 | | |
| | 塩素イオン | mg/l | | 12.0 | | | | 12.0 | | | | 9.0 | | |

公 共 用 水 域 水 質 測 定 結 果 表

水域 富士川

調査担当機関 山梨県

| 地点名(地点統一番号) | | | 南 部 橋 (015-01) | | | | | | | | | | | | |
|-------------|-----------|-------------------|------------------|--------|--------|--------|-------|--------|--------|--------|-------|--------|--------|--------|------|
| [類型名] | | | [A 口] | | | | | | | | | | | | |
| 区 分 | 測定項目 | 月 日 | 10/25 | 10/25 | 11/22 | 11/22 | 12/20 | 12/20 | 1/30 | 1/30 | 2/21 | 2/21 | 3/14 | 3/14 | |
| | | 採取時刻 | 8:00 | 13:00 | 8:00 | 13:00 | 8:00 | 13:00 | 8:00 | 13:00 | 8:00 | 13:00 | 8:00 | 13:00 | |
| 一 般 項 目 | 天 候 | - | 曇 | 曇 | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 | 晴 | 曇 | |
| | 気 温 | ℃ | 13.0 | 20.5 | 7.2 | 10.2 | 1.0 | 12.8 | 1.5 | 11.0 | 7.0 | 10.2 | 10.0 | 14.2 | |
| | 水 温 | ℃ | 14.0 | 16.2 | 8.0 | 12.0 | 6.5 | 10.0 | 4.0 | 8.0 | 8.5 | 10.5 | 9.5 | 12.5 | |
| | 外 観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 320 | 320 | 320 | 320 | |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | |
| | 河 流 量 | m ³ /S | 27.31 | | 5.28 | | 4.61 | | | | | | | 53.85 | |
| | 採 取 位 置 | - | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | 右岸 | |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | 14.0 | 17.0 | 28.0 | 26.3 |
| | 湖 採 取 水 深 | m | | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | | |
| | 沼 透 明 度 | m | | | | | | | | | | | | | |
| | 健 康 項 目 | カドミウム | mg/l | | <0.005 | | | | <0.005 | | | | <0.005 | | |
| | | シアン | mg/l | | N.D. | | | | N.D. | | | | N.D. | | |
| | | 有機燐 | mg/l | | | | | | | | | | N.D. | | |
| 鉛 | | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム(6価) | | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 砒素 | | mg/l | | <0.02 | | | | <0.02 | | | | <0.02 | | | |
| 総水銀 | | mg/l | | <.0005 | | | | <.0005 | | | | <.0005 | | | |
| アルキル水銀 | | mg/l | | | | | | | | | | | | | |
| P C B | | mg/l | | | | | | | | | | N.D. | | | |
| P | | mg/l | 7.7 | 8.2 | 7.4 | 7.9 | 7.5 | 8.2 | 7.4 | 7.3 | 7.7 | 7.8 | 7.7 | 7.8 | |
| 生 活 環 境 項 目 | D O | mg/l | 10.2 | 10.8 | 10.8 | 11.4 | 11.2 | 12.6 | 12.1 | 12.1 | 11.2 | 11.1 | 11.1 | 10.6 | |
| | B O D | mg/l | 0.6 | 0.6 | <0.5 | 0.5 | 1.0 | 0.8 | 0.8 | 0.9 | 1.8 | 1.4 | 1.2 | 1.1 | |
| | C O D | mg/l | 1.9 | 2.5 | 1.5 | 1.7 | 1.9 | 1.9 | 1.4 | 1.6 | 3.3 | 3.0 | 2.9 | 2.8 | |
| | S | mg/l | 6 | 4 | 2 | 2 | 3 | 2 | 4 | 2 | 42 | 44 | 29 | 19 | |
| | 大腸菌群数 | MPN/100ml | | 2.3E03 | | 4.9E02 | | 7.9E02 | | 1.1E03 | | 3.3E03 | | 7.0E03 | |
| | n-Hex | mg/l | | | | | | | | | | | | | |
| | 全窒素 | mg/l | | | | | | | | | | | | | |
| | 全 燐 | mg/l | | | | | | | | | | | | | |
| | 特 殊 項 目 | フェノール類 | mg/l | | | | | | | | | | | | |
| | | 銅 | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | |
| 亜鉛 | | mg/l | | <0.01 | | | | <0.01 | | | | 0.01 | | | |
| 鉄(溶解性) | | mg/l | | | | | | | | | | | | | |
| マンガン(溶解性) | | mg/l | | <0.05 | | | | <0.05 | | | | <0.05 | | | |
| クロム | | mg/l | | <0.01 | | | | <0.01 | | | | <0.01 | | | |
| フッ素 | | mg/l | | | | | | | | | | | | | |
| アモニア性窒素 | | mg/l | | <0.01 | | | | 0.02 | | | | | | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | | |
| 磷酸態燐 | | mg/l | | 0.059 | | | | 0.045 | | | | 0.042 | | | |
| A B S | | mg/l | | <0.02 | | | | <0.02 | | | | 0.03 | | | |
| 導電率 | | μS/cm | | 180 | | | | 185 | | | | 145 | | | |
| 濁 度 | | mg/l | | <5 | | | | <5 | | | | 35 | | | |
| 塩素イオン | mg/l | | 12.0 | | | | 15.0 | | | | 11.0 | | | | |

公共用水域水質測定結果表

水域 塩川

調査担当機関 山梨県

| 地点名(地点統一番号) | | | 藤 井 堰 (202-01) | | | | | | | | | | | |
|-------------|---------|-------------------|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| [類型名] | | | [-] | | | | | | | | | | | |
| 区分 | 測定項目 | 月 日 | 10/ 3 | 10/ 3 | 11/ 7 | 11/ 7 | 12/ 5 | 12/ 5 | 1/ 9 | 1/ 9 | 2/ 6 | 2/ 6 | 3/27 | 3/27 |
| | | 採取時刻 | 12:20 | 14:00 | 11:40 | 13:45 | 11:15 | 14:05 | 11:40 | 13:45 | 11:33 | 13:13 | 11:27 | 13:00 |
| 一般項目 | 天 候 | - | 晴 | 晴 | 晴 | 晴 | 晴 | 晴 | 曇 | 曇 | 晴 | 晴 | 曇 | 曇 |
| | 気 温 | ℃ | 27.0 | 24.0 | 19.0 | 17.0 | 9.5 | 11.8 | 10.0 | 9.0 | 8.0 | 8.5 | 12.0 | 12.6 |
| | 水 温 | ℃ | 17.0 | 17.0 | 10.2 | 11.1 | 8.0 | 9.0 | 7.9 | 8.0 | 4.0 | 5.4 | 8.2 | 9.2 |
| | 外 観 | - | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 001 | 060 | 060 | 180 | 180 |
| | 臭 気 | - | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| | 河 流 量 | m ³ /S | | | | | | | | | | | | |
| | 採 取 位 置 | - | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 | 流心 |
| | 透 視 度 | cm | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 | >30.0 |
| | 採 取 水 深 | m | | | | | | | | | | | | |
| | 全 水 深 | m | | | | | | | | | | | | |
| | 沼 透 明 度 | m | | | | | | | | | | | | |
| | 健康項目 | カドミウム | mg/l | | | <0.005 | | | | <0.005 | | | | <0.005 |
| | | シアン | mg/l | | | N.D. | | | | N.D. | | | | N.D. |
| | | 有機燐 | mg/l | | | | | | | | | | | |
| 鉛 | | mg/l | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| クロム(6価) | | mg/l | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| 砒 素 | | mg/l | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| 総 水 銀 | | mg/l | | | <.0005 | | | | <.0005 | | | | <.0005 | |
| アルキル水銀 | | mg/l | | | | | | | | | | | | |
| P C B | | mg/l | | | | | | | | | | | | |
| P H | | | 7.6 | 7.6 | 8.3 | 8.4 | 8.6 | 8.6 | 7.9 | 7.9 | 7.8 | 7.8 | 8.2 | 8.4 |
| 生活環境項目 | D O | mg/l | 8.7 | 8.4 | 10.3 | 10.0 | 11.1 | 11.8 | 9.7 | 9.6 | 11.9 | 11.6 | 10.9 | 10.6 |
| | B O D | mg/l | 0.5 | <0.5 | 0.7 | 0.8 | 0.7 | 0.8 | 1.2 | 1.0 | 1.0 | 1.7 | 0.8 | 0.9 |
| | C O D | mg/l | 1.8 | 2.1 | 1.5 | 1.5 | 1.2 | 1.4 | 2.4 | 2.4 | 2.4 | 2.4 | 1.9 | 2.0 |
| | S S | mg/l | 21 | 6 | 4 | 3 | 1 | 1 | 3 | 9 | 1 | 1 | 1 | 2 |
| | 大腸菌群数 | MPN/100ml | 2.3E03 | 2.3E03 | 3.5E03 | 3.5E03 | 3.3E03 | 3.3E03 | 4.9E03 | 4.9E03 | 3.3E03 | 3.3E03 | 1.4E03 | 1.7E03 |
| | n-Hex | mg/l | | | | | | | | | | | | |
| | 全 窒 素 | mg/l | | | | | | | | | | | | |
| | 全 磷 | mg/l | | | | | | | | | | | | |
| | 特殊項目 | フェノール類 | mg/l | | | | | | | | | | | |
| | | 銅 | mg/l | | | <0.01 | | | | <0.01 | | | | <0.01 |
| 亜鉛 | | mg/l | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| 鉄(溶解性) | | mg/l | | | <0.1 | | | | <0.1 | | | | <0.1 | |
| マンガン(溶解性) | | mg/l | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| クロム | | mg/l | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| フッ素 | | mg/l | | | <0.15 | | | | <0.15 | | | | <0.15 | |
| アンモニア性窒素 | | mg/l | | | | | | | | | | | | |
| 亜硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 硝酸性窒素 | | mg/l | | | | | | | | | | | | |
| 項目 | 磷酸態磷 | mg/l | | | | | | | | | | | | |
| | A B S | mg/l | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| | 導 電 率 | μS/cm | 119 | 114 | 138 | 139 | 141 | 145 | 150 | 149 | 153 | 160 | 127 | 127 |
| | 濁 度 | mg/l | 6 | | <5 | | <5 | | <5 | | <5 | | <5 | |
| | 塩素イオン | mg/l | 7.2 | | 10.1 | | 13.7 | | 13.7 | | 13.4 | | 9.9 | |

公共用水域水質測定結果表

水域 大門川

調査担当機関 山梨県

| 地点名(地点統一番号) | | | 大門ダム貯水池 (209-01) | | | | | | |
|-------------|---------|-------------------|--------------------|--------|--------|--------|--------|--------|--|
| [類型名] | | | [-] | | | | | | |
| 区分 | 月日 | | 4/18 | 5/23 | 6/20 | 7/18 | 8/22 | 9/19 | |
| | 採取時刻 | | 11:45 | 11:21 | 10:54 | 11:00 | 11:30 | 10:40 | |
| 一般項目 | 天候 | - | 曇 | 雨 | 曇 | 晴 | 晴 | 晴 | |
| | 気温 | ℃ | 4.5 | 12.0 | 20.5 | 23.8 | 29.0 | 21.0 | |
| | 水温 | ℃ | 4.4 | 14.6 | 20.1 | 20.2 | 26.5 | 19.2 | |
| | 外観 | - | 182 | 182 | 182 | 162 | 052 | 052 | |
| | 臭気 | - | 011 | 011 | 011 | 191 | 011 | 011 | |
| | 河流量 | m ³ /S | | | | | | | |
| | 採取位置 | - | 湖心 | 湖心 | 湖心 | 湖心 | 湖心 | 湖心 | |
| | 川透視度 | cm | | | | | | | |
| | 採取水深 | m | | | | | | | |
| | 全水深 | m | | | | | | | |
| 健康項目 | 沼透明度 | m | 1.5 | 1.9 | 1.5 | 2.3 | 1.2 | 1.3 | |
| | カドミウム | mg/L | | <0.005 | | <0.005 | | <0.005 | |
| | シアン | mg/L | | N.D. | | N.D. | | N.D. | |
| | 有機燐 | mg/L | | | | | | | |
| | 鉛 | mg/L | | <0.05 | | <0.05 | | <0.05 | |
| | クロム(6価) | mg/L | | <0.02 | | <0.02 | | <0.02 | |
| | 砒素 | mg/L | | <0.02 | | <0.02 | | <0.02 | |
| | 総水銀 | mg/L | | <.0005 | | <.0005 | | <.0005 | |
| | アキバ水銀 | mg/L | | | | | | | |
| | P C B | mg/L | | | | | | | |
| 生活環境項目 | P H | - | 7.3 | 9.4 | 9.6 | 9.0 | 9.9 | 9.9 | |
| | D O | mg/L | 11.0 | 11.2 | 10.2 | 8.6 | 13.0 | 11.0 | |
| | B O D | mg/L | 1.4 | 2.5 | 2.7 | 2.2 | 3.6 | 3.4 | |
| | C O D | mg/L | 2.6 | 3.7 | 4.5 | 3.0 | 4.6 | 4.3 | |
| | S S | mg/L | 5 | 6 | 6 | 1 | 3 | 3 | |
| | 大腸菌群数 | MPN/100mL | 7.9E02 | 2.2E03 | 2.3E01 | 4.9E01 | 2.3E01 | 2.4E02 | |
| | n-Hex | mg/L | | | | | | | |
| | 全窒素 | mg/L | 0.89 | 0.72 | 0.81 | | 0.50 | 0.25 | |
| | 全燐 | mg/L | 0.039 | 0.011 | 0.013 | 0.015 | 0.022 | 0.003 | |
| | 特殊項目 | フェノール類 | mg/L | | | | | | |
| 銅 | | mg/L | | <0.01 | | <0.01 | | <0.01 | |
| 亜鉛 | | mg/L | | <0.01 | | <0.01 | | <0.01 | |
| 鉄(溶解性) | | mg/L | | <0.1 | | <0.1 | | <0.1 | |
| マンガン(溶解性) | | mg/L | | <0.05 | | <0.05 | | <0.05 | |
| クロム | | mg/L | | <0.01 | | <0.01 | | <0.01 | |
| フッ素 | | mg/L | | <0.15 | | <0.15 | | <0.15 | |
| アンモニア性窒素 | | mg/L | 0.02 | 0.03 | 0.06 | | <0.01 | <0.01 | |
| 亜硝酸性窒素 | | mg/L | 0.003 | 0.004 | 0.005 | | <0.001 | <0.001 | |
| 硝酸性窒素 | | mg/L | 0.523 | 0.389 | 0.368 | | 0.226 | 0.168 | |
| 項目 | 磷酸態燐 | mg/L | 0.015 | <0.003 | 0.007 | <0.003 | <0.003 | <0.003 | |
| | A B S | mg/L | | <0.02 | | <0.02 | | <0.02 | |
| | 導電率 | μS/cm | 65.2 | 64.9 | 75.9 | 82.1 | 98.8 | 98.8 | |
| | 濁度 | mg/L | | | 6 | <5 | <5 | <5 | |
| | 塩素イオン | mg/L | | | 3.8 | 3.9 | 4.2 | 3.4 | |

公共用水域水質測定結果表

水域 大門川

調査担当機関 山梨県

| 地点名(地点統一番号) | | | 大門ダム貯水池 (209-01) | | | | | | | | | | | |
|-------------|-----------|-------------------|--------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| [類型名] | | | [-] | | | | | | | | | | | |
| 区分 | 月日 | | 10/19 | | 11/21 | | 12/19 | | 1/25 | | 2/20 | | 3/9 | |
| | 測定項目 | | 採取時刻 | 14:15 | | 11:00 | | 10:55 | | 11:20 | | 10:45 | | 11:10 |
| 一般項目 | 天候 | - | 晴 | | 晴 | | 晴 | | 晴 | | 晴 | | 晴 | |
| | 気温 | ℃ | 15.1 | | 6.0 | | 4.5 | | 6.0 | | 5.0 | | 8.5 | |
| | 水温 | ℃ | 12.5 | | 8.1 | | 4.0 | | 1.6 | | 3.8 | | 5.1 | |
| | 外観 | - | 182 | | 142 | | 182 | | 182 | | 182 | | 052 | |
| | 臭気 | - | 011 | | 011 | | 011 | | 011 | | 011 | | 011 | |
| | 河流量 | m ³ /S | | | | | | | | | | | | |
| | 採取位置 | - | 湖心 | | 湖心 | | 湖心 | | | | 湖心 | | 湖心 | |
| | 川透視度 | cm | | | | | | | | | | | | |
| | 湖採取水深 | m | | | | | | | | | | | | |
| | 全水深 | m | | | | | | | | | | | | |
| 沼透明度 | m | | 1.9 | | 3.1 | | 3.5 | | | | 0.8 | | 1.0 | |
| 健康項目 | カドミウム | mg/L | | | <0.005 | | | | <0.005 | | | | <0.005 | |
| | シアン | mg/L | | | N.D. | | | | N.D. | | | | N.D. | |
| | 有機燐 | mg/L | | | N.D. | | | | N.D. | | | | N.D. | |
| | 鉛 | mg/L | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| | クロム(6価) | mg/L | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| | 砒素 | mg/L | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| | 総水銀 | mg/L | | | <.0005 | | | | <.0005 | | | | <.0005 | |
| | アルキル水銀 | mg/L | | | | | | | | | | | | |
| | P・C・B | mg/L | | | | | | | | | | | | |
| | P・H | mg/L | | 8.8 | | 7.5 | | 6.6 | | 7.5 | | 7.2 | | 7.0 |
| D・O | mg/L | | 10.7 | | 8.7 | | 9.5 | | 12.1 | | 11.8 | | 10.7 | |
| B・O・D | mg/L | | 2.6 | | 0.9 | | 0.9 | | 0.7 | | 0.9 | | 0.5 | |
| C・O・D | mg/L | | 2.8 | | 1.9 | | 1.9 | | 2.1 | | 3.1 | | 1.2 | |
| S | mg/L | | 2 | | 1 | | 1 | | 1 | | 6 | | 5 | |
| 大腸菌群数 | MPN/100ml | | 1.7E02 | | 1.3E02 | | 0.8E01 | | 2.3E01 | | 3.5E02 | | 3.3E02 | |
| n-Hex | mg/L | | | | | | | | | | | | | |
| 全窒素 | mg/L | | 1.21 | | 1.03 | | 1.08 | | 1.08 | | 1.23 | | 1.01 | |
| 全燐 | mg/L | | 0.010 | | <0.003 | | 0.013 | | 0.025 | | 0.021 | | 0.029 | |
| 特殊項目 | フェノール類 | mg/L | | | | | | | | | | | | |
| | 銅 | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| | 亜鉛 | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| | 鉄(溶解性) | mg/L | | | <0.1 | | | | <0.1 | | | | <0.1 | |
| | マンガン(溶解性) | mg/L | | | <0.05 | | | | <0.05 | | | | <0.05 | |
| | クロム | mg/L | | | <0.01 | | | | <0.01 | | | | <0.01 | |
| | フッ素 | mg/L | | | <0.15 | | | | <0.15 | | | | <0.15 | |
| | アンモニア性窒素 | mg/L | | <0.01 | | <0.01 | | 0.06 | | <0.01 | | <0.01 | | <0.01 |
| | 亜硝酸性窒素 | mg/L | | 0.004 | | 0.005 | | 0.003 | | 0.004 | | 0.008 | | 0.003 |
| | 硝酸性窒素 | mg/L | | 0.949 | | 0.963 | | 0.624 | | 0.576 | | 0.800 | | 0.602 |
| 炭酸態燐 | mg/L | | <0.003 | | <0.003 | | 0.005 | | 0.009 | | 0.008 | | 0.008 | |
| A・B・S | mg/L | | | | <0.02 | | | | <0.02 | | | | <0.02 | |
| 導電率 | μS/cm | | 76.7 | | 79.1 | | 83.4 | | 65.7 | | 57.9 | | 55.8 | |
| 濁度 | mg/L | | <5 | | <5 | | <5 | | <5 | | 5 | | 7 | |
| 塩素イオン | mg/L | | 2.9 | | 3.0 | | 3.2 | | 3.0 | | 2.9 | | 2.7 | |